



# Using Virtual Documents in Productions

Version 2019.1  
2019-05-13

*Using Virtual Documents in Productions*

InterSystems IRIS Data Platform Version 2019.1 2019-05-13

Copyright © 2019 InterSystems Corporation

All rights reserved.



InterSystems, InterSystems Caché, InterSystems Ensemble, InterSystems HealthShare, HealthShare, InterSystems TrakCare, TrakCare, InterSystems DeepSee, and DeepSee are registered trademarks of InterSystems Corporation.



InterSystems IRIS Data Platform, InterSystems IRIS, InterSystems iKnow, Zen, and Caché Server Pages are trademarks of InterSystems Corporation.

All other brand or product names used herein are trademarks or registered trademarks of their respective companies or organizations.

This document contains trade secret and confidential information which is the property of InterSystems Corporation, One Memorial Drive, Cambridge, MA 02142, or its affiliates, and is furnished for the sole purpose of the operation and maintenance of the products of InterSystems Corporation. No part of this publication is to be used for any other purpose, and this publication is not to be reproduced, copied, disclosed, transmitted, stored in a retrieval system or translated into any human or computer language, in any form, by any means, in whole or in part, without the express prior written consent of InterSystems Corporation.

The copying, use and disposition of this document and the software programs described herein is prohibited except to the limited extent set forth in the standard software license agreement(s) of InterSystems Corporation covering such programs and related documentation. InterSystems Corporation makes no representations and warranties concerning such software programs other than those set forth in such standard software license agreement(s). In addition, the liability of InterSystems Corporation for any losses or damages relating to or arising out of the use of such software programs is limited in the manner set forth in such standard software license agreement(s).

THE FOREGOING IS A GENERAL SUMMARY OF THE RESTRICTIONS AND LIMITATIONS IMPOSED BY INTERSYSTEMS CORPORATION ON THE USE OF, AND LIABILITY ARISING FROM, ITS COMPUTER SOFTWARE. FOR COMPLETE INFORMATION REFERENCE SHOULD BE MADE TO THE STANDARD SOFTWARE LICENSE AGREEMENT(S) OF INTERSYSTEMS CORPORATION, COPIES OF WHICH WILL BE MADE AVAILABLE UPON REQUEST.

InterSystems Corporation disclaims responsibility for errors which may appear in this document, and it reserves the right, in its sole discretion and without notice, to make substitutions and modifications in the products and practices described in this document.

For Support questions about any InterSystems products, contact:

**InterSystems Worldwide Response Center (WRC)**

Tel: +1-617-621-0700

Tel: +44 (0) 844 854 2917

Email: [support@InterSystems.com](mailto:support@InterSystems.com)

# Table of Contents

<b>About This Book</b> .....	<b>1</b>
<b>1 Virtual Documents</b> .....	<b>3</b>
1.1 Introduction .....	3
1.2 Kinds of Virtual Documents .....	4
1.3 Access to Contents of Virtual Documents .....	4
1.4 Support for Filter and Search .....	5
<b>2 Schema Definitions</b> .....	<b>7</b>
2.1 Introduction to Schema Definitions .....	7
2.2 Schema Categories .....	7
2.3 Document Structures .....	8
2.4 Document Types (DocType) .....	8
2.5 Tools .....	8
<b>3 Virtual Property Paths</b> .....	<b>9</b>
3.1 Introduction .....	9
3.2 Parsing EDI Documents: Segments and Fields .....	9
3.3 Segment Structures .....	10
3.4 Determining Virtual Property Paths .....	10
3.5 Virtual Document Classes .....	12
3.6 Testing Virtual Property Paths in the Terminal .....	13
<b>4 Using Virtual Documents in a Production</b> .....	<b>15</b>
4.1 Introduction .....	15
4.2 Business Services for Virtual Documents .....	16
4.3 Business Processes for Virtual Documents .....	17
4.4 Business Operations for Virtual Documents .....	17
<b>5 Defining Search Tables</b> .....	<b>19</b>
5.1 Defining a Search Table Class .....	19
5.1.1 XData Details for a Search Table Class .....	20
5.2 Defining Custom Search Table Classes .....	21
5.3 Management of Search Tables .....	23
5.4 Customizing Queries Used by the Management Portal .....	23
<b>6 Controlling Message Validation</b> .....	<b>25</b>
6.1 Introduction to Message Validation .....	25
6.2 Basic Validation Options and Logic .....	25
6.2.1 The d Validation Flag .....	26
6.2.2 The m Validation Flag .....	26
6.3 Overriding the Validation Logic .....	26
6.3.1 Overriding the Validation Logic in a Routing Process Class .....	26
6.3.2 Overriding the Validation Logic in a Business Service or Operation Class .....	26
6.4 Defining Bad Message Handlers .....	27
<b>7 Creating Custom Schema Categories</b> .....	<b>29</b>
7.1 When Custom Schema Categories Are Needed .....	29
7.2 Ways to Create Custom Schema Categories .....	29
7.3 Syntax for Schema Categories in InterSystems IRIS .....	30
7.3.1 <Category> .....	30

7.3.2 <SegmentStructure> .....	31
7.3.3 <SegmentSubStructure> .....	31
7.3.4 <MessageStructure> .....	32
7.3.5 <MessageType> .....	33
<b>8 Portal Tools .....</b>	<b>35</b>
8.1 Accessing the Tools .....	35
8.2 Using the Schema Structures Page .....	35
8.3 Using the Document Viewer Page .....	36
<b>Syntax Guide for Virtual Property Paths .....</b>	<b>37</b>
Virtual Property Shortcuts When DocType Is Unimportant .....	38
Virtual Property Path Basics .....	39
Curly Bracket { } Syntax .....	41
Square Bracket [ ] Syntax .....	42
Parenthesis () Syntax .....	43
Angle Bracket <> Syntax .....	44
<b>Common Settings .....</b>	<b>45</b>
Settings for Business Services .....	46
Settings for Routing Processes .....	47
Settings for Business Operations .....	50

# About This Book

This book explains how the concept of virtual documents allows InterSystems IRIS™ to provide efficient support for Electronic Data Interchange (EDI) formats and for XML documents. This book provides the common information that applies to all virtual document formats.

This book contains the following sections:

- [Virtual Documents](#)
- [Schema Definitions](#)
- [Virtual Property Paths](#)
- [Using Virtual Documents in a Production](#)
- [Defining Search Tables](#)
- [Controlling Message Validation](#)
- [Creating Custom Schema Categories](#)
- [Portal Tools](#)
- [Syntax Guide for Virtual Property Paths](#)
- [Common Settings](#)

For a detailed outline, see the [table of contents](#).

The following books provide related information:

- *[Developing Productions](#)* describes specific development practices in detail.
- *[Best Practices for Creating Productions](#)* describes best practices for organizing and developing productions.
- *[Routing EDIFACT Documents in Productions](#)* describes how to work with EDIFACT documents as virtual documents.
- *[Routing X12 Documents in Productions](#)* describes how to work with X12 documents as virtual documents.
- *[Routing XML Virtual Documents in Productions](#)* describes how to work with XML documents as virtual documents.



# 1

## Virtual Documents

This chapter explains what virtual documents are, why they are useful, and how they are different from standard messages. It also briefly introduces tools that InterSystems IRIS provides so that virtual documents can be used in all the same ways as standard messages. This chapter contains the following sections:

- [Introduction](#)
- [Kinds of Virtual Documents](#)
- [Access to Contents of Virtual Documents](#)
- [Support for Filter and Search](#)

### 1.1 Introduction

A *virtual document* is a kind of message that InterSystems IRIS parses only partially. To understand the purpose of virtual documents, it is useful to examine production messages a little more closely. Every production message consists of two parts:

- The *message header* contains the data needed to route the message within InterSystems IRIS. The message header is always the same type of object. This is a persistent object, meaning that it is stored within a table in the InterSystems IRIS database.
- The *message body* contains the message data. For standard messages, the message body is a persistent object. For virtual documents, the message body is implemented in a different way, as explained below.

An object represents each piece of data as a separate property. This is convenient in that any value in the object is easy to access. When writing code, you simply reference a class property by name to get its value.

For EDI (Electronic Data Interchange) formats, this approach becomes unwieldy and unnecessary. The approach is unwieldy because a large number of properties (possibly hundreds) would be required, and the process of creating an instance of the object can be slow. The standard approach is unnecessary because many applications use only a small number of the fields actually available in the document.

To address these issues, InterSystems IRIS provides an alternative type of message body called a *virtual document*. A virtual document allows you to send raw document content as x body of a production message, without creating objects to hold the contents of the document as a formal set of properties. The data in the virtual document is stored directly in an internal-use global, for greater processing speed.

The virtual document approach is also useful for XML documents (which can also be handled as standard messages).

## 1.2 Kinds of Virtual Documents

InterSystems IRIS can handle the following kinds of documents as virtual documents:


Kind of Document	See
EDIFACT documents	<a href="#">Routing EDIFACT Documents in Productions</a>
X12 documents	<a href="#">Routing X12 Documents in Productions</a>
XML documents	<a href="#">Routing XML Virtual Documents in Productions</a>

You can also handle XML documents as standard messages. To do so, you can generate classes from the corresponding XML schema. For information, see *Using XML Tools*.

## 1.3 Access to Contents of Virtual Documents

To work with data in a virtual document, you must be able to identify a specific data item within it. The data item is called a *virtual property*. An *virtual property path* is the syntax that InterSystems IRIS uses to specify the location of a virtual property. You can use virtual property paths in the following locations, among others:

- Business rules. The following shows an example:



The curly braces enclose a virtual property path.

- Data transformations. The following shows an example:

**assign**  
Set the value of a target property.  
[View documentation](#)

Action  
set ▼

Property  
target.{PR1grp(1)}

Property whose value will be set. Double-clicking on diagram will place that property in this field.

Value  
source.{PR1grp(1)}

Value to assign to the property. Double-clicking on a place that property in this field.

For both **Property** and **Value**, the curly braces enclose a virtual property path.



As a consequence, your production can work with a virtual document in much the same way that it works with standard messages.

For details, see the chapter “[Virtual Property Paths](#),” later in this book.

## 1.4 Support for Filter and Search

For standard message bodies, each property of the message is directly searchable in the Management Portal. That is, the user can use the property for searching or filtering without having to know its path.


By default, with the exception of the message identifier, none of the data in an virtual document is directly searchable in the Management Portal. That is, a user must know the property path for a data item in order to use that item for searching or filtering.

To assist the user, you can use the following mechanism to make virtual properties directly searchable:

- You define a *search table class*; this class uses virtual property paths to define the searchable properties.
- You configure the applicable business hosts to use the search table class.

As the business host receives messages, InterSystems IRIS indexes these properties as if they were properties in a standard message body.

Users can then use these properties directly without having to know the property paths that they use. For example:



For details on defining search tables, see “[Defining Search Tables](#),” later in this book.



# 2

## Schema Definitions

This chapter introduces schema definitions, which InterSystems IRIS™ uses to validate virtual documents (and to access data in them, as discussed in the chapter “[Virtual Property Paths](#)”). It contains the following sections:

- [Introduction](#)
- [Schema Categories](#)
- [Document Structures](#)
- [Document Types \(DocType\)](#)
- [Tools](#)

### 2.1 Introduction to Schema Definitions

Because a virtual document is not represented as an object (with a corresponding class definition), InterSystems IRIS requires additional tools to parse and validate the virtual document. These tools start with schema definitions.

An InterSystems IRIS *schema definition* is a set of descriptions that represent a specific EDI standard or an XML schema. A schema definition is an InterSystems IRIS concept, not to be confused with other concepts such as a database schema or XML schema. It is, however, *based on* the corresponding EDI or XML schema.

Schema definitions are specific to a given interoperability-enabled namespace and are stored in the InterSystems IRIS database for that namespace.

### 2.2 Schema Categories

Each schema definition provides InterSystems IRIS with a complete view of an EDI standard (or of an XML schema). There is one schema definition for X12, for example. In practical terms, a schema definition may contain only a subset of the standard in question; this depends on how the corresponding EDI schema was imported into InterSystems IRIS.

In a schema definition, a *schema category* is a grouping convention. Each schema definition contains one or more schema categories.

## 2.3 Document Structures

In a schema definition, each schema category contains one or more *document structures*. Each document structure describes one type of document.

Depending on the EDI standard, InterSystems IRIS uses different approaches to organize a schema definition into schema categories and document structures. For example, for X12, a schema definition has a flatter organization, commonly with only one document structure per schema category:

## 2.4 Document Types (DocType)

Each virtual document has a *document type*, often simply called *DocType* (which is the name of the property that stores this information). This corresponds to a specific part of a schema definition, the part that describes the expected structure of and values in this virtual document. The DocType enables InterSystems IRIS to validate and parse that virtual document.

The DocType for a virtual document is identified by a combination of the schema category and document structure. Specifically, the syntax for the DocType property is as follows:

```
category:structure
```

Where:

- *category* is the name of a schema category.
- *structure* is the name of a document structure within the referenced category. This piece is always required, even if the schema category has only one document structure.

## 2.5 Tools

The Management Portal provides the [Schema Structures](#) page, where you can import EDI or XML schemas (thus creating schema definitions), export schemas, and browse schema definitions. See “[Portal Tools](#),” later in this book.

# 3

## Virtual Property Paths

This chapter introduces virtual property paths, which InterSystems IRIS™ uses to access data within virtual documents. It contains the following sections:

- [Introduction](#)
- [Parsing EDI Documents: Segments and Fields](#)
- [Segment Structures](#)
- [Determining Virtual Property Paths](#)
- [Virtual Document Classes](#)
- [Testing Virtual Property Paths in the Terminal](#)

### 3.1 Introduction

To work with a virtual document, you must be able to identify a specific data item within it. The data item is called a *virtual property*. An *virtual property path* is the syntax that InterSystems IRIS uses to specify the location of a virtual property.

Except for XML virtual documents, you can use virtual property paths only if you have loaded the applicable EDI schema into InterSystems IRIS. Once the schema is loaded, InterSystems IRIS has all the information necessary to parse the corresponding documents as intended by the EDI schema.

### 3.2 Parsing EDI Documents: Segments and Fields

For EDIFACT and X12 documents, the raw data stream is divided into *segments*, which are further subdivided into *fields*. (The details are different for XML documents; see [Routing XML Virtual Documents in Productions](#).)

A *terminator character* (often a carriage return) marks the end of the segment. In this case, each line is a segment.

Within a segment, *separator characters* mark the boundaries between fields. In this case, the colon is the separator character between fields and the semicolon is the separator between subfields.

A field can contain sub-fields and further subdivisions. These are delimited by other separator characters.

The details of the terminator character and separator characters depend upon the EDI format.

- For details on X12, see [Separators](#). The default X12 separators are:

\* : \a ~ \r \n

- For details on EDIFACT see [Separators](#). The default EDIFACT separators are:

: + ? ' \r \n

## 3.3 Segment Structures

Generally, an EDI standard defines a large number of possible segment structures to use as building blocks. Each document structure can contain only specific segments. Different document structures may also combine segments in different sequences or quantities.


(The details are different for XML documents; see [Routing XML Virtual Documents in Productions](#).)

## 3.4 Determining Virtual Property Paths

Conceptually, a *virtual property path* includes all the following units:

- *category:structure* — the DocType
- *segment:field* — the path to a data value within a virtual document of that DocType

The following figure illustrates this convention.



Generally the *segment* portion of the path identifies the target segment within a hierarchical document structure containing groups and repeating blocks of segments. For example, an NTE segment in a 2.3:ORM\_O01 message might be identified as:

```
ORCgrp(1).OBRuniongrp.OBXgrp(3).NTE(1)
```

Similarly, the *field* portion of the path identifies a target field within a hierarchical structure of fields, subfields, and repeating groups within the target segment. As it happens, each *field* within NTE is simple, for example:

```
SourceofComment
```

So that the complete *segment:field* path looks like this:

```
ORCgrp(1).OBRuniongrp.OBXgrp(3).NTE(1):SourceofComment
```

Some fields can have complex hierarchical structures. Suppose we look at a PID segment in the same 2.3:ORM\_O01 message structure. In the *segment* identified as:

```
PIDgrp.PID
```

There could be a *field* path as follows:

```
PatientIDInternalID(1).identifiertypecode
```

Unlike *segment* paths, the *field* portion of the path generally allows numbers instead of names for fields and subfields; for example, instead of the names previously shown, the following numbers may be used:

```
3(1).5
```

The Management Portal provides pages to help you determine the correct *segment:field* paths. (To access these pages, click **Interoperability**, and then click **Interoperate**.) The DTL editor also provides a view of the document structures used in a particular transformation.

(The details are different for XML documents; see [Routing XML Virtual Documents in Productions](#).)

## 3.5 Virtual Document Classes

To work with virtual documents, there is no need to create message classes. InterSystems IRIS provides message classes, for example, one class to carry X12 documents, another for XML documents, and so on. The business host classes automatically use the appropriate message class.

These messages are known collectively as *virtual documents*.

The virtual document classes provide properties to carry the information that InterSystems IRIS needs to process the messages. These properties include the following:

### DocType property

Indicates the document type, a string in two parts as follows:

```
category:structure
```

Where:

- *category* is the name of a [schema category](#).
- *structure* is the name of a [document structure](#) within the referenced *category*.

This property is visible in the Management Portal. You can use it for filtering, for example.

### RawContent property

Contains the first 32 KB of the raw message.

This property is also visible in the Management Portal and is useful in analyzing and reporting badly formed messages.

Note that this property is not indexed in any way. If you were to use this property in an SQL search query, the query would not execute very efficiently. It is not recommended to access this property programmatically (for example from a DTL). Instead, use virtual property paths to access the data that you need.

### BuildMapStatus property

Contains a %Status value that indicates the success or failure of the most recent effort to map the raw content of the message to a particular DocType. You can test BuildMapStatus in code as follows:



- Use the macro `$$$ISOK(myX12Message.BuildMapStatus)` in ObjectScript and the method `$$SYSTEM.Status.ISOK(myMessage.BuildMapStatus)` in Basic. If the test returns a True value, `BuildMapStatus` contains a success value.
- Use the macro `$$$ISERR(myMessage.BuildMapStatus)` in ObjectScript and the method `$$SYSTEM.Status.IsError(myX12Message.BuildMapStatus)` in Basic. If the test returns a True value, `BuildMapStatus` contains a failure value.

To view details of any `BuildMapStatus` failure codes, use the [Schema Structures page](#) as described in the chapter “[Portal Tools](#).”

The virtual document classes also provide the logic that InterSystems IRIS needs to interpret a virtual property path for a specific format and `DocType`. The classes provide the following instance methods which you can (depending on the context) use to get or set values within a virtual document:

### GetValueAt() method

Returns the value of a virtual property in the message, given a virtual property path.

You can invoke this method (and the next one) from any place in the production where you have access to the message and you can execute custom code — for example, within a BPL `<code>` element.

### SetValueAt() method

Sets a value in the message, given a virtual property path and a value. See the comments for `GetValueAt()`.

## 3.6 Testing Virtual Property Paths in the Terminal

It can be useful to test virtual document property paths in the Terminal before using them in business processes, data transformations, and so on, particularly when you are getting familiar with the syntax. To do so:

1. Load the corresponding schema into InterSystems IRIS, if it is not yet loaded. To do so, see the chapter “[Portal Tools](#).”
2. In the Terminal or in test code:
  - a. Create a string that contains the text of a suitable document.
  - b. Use the `ImportFromString()` method of the applicable virtual document class to create an instance of a virtual document from this string.

The following table lists the classes:

Document Type	Virtual Document Class
EDIFACT	EnsLib.EDI.EDIFACT.Document
XML	EnsLib.EDI.XML.Document

- c. Set the `DocType` property of this instance.
- d. Use the `GetValueAt()` instance method of this instance.



# 4

## Using Virtual Documents in a Production

This chapter provides a brief and general overview of how to use virtual documents in a production. It contains the following sections:


- [Introduction](#)
- [Business Services for Virtual Documents](#)
- [Business Processes for Virtual Documents](#)
- [Business Operations for Virtual Documents](#)

### 4.1 Introduction

For each kind of virtual document, InterSystems IRIS™ provides a set of classes that you can use as business hosts, as follows:

Item	Classes
Business services	InterSystems IRIS provides one or more specialized business service classes, each with a different associated adapter. No coding is needed to use these classes.
Business processes	<ul style="list-style-type: none"><li>• EnsLib.MsgRouter.RoutingEngine, which is the standard virtual document routing process class</li><li>• Specialized subclasses of this routing process class</li></ul> No coding is needed to use these classes.
Business operations	InterSystems IRIS provides one or more specialized business operation classes, each with a different associated adapter. For example, for X12 documents, there are different classes for file output, TCP output, and FTP output. No coding is needed to use these classes.

The business host classes include configurable targets. The following diagram shows some of them:



You must load any applicable schemas in InterSystems IRIS, so that InterSystems IRIS can use them to validate and parse the virtual documents.

## 4.2 Business Services for Virtual Documents

For each virtual document format, InterSystems IRIS provides one or more specialized business service classes, each with a different associated inbound adapter. You use these classes to add business services to your production. With a few exceptions, these business hosts have the following configurable settings:

- **Doc Schema Category** — Specify a schema category that is relevant to the format and that is consistent with the expected messages for this business service. This setting provides some of the information that the business service requires in order to set the DocType of the message. Specifically, this setting determines the *category* part of the DocType.

The business service also parses the document to determine the *structure* part of the DocType, and it then sets the value of that property.

- **Search Table Class** — Specify a suitable search table class that is consistent with the expected messages for this business service. The business service uses this to index each message that it processes.
- **Target Config Names** — Specify the business host or hosts to which this business service should send messages.
- **Validation** — Specify a string that indicates the kinds of validation for this service to perform.

For details on the built-in validation process, see “[Message Validation for Virtual Documents](#),” later in this book.

As part of the process of defining the production, you load any applicable EDI or XML schemas in InterSystems IRIS, so that InterSystems IRIS can use them to validate the virtual documents.

Some virtual document business services have additional configurable targets. For example, with FTP there is a persistent connection via which reply messages can be sent, so some business hosts have the setting **Reply Target Config Names**.

These business services have many other settings, to specify details that are specific to the EDI or XML format.

## 4.3 Business Processes for Virtual Documents

InterSystems IRIS provides specialized business processes for use with virtual documents. These processes are generally very similar to each other; each is designed as a routing process. A *routing process* routes and transforms messages by using these key items:

- Routing rules direct messages to their destinations based on message contents.
- Schema categories provide a means to validate and access message contents.
- Data transformations apply changes to prepare messages for their destinations.

These routing processes have the following configurable settings (among others):

- **Business Rule Name** — Name of the business rule set that this process should use.  
As part of the process of defining the production, you create this business rule set and any data transformations it requires.
- **Validation** — Specify a string that indicates the kinds of validation for this process to perform.  
For details on the built-in validation process, see “[Message Validation for Virtual Documents](#),” later in this book.
- **Bad Message Handler** — Name of the business host to which this process should send any bad messages, as determined by the validation process.

In some cases, the routing process has additional configurable targets, to handle reply messages, for example. It has additional settings, to specify details that are specific to the virtual document format.

## 4.4 Business Operations for Virtual Documents

For each virtual document format, InterSystems IRIS provides one or more specialized business operation classes, each with a different associated outbound adapter. You use these classes to add business operations to your production. With a few exceptions, these business hosts have the following configurable settings:

- **Search Table Class** — Specify a suitable search table class that is consistent with the expected messages for this business service. The business operation uses this to index each message that it processes.
- **Validation** — Specify a string that indicates the kinds of validation for this operation to perform.  
For details on the built-in validation process, see “[Message Validation for Virtual Documents](#),” later in this book.

These business operations have many other settings, to specify details that are specific to the virtual document format.



# 5

## Defining Search Tables

This chapter describes generally how to define search tables for virtual documents. It includes the following topics:

- [Defining a Search Table Class](#)
- [Defining a Custom Search Table Class](#)
- [Management of Search Tables](#)
- [Customizing Queries Used by the Management Portal](#)

Be sure to perform these tasks in the same namespace that contains your production. When you create search tables, do not use reserved package names; see “[Reserved Package Names](#)” in *Developing Productions*.

**Note:** InterSystems IRIS™ does not retroactively index messages that were received before you added the search table class.

### 5.1 Defining a Search Table Class

To define a search table class, use the following general procedure:

- Create the class in the same namespace that contains your production. Also, do not use reserved package names; see “[Reserved Package Names](#)” in *Developing Productions*.
- Create a subclass (or a copy, as you prefer) of the default search table class used for your type of virtual document:

Document Type	Default Search Table Class	Notes
<a href="#">X12</a>	EnsLib.EDI.X12.SearchTable	Indexes the <code>Identifier</code> property, which corresponds to the X12 document ID.
<a href="#">EDIFACT</a>	EnsLib.EDI.EDIFACT.SearchTable	Indexes the <code>Identifier</code> property, which corresponds to the EDIFACT document ID.
<a href="#">XML</a>	EnsLib.EDI.XML.SearchTable	Indexes the name of the root element of the XML document.

- In this subclass, include an XData block that defines the virtual properties as needed. The [following subsection](#) provides the details.

This XData block does not need to include details about the virtual properties that are indexed by the superclass that you chose. For example, several of the search table classes index a property named `Identifier`. If you subclass any of those classes, your XData block does not need to include `Identifier`. You can improve search efficiency by identifying properties that are not selective. Properties are not selective when many messages have identical values for the property. When InterSystems IRIS is searching messages, it can be more efficient if it uses selective properties to limit the number of messages found before it tests the values of properties that are not selective. You can specify that a property is not selective by specifying `Unselective="true"` in the XData block.

- If this search table class is mapped to multiple namespaces, compile it in each of those namespaces, to ensure that the metadata local to each namespace is up to date.

**Important:** Search table metadata is located in the default global database for each interoperability-enabled namespace; therefore, changes to a search table class do not update metadata in all namespaces to which the class is mapped. For this reason, it is necessary to recompile the search table class in each of these namespaces.

When you compile this class, InterSystems IRIS generates code that dynamically fetches the local metadata for each search table property and then caches the metadata if the process is running as an InterSystems IRIS host. If the property metadata is not present, as in the case where a mapped search table class does not have local metadata for a new property, the class still indexes all other properties and returns an error to indicate the metadata was not present. Similarly, when the message bodies are deleted, InterSystems IRIS removes the corresponding entries from the search table; no work is required on your part.

To use the search table class, specify it as a configuration option (called **Search Table Class**) for the applicable business host. When that business host processes messages, it uses the configured search table class to index those messages.

### 5.1.1 XData Details for a Search Table Class

When you create a search table class, your goal is to provide one search table entry for each virtual property that you want to search and filter in the Message Browser, Rules Editor, and other parts of the Management Portal. To do this, you include an XData block like the following stub within your search table class:

```
XData SearchSpec [ XMLNamespace="http://www.intersystems.com/EnsSearchTable" ]
{
<Items>
  <Item DocType="doctype1" PropName="name1" PropType="type1" StoreNulls="boolean"
    Unselective="true">path1</Item>
  <Item DocType="doctype2" PropName="name2" PropType="type2" StoreNulls="boolean">path2</Item>
  <Item DocType="doctype3" PropName="name3" PropType="type3" StoreNulls="boolean">path3</Item>
</Items>
}
```

Where:

- *path1*, *path2*, *path3*, and so on are virtual property paths.

Each of these is a string expression. This string expression may include the following components in any combination:

- Literal characters within double quotes.
- [Virtual property syntax](#) within { } or []. This resolves to the value of the specified field in the X12 document. Square brackets differ from curly brackets in that square brackets enclose a *segment:field* combination that does not require you to identify its containing document structure. For curly bracket syntax to resolve, the document structure must be known.
- ObjectScript string operators, such as the underscore (`_`) for concatenation.
- Functions, such as `$PIECE` or `$EXTRACT`.



- *doctype1*, *doctype2*, *doctype3*, and so on are DocType identifiers. Each of these is a schema category name and document structure name, separated by a colon, as follows:

```
category:structure
```

If the *category* is missing, any schema is matched; if the *structure* is missing; any structure is matched. A value of " " (a blank string) matches any schema category and any document structure.

This part of the <Item> specifies the DocType (or DocTypes) for which the given property path is to be indexed.

- *name1*, *name2*, *name3*, and so on are virtual property names of your choice.

This is the name that InterSystems IRIS will display in the Management Portal. Choose any string that you expect to be meaningful, when viewed with others in the list.

If you assign the same name to different <Item> elements, this has a convenient additive effect: When the user selects this name for a search, all of the entries with the same name are searched.

- *type1*, *type2*, *type3*, and so are optional type identifiers. Specify one of the following literal values:

- String:CaseSensitive
- String:CaseInsensitive
- Integer
- Numeric
- Boolean
- DateTime:ODBC
- DateTime:HL7 (supported only for virtual documents that carry EDIFACT messages)

String:CaseSensitive is the default.

- *boolean* is an optional flag that controls what happens when a search encounters an empty field in the document. If this flag is true, InterSystems IRIS returns a valid pointer to an empty string. If this flag is false, InterSystems IRIS returns a Not Found status and a null pointer.

Specify either 1 (which means true) or 0 (which means false). The default is 0.

- *Unselective="true"* specifies that a property value typically does not select a small number of messages. InterSystems IRIS uses this information to search more efficiently. The default value is *Unselective="false"*.

**Important:** When InterSystems IRIS indexes virtual documents (thus adding to the search tables), it replaces any vertical bar (|) with a plus sign (+). Take this into consideration when you use the search table to search for content. For example, to search for a message that contains `my|string`, use `my+string` as the search criterion.

## 5.2 Defining Custom Search Table Classes

In some cases, the basic search table mechanism described in this chapter might not enable you to index messages as needed. In such cases, you can define and use custom search table classes.

The class can define two kinds of properties. Within this topic, these properties are called: *standard properties* (which are stored in the search table) and *virtual properties* (which are not stored in the search table but instead are retrieved at runtime). Either kind of property is either indexed or not. If you index a property, more disk space is consumed but queries for that

property run more quickly. The Management Portal displays the indexed properties as a group above the non-indexed ones, so that users can select them appropriately.

To define a custom search table class, define a class as follows:

- Extend `Ens.CustomSearchTable`.

This class defines one standard class property, `DocId`, which is indexed.

- Define additional class properties as needed, and add indices for these class properties. For example:

```
Property Type As %String(COLLATION = "EXACT");
Index Type On Type [ Type = bitmap ];
```

Note that collection properties are not currently directly supported by the query generation mechanisms. For a collection property, use the `GetVirtualPropertyList()` method mechanism described below.

- Optionally implement the `GetPropertyList()` method as needed.

```
classmethod GetPropertyList(Output pIndexedProperties As %List, Output pProperties As %List) as
%Status
```

Where:

- *pIndexedProperties* is a \$LISTBUILD list of standard properties that should be indexed.
- *pProperties* is a \$LISTBUILD list of standard properties to define.

The purpose of this step is to indicate which class properties are to be used as standard properties (see the definitions before this list), as well as which of those should be indexed.

By default, this method is generated, and InterSystems IRIS uses all class properties of the search table class as standard properties and indexes them all, except for private, internal, transient, and multidimensional properties.

For virtual properties, implement `GetVirtualPropertyList()` instead (or in addition).

- Optionally implement the `GetVirtualPropertyList()` method as needed.

```
classmethod GetVirtualPropertyList(Output GetVirtualPropertyList As %List,
Output pVirtualProperties As %List)
as %Status
```

Where:

- *GetVirtualPropertyList* is a \$LISTBUILD list of virtual properties that should be indexed.
- *pVirtualProperties* is a \$LISTBUILD list of the virtual properties to define.

The purpose of this step is to indicate which class properties are to be used as virtual properties, as well as which of those should be indexed.

For standard properties, implement `GetPropertyList()` instead (or in addition).

- If you implement `GetVirtualPropertyList()`, also implement the `GetVirtualProperty()` method. This method must return the value of a virtual property, given a document ID and a virtual property name:

```
classmethod GetVirtualProperty(pDocID As %String,
pPropName As %String,
Output pPropValue As %String,
ByRef pUserArgs) as %Status
```

Where:

- *pDocID* is the ID of a document in the custom search table.
- *pPropName* is the name of a virtual property.

- *pPropValue* is the value of that property.
- *pUserArgs* specifies any arguments.
- Implement the **OnIndexDoc()** method.

```
ClassMethod OnIndexDoc(pDocObj As %Persistent, pSearchTable As Ens.CustomSearchTable) As %Status
```

This method should specify how to populate a given row in the search table from properties in a supplied message.

For **OnProcessCondition()** and additional options, see the class reference for `Ens.CustomSearchTable`.

For an example, see `Demo.CustomSearchTable.Sample`.

## 5.3 Management of Search Tables

The class `Ens.DocClassMap` manages all the search tables (including custom search tables). It writes to and reads from a global (`^Ens.DocClassMap`). This global indicates, for each message class, which search tables contain data for it. Note that you should never edit this global directly.

The InterSystems IRIS Interoperability classes use this class to remove search table entries when message bodies are deleted.

It should not normally be necessary to use this class directly. However, if the data in `^Ens.DocClassMap` is lost or damaged, use the **RebuildMap()** method of this class to recreate the global. For details, see the class reference for `Ens.DocClassMap`.

## 5.4 Customizing Queries Used by the Management Portal

When users search for messages in the **Message Viewer** and the **Message Bank Message Viewer** pages in the Management Portal, InterSystems IRIS generates and then uses queries. In advanced cases, you can customize how InterSystems IRIS generates these queries. To do so, use the following general procedure:

- Define a subclass of `EnsPortal.MsgFilter.AbstractAssistant`. For details, see the class reference for that class.
- Set the name of the class into `^EnsPortal.Settings("MessageViewer","AssistantClass")` for the Message Viewer or `^EnsPortal.Settings("MsgBankViewer","AssistantClass")` for the Message Bank Viewer.



# 6

## Controlling Message Validation

For virtual documents other than ASTM documents, InterSystems IRIS™ can provide message validation, with an option to include a business host to handle bad messages. You can also override the validation logic, if wanted. This chapter describes the details. It includes the following topics:

- [Introduction to Message Validation](#)
- [Basic Validation Options and Logic](#)
- [Overriding the Validation Logic](#)
- [Defining Bad Message Handlers](#)

### 6.1 Introduction to Message Validation

For virtual documents other than ASTM documents, one or more of the specialized business host classes include the **Validation** setting, which you use to specify how that business host should validate messages that it receives, before attempting further work.

If the message does not fail validation, the business host sends the message to the specified normal target or targets.

If the document does fail validation, the details are different depending on the kind of business host:

- A business service or business operation does not send the message anywhere.
- A routing process includes the additional setting [Bad Message Handler](#), which is meant to be the name of a business host. If the document fails validation, the routing process forwards the document to its bad message handler, as specified by this setting. If there is no bad message handler, the routing process does not route the document, but logs an error. The routing process may also include a setting to enable you to send an alert.

### 6.2 Basic Validation Options and Logic

This topic describes the allowed values for the [Validation](#) setting and describes how InterSystems IRIS validates a message.

Value	Meaning
d	Validation examines the DocType property of the document to see if it has a value.

Value	Meaning
m	Validation verifies that the document segment structure is well formed, and that it can be parsed using the schema identified in the DocType property of the document.
dm	Both d and m are active.
(a blank string)	The business host skips validation and routes all documents. For most virtual document formats, this is the default setting.

## 6.2.1 The d Validation Flag

If the `d` flag is present in the **Validation** string, InterSystems IRIS examines the **Schema Category** specified in the message (as set by the business service) and compares it with the message DocType. If the **Schema Category** in the message is blank, the message is automatically declared bad. However, if **Schema Category** is not blank, but does not match the message DocType, validation can continue, as long as there are more **Validation** flags defined, such as `m`.

## 6.2.2 The m Validation Flag

If the `m` flag is present in the **Validation** string, InterSystems IRIS searches for a way to either validate the message, or declare it bad. The details depend upon the virtual document type.

# 6.3 Overriding the Validation Logic

The virtual document routing process (EnLib.MsgRouter.VDocRoutingEngine), and its subclasses provide default validation logic. Most of the specialized virtual document business service and operation classes also provide validation logic. You can override the validation logic; to do so, create and use a subclass of the applicable class.

## 6.3.1 Overriding the Validation Logic in a Routing Process Class

If you create a subclass of an InterSystems IRIS Interoperability class and then override the **OnValidate()** method, you can:

- Extend or replace the list of accepted values for the **Validation** setting.
- Determine how the routing process will validate documents, as controlled by your own **Validation** options.

When you override the **OnValidate()** method, you may also override the **Validation** property definition in the same subclass. Pay careful attention to the following details:

- The `InitialExpression` value specifies the default for the **Validation** configuration setting.
- The comments that precede the **Validation** property definition are used as a tooltip for the **Validation** setting. Use the `///` convention and leave no white space lines between the last comment line and the property definition. This allows Management Portal users to view your comments as a tooltip.

## 6.3.2 Overriding the Validation Logic in a Business Service or Operation Class

The virtual document business service and operation classes each provide a **Validation** property and **OnValidate()** method that you can override. By default, this property is *not* exposed as a setting for any of these business services or business operations, and by default, no **OnValidate()** activity ever occurs in these classes. You can change this if you want to validate

documents at the incoming or outgoing sides of the interface, rather than at the routing engine as is the usual case. To accomplish this, follow these steps:

1. Use the instructions for overriding **Validation** and **OnValidate()** provided above.
2. If you want your users to be able to choose a type of validation, also add the **Validation** property as a setting. See “[Adding and Removing Settings](#)” in *Developing Productions*.

## 6.4 Defining Bad Message Handlers

A routing process has the setting **Bad Message Handler**. The purpose of this setting is to indicate the business host to which the process should send messages that are found to be bad, according to the [Bad Message Handler](#) of the business process. To define a bad message handler, first decide how you want to handle the bad message. Typically you create a business operation. This business operation could do either or both the following, for example:

- (Via a file adapter) Write the contents of the message to a file.
- (Depending on a configuration setting) Trigger an alert whenever it encounters a bad message.

Note that the business process sends the bad message to this business host *instead of* its usual target for validated messages.

If a message is bad and if the **Bad Message Handler** setting is not specified, the routing process simply stops the validation sequence and does not send the message.





# 7

## Creating Custom Schema Categories

It may be necessary to create custom schema categories in InterSystems IRIS™. This chapter describes the details. It includes the following topics:

- [When Custom Schema Categories Are Needed](#)
- [Ways to Create Custom Schema Categories](#)
- [Syntax for Schema Categories in InterSystems IRIS](#)

**Important:** Never edit the built-in schema category definitions. When you need a custom schema, create a custom schema category definition that uses a built-in schema category definition as its schema base.

Be sure to perform these tasks in the same namespace that contains your production.

### 7.1 When Custom Schema Categories Are Needed

The [EDIFACT](#) and [X12](#) standards are extensible.

For example, a common practice is to add custom segments to an otherwise standard document structure.

If you are working with documents that do not follow a standard schema that you have loaded, it is necessary to create the corresponding custom schema category if you want to do either of the following:

- Perform structural document validation
- Use segment and field path names in BPL, DTL, and routing rule syntax

### 7.2 Ways to Create Custom Schema Categories

There are four general ways to create custom schema categories:

- Create a copy of the schema file that most closely meets your needs. Edit that file. Then import it, as described in the chapter “[Portal Tools](#).”
- In Atelier, open the schema category definition that most closely meets your needs. Use **File > Save As** to create a new definition. Then edit the copy. The section “[Syntax for Schema Categories in InterSystems IRIS](#)” provides details for the syntax of the definition.

- Use a Studio wizard to create a new custom schema category definition, and then edit that. See “[Creating Custom X12 Schemas](#)” in the *Routing X12 Documents in Productions*. The same process can be used for [EDIFACT](#).

## 7.3 Syntax for Schema Categories in InterSystems IRIS

InterSystems IRIS uses the same XML-based syntax to represent schema category definitions for [EDIFACT](#) and [X12](#).

When you create a custom schema category, you supplement an existing schema by defining custom segments (Z-segments) and then stating which message types and message structures may contain those segments. To accomplish this, you only need to work with the XML elements `<MessageType>`, `<MessageStructure>`, and `<SegmentStructure>`.

A custom schema category definition is simpler than a built-in definition and contains fewer statements. Everything in the base category is included in the custom schema category definition. There is no need to repeat the definitions of standard message types. You only need to define custom message types. The conventions for doing this are as follows:

What to Define	How to Define It
Custom schema category definition	<code>&lt;Category&gt;</code>
Custom segments	<code>&lt;SegmentStructure&gt;</code>
Any message structures that include custom segments	<code>&lt;MessageStructure&gt;</code>
Any message types that include message structures with custom segments. A message type identifies: <ul style="list-style-type: none"> <li>• The message structure to send</li> <li>• The message structure to expect in response</li> </ul>	<code>&lt;MessageType&gt;</code>

### 7.3.1 `<Category>`

The `<Category>` element is the top-level container for the XML document that describes the custom schema category.

The following table describes the `<Category>` attributes.

Attribute	Description	Value
<i>name</i>	Name displayed in the Schema Structures page in the list of available schema categories.	String. For convenience, use the name of the schema file
<i>std</i>	When 1 (true), this <code>&lt;Category&gt;</code> block describes a standard HL7 schema category. The default is 0 (false).	For standard schema category definitions only. Do not use <i>std</i> in a custom schema.
<i>base</i>	Identifies the schema category that is the base for this custom schema category. Every definition in the schema base is automatically included in the custom category; statements in the custom schema category simply add to the base.	The <i>name</i> of a standard or custom schema category defined using a <code>&lt;Category&gt;</code> block in another schema file.

## 7.3.2 <SegmentStructure>

A <Category> element may contain one or more <SegmentStructure> elements. Each <SegmentStructure> element defines the structure of a custom segment.

The following table describes the <SegmentStructure> attributes.

Attribute	Description	Value
<i>name</i>	Name displayed in the Schema Structures page in the list of available segment structures.	3-character string. .
<i>description</i>	Text description of the segment contents, displayed in the Schema Structures page and as a tooltip for the Document Viewer page.	String

## 7.3.3 <SegmentSubStructure>

A <SegmentStructure> element may contain one or more <SegmentSubStructure> elements. Each <SegmentSubStructure> element describes one field of the custom segment, in sequential order from top to bottom. The following is an example of <SegmentSubStructure> element syntax:

```
<SegmentSubStructure piece='6' description='Encounter Number' symbol='!'
    length='12' required='R' ifrepeating='0' />
```

The following table describes the <SegmentSubStructure> attributes.

Attribute	Description	Value
<i>piece</i>	Number displayed in the Schema Structures page when the user asks to view details of the segment that contains this field. This number can be used to identify the field in a virtual property path.	Integer. Each <SegmentSubStructure> within a <SegmentStructure> must use <i>piece</i> values in sequential order, beginning at 1 and incrementing by 1.
<i>codetable</i>	Code table that enumerates a list of valid values for this field. This attribute is typically not used in a custom schema.	The <i>name</i> of a code table defined using a <CodeTable> block.
<i>datastruct</i>	Data structure that specifies how to interpret the values in this field. This attribute is typically not used in a custom schema.	The <i>name</i> of a data structure defined using a <DataStructure> block.
<i>description</i>	Text description of the field contents, displayed in the Schema Structures page and as a tooltip for the Document Viewer page.	String

Attribute	Description	Value
<i>symbol</i>	<p>Symbol that indicates the requirements for presence, absence, or repetition of this field within the segment.</p> <p>This field is optional. It serves as an indicator on the Schema Structures page. It does not actually control the requirement or repetition of fields. See <i>required</i> and <i>ifrepeating</i>.</p>	<p>A single character:</p> <ul style="list-style-type: none"> <li>• ! means 1 only. The field <i>must</i> appear, but only once.</li> <li>• ? means 0 or 1. The field <i>may</i> appear, but at most once.</li> <li>• + means 1 or more. The field may repeat one or more times.</li> <li>• * means 0 or more. The field may repeat zero or more times.</li> <li>• &amp; means the field may be present, and may repeat, but only under certain conditions.</li> </ul>
<i>length</i>	Upper limit on the number of characters that can be present in this field.	Integer
<i>required</i>	Whether or not this field must be present in the segment.	<p>A single character:</p> <ul style="list-style-type: none"> <li>• C means conditional</li> <li>• O means optional</li> <li>• R means required</li> </ul>
<i>ifrepeating</i>	Whether or not this field may repeat within the segment.	Integer. 0 means no, 1 means yes.

### 7.3.4 <MessageStructure>

A <Category> element may contain one or more <MessageStructure> elements. Each <MessageStructure> element provides a specification for the number and arrangements of segments in a message structure. The following is an example of <MessageStructure> element syntax:

```
<MessageStructure
  name='MFN_M03'
  definition='base:MSH~base:MFI~{~base:MFE~[~ZSI~]~base:OM1~[~base:Hxx~]~}'
  description='HNB MFN message'
/>
```

The following table describes the <MessageStructure> attributes.

Attribute	Description	Value
<i>name</i>	Name displayed in the Schema Structures page in the list of available message structures.	3-character string, plus an underscore (_), plus a 3-character string.
<i>definition</i>	Specification for the number and arrangements of segments in the message structure. May include a mix of standard and custom message segments. See syntax rules below.	String that includes the 3-character <i>name</i> values for standard or custom message segments defined using <SegmentStructure>
<i>description</i>	Text description of the field contents, displayed in the Schema Structures page and as a tooltip for the Document Viewer page.	String

Syntax for the *definition* string works as follows:

- Keep the entire string all on one line
- List each segment sequentially from left to right
- When listing a segment, use its *name* value as defined by a <SegmentStructure>
- Separate a segment from the next segment by a ~ (tilde) character
- If a segment or block of segments repeats, enclose the repeating part in {~ and ~}
- If a segment or block of segments is optional, enclose the optional part in [~ and ~]

Within a *definition*, a *name* may be simple, in which case InterSystems IRIS assumes the value refers to a custom <MessageStructure> block within the same file. Alternatively, a *name* may refer to a standard message structure from the schema base. This means it is defined in the file identified by the *base* attribute in the containing <Category> element. To indicate this, the *name* must use the prefix:

base:

So that InterSystems IRIS can find the appropriate <SegmentStructure> in the other file. No other external file can be referenced; only the schema base.

### 7.3.5 <MessageType>

A <Category> element may contain one or more <MessageType> elements. <MessageType> entries define any message types that include message structures that have custom segments. A <MessageType> element is a simple list of two items:

- A message structure to send
- A message structure to expect in response

The following is an example of <MessageType> element syntax:

```
<MessageType name='ADT_A31' structure='ADT_A01' returntype='base:ACK_A31' />
```

The following table describes the <MessageType> attributes.

Attribute	Description	Value
<i>name</i>	Name displayed in the Schema Structures page in the list of available message types.	3-character string, plus an underscore (_), plus a 3-character string.

Attribute	Description	Value
<i>structure</i>	The message structure to send.	The <i>name</i> of a standard or custom message structure defined using <MessageStructure>
<i>returntype</i>	The message structure to expect in response. This must be a valid ACK message structure. Make sure the <i>returntype</i> has a value from the schema base. For example: returntype= "base:ACK"	The <i>name</i> of a standard or custom message structure defined using <MessageStructure>

*structure* values can be simple *name* values from the current file.

Alternatively, *structure* or *returntype* values can refer to a standard message structures from the schema base. To indicate this, the values must use the prefix:

base :

# 8

## Portal Tools

The Management Portal provides pages to help you view the schema categories and their subdivisions, view documents, and perform related tasks. This chapter describes how to use these pages in general, and it contains the following topics:

- [Accessing the Tools](#)
- [Using the Schema Structures Page](#)
- [Using the Document Viewer Page](#)

### 8.1 Accessing the Tools

1. In the Management Portal, switch to the appropriate namespace.  
To do so, click **Switch** in the title bar, select the namespace, and click **OK**.
2. Click **Interoperability**.
3. Click **Interoperate**.
4. Click the menu option that corresponds to the EDI format in which you are interested.

### 8.2 Using the Schema Structures Page

InterSystems IRIS™ provides versions of the Schema Structures page for [X12](#) and [XML](#). Depending on the format, you can use this page to import, export, and view schemas.

To access this page:

1. Click **Interoperability**.
2. Click **Interoperate**.
3. Click the menu option that corresponds to the format in which you are interested.
4. Click the option ending with **Schema Structures** and then click **Go**.

InterSystems IRIS displays a page that lists the schemas of this type in this namespace.

In most cases, this page displays a list of schema categories on the left; these are all the schema categories in this namespace related to this format.

This area enables you to specify which schema category you are interested in examining. When you click a schema category, InterSystems IRIS displays details for that category in the tabs on the right.

Depending on the EDI format, the tabs on the right are as follows:

- **DocType Structures** identifies the sequence and grouping of segments within a message structure.
- **Segment Structures** lists the fields in each segment.
- **Data Structures** lists the contents of composite data fields.
- **Code Tables** lists the values that can be used within an enumerated field.

On this page, you can do some or all the following, depending on the EDI format:

- Import a schema into this namespace, for this EDI standard. To do so, click **Import**, use **Browse** to choose a file, and click **OK**.
- Export a schema to a file. To do so, select the schema category, then click **Export**, enter a filename, select a file type, and click **OK**.
- Remove a custom schema from this namespace. To do so, select a custom schema and click **Delete**, and then click **OK**. You cannot delete any of the standard schemas installed with InterSystems IRIS.

The schema is immediately removed.

**CAUTION:** You cannot undo this operation.

- Create a new schema based on an existing schema. To do so, click **New** and then specify the base schema and the new custom schema name. You can then specify the details for the custom schema.

## 8.3 Using the Document Viewer Page

For information on the document viewer, see [Using the X12 Document Viewer Page](#). The information presented in these guides is equally applicable to [XML](#), [EDIFACT](#), or any other EDI format.



# Syntax Guide for Virtual Property Paths

This reference describes the syntax details that support the virtual property model. It provides the following reference information:

- [Virtual Property Shortcuts When DocType Is Unimportant](#)
- [Virtual Property Path Basics](#)
- [Curly Bracket { } Syntax](#)
- [Square Bracket \[ \] Syntax](#)
- [Parenthesis \(\) Syntax](#)
- [Angle Bracket <> Syntax](#)

The following table summarizes where the virtual property path syntaxes can be used:

Syntax	BPL	DTL	Business Rules	Search Filters and Search Tables
GetValueAt()	supported	supported	<i>not supported</i>	<i>not supported</i>
{ } Syntax	supported (except for in <code> and <sql> elements)	supported (except for in <code> and <sql> elements)	supported	supported
[ ] Syntax	<i>not supported</i>	<i>not supported</i>	supported	supported
() Syntax	<i>not supported</i>	supported	supported	<i>not supported</i>
<> Syntax	<i>not supported</i>	<i>not supported</i>	supported	<i>not supported</i>

# Virtual Property Shortcuts When DocType Is Unimportant

---

Describes virtual property shortcuts that you can use when DocType is unimportant.

## Details

Often when you need to identify a virtual property path, the specific DocType is clear from the context, so you only need to identify the *segment:field* path. There are also cases when a specific DocType is not important and any DocType from the schema definition that matches your search criteria is of interest. Consequently, there are two important shortcuts for virtual property syntax used in BPL, DTL, and routing rules:

- [Curly brackets](#)

*{segment:field}*

Curly bracket syntax is available in BPL, DTL, business rules (including routing rules), search filters, or search tables. The *segment:field* combination inside the curly brackets may use segment and field names, or numeric positions. However, names work only when the DocType (*category:structure*) is clearly identified within the current context. For example, a DTL data transformation always identifies the DocType of its source and target in its <transform> element.

- [Square brackets](#)

*[segment:field]*

Square bracket syntax is available for business rules, search tables, and search filters only. The *segment* must be a name; *field* may be a name or number. Names can only be resolved when the DocType (*category:structure*) is known at runtime. InterSystems IRIS can resolve a numeric *field* without knowing the specific message structure or schema. If there is more than one result that matches the pattern in square brackets, this syntax returns a string that contains all matching values, each value enclosed in <> angle brackets.

The following shortcuts are available only when defining routing rules:

- [Round brackets](#) or parentheses

*(multi-valued-property-path)*

- [Angle brackets](#)

*<context | expression>*

# Virtual Property Path Basics

Describes how to create a virtual property path.

## Introduction

For most EDI formats (not [XML](#) virtual documents), a virtual property path has the following syntax:

```
segmentorsubsegmentID:fieldorsubfieldID
```

Where:

- *segmentorsubsegmentID* refers to a segment or a subsegment. This identifier follows the rules given in “[Segment and Subsegment Identifiers](#).”
- *fieldorsubfieldID* refers to a field or subfield within the parent segment or subsegment. This identifier follows the rules given in “[Field and Subfield Identifiers](#).”

A virtual property path is relative to a specific message structure, and might not be valid in any other message structure. The Management Portal provides pages to help you determine paths. See the chapter “[Portal Tools](#).”

**Important:** For XML virtual documents, the syntax is different. See [Routing XML Virtual Documents in Productions](#).

## Segment and Subsegment Identifiers

To refer to a segment, use either of the following:

- Symbolic name of the segment.  
If a message has multiple segments of the same name, append (*n*) to the end of the identifier, where *n* is the 1-based position of the desired segment.
- Number of the segment as contained in the message. Typically this number is not known, so this syntax is less useful.

A segment can have subsegments (which can have further subsegments). To identify a subsegment, use the following syntax:

```
segmentID.subsegmentID
```

Where both *segmentID* and *subsegmentID* follow the preceding rules for identifying a segment. Note that you cannot mix symbolic names and numeric identifiers. That is, if you use a symbolic name for any part of this syntax, you must use symbolic names in all parts of this syntax. Similarly, if you use the numeric identifier in any part of this syntax, you must use the numeric identifiers in all parts of this syntax.

## Field and Subfield Identifiers

To refer to a field, use either of the following:

- Symbolic name of the field.  
If the parent segment or subsegment has multiple fields of the same name, append (*n*) to the end of the identifier, where *n* is the 1-based position of the desired field.
- Number of the field within the parent segment or subsegment

A field can have subfields (which can have further subfields). To identify a subfield, use the following syntax:

```
fieldID.subfieldID
```

Where both *fieldID* and *subfieldID* follow the preceding rules for identifying a field. Note that you cannot mix symbolic names and numeric identifiers. That is, if you use a symbolic name for any part of this syntax, you must use symbolic names in all parts of this syntax. Similarly, if you use the numeric identifier in any part of this syntax, you must use the numeric identifiers in all parts of this syntax.

## Examples

The following virtual property path accesses the `streetaddress` subfield of the `Address` field of the second `NK1` segment:

```
NK1(2):Address.streetaddress
```

The following virtual property path accesses the `streetaddress` subfield of the `ContactAddress` field of the `AUTgrp.CTD` subsegment of the first `PR1grp` segment:

```
PR1grp(1).AUTgrp.CTD:ContactAddress.streetaddress
```

## Special Variations for Repeating Fields

This section describes variations of virtual property paths that apply when you are referring to a repeating field.

### *Iterating Through the Repeating Fields*

When you are using curly bracket `{ }` notation in BPL or DTL, the shortcut `( )` iterates through every instance of a repeating field. For example, consider the following single line of DTL:

```
<assign property='target.{PID:3().4}' value='"001"' />
```

This line is equivalent to the following three lines of equally valid DTL:

```
<foreach key='i' property='target.{PID:3()}'>  
  <assign property='target.{PID:3(i).4}' value='"001"' />  
</foreach>
```

The same `( )` convention is also available in BPL.

### *Counting Fields*

If the path refers to a repeating field, you can use `( * )` to return the number of fields.

**Important:** To count fields within DTL, use `( "*" )` instead of `( * )`.

This syntax is also available for collection properties in standard messages.

### *Accessing the Last Field in a Set of Repeating Fields*

If the path refers to a repeating field, you can use `( - )` to return the last field.

This syntax is also available for collection properties in standard messages.

### *Appending to a Set of Repeating Fields*

If the path refers to a repeating field, you can use `( )` to append another field.

This syntax is also available for collection properties in standard messages.

# Curly Bracket { } Syntax

Describes how to use curly bracket { } syntax to access virtual properties.

## Where Applicable

You can use this syntax in business rules, search tables, search filters, BPL elements (other than <code> and <sql>), and DTL elements (other than <code> and <sql>).

For curly bracket syntax to resolve, the message structure must be known. If the message structure is unknown in the current context, use [square bracket \[ \] syntax](#) instead, if possible.

## Details

To use curly bracket { } syntax to access a virtual property, use the following syntax:

```
message.{myVirtualPropertyPath}
```

Where:

- *message* is a variable that refers to the current message. The name of this variable depends upon the context.
- *myVirtualPropertyPath* is a virtual property path as described [earlier](#) in this reference.

The preceding syntax is equivalent to the following method call:

```
message.GetValueAt("myVirtualPropertyPath")
```

Curly bracket { } syntax is simpler and so is commonly used where available.

## Wholesale Copy

When you are using curly bracket { } notation in BPL or DTL, you can copy whole segments, groups of segments, or whole composite fields within a segment. To do so, omit the field part of the virtual property path (as well as the colon separator). Thus, the following DTL <assign> statements are all legal:

```
<assign property='target.{MSH}' value='source.{MSH}' />
<assign property='target.{DG1()}' value='source.{DG1()}' />
<assign property='target.{DG1(1):DiagnosingClinician}' value=''^Bones^Billy'' />
```

**Note:** If the source and target types are different, you cannot use the wholesale copy to assign subproperties, even if the structures appear to be parallel. For such a copy, you must assign each leaf node of a structure independently and add a For Each action to process iterations.

The last line of the previous example uses the caret (^) as a component separator character. For details specific to each EDI format, see:

- “[Separators](#)” in the reference section of the *Routing EDIFACT Documents in Productions*
- “[Separators](#)” in the reference section of the *Routing X12 Documents in Productions*

## Square Bracket [ ] Syntax

Describes how to use square bracket [ ] syntax to access virtual properties.

### Where Applicable

You can use this syntax in business rules, search tables, and search filters. This syntax is available for EDIFACT and X12 documents.

### Details

To use square bracket [ ] syntax to access a virtual property, use the following syntax:

```
[myVirtualPropertyPath]
```

Where *myVirtualPropertyPath* is a virtual property path as described [earlier](#) in this reference, except that field identifiers must be in numeric format.

This syntax finds values in named segments regardless of message structure. If there is more than one instance of the *segment* type in the message, this syntax returns a string that contains all matching values, each value enclosed in <> angle brackets. For example, if the syntax returns multiple values *a*, *b*, and *c*, they appear in a single string like this:

```
<a><b><c>
```

When you use square brackets, InterSystems IRIS can resolve the numeric path without knowing the specific message structure or schema. This is different from curly brackets { } which require you to identify the message structure. For example, a DTL data transformation identifies the message structure of the source and the target messages with attributes of the <transform> element (*sourceDocType* and *targetDocType*) so that you can use curly bracket syntax.

Square bracket syntax supports the repeating field shortcut ( ) only in the *field* portion of the property path (*segment:field*).

### Example

The following excerpt from a search table class shows two valid ways to match all the FT1 segments found in a message that contains several FT1 segments:

```
<Items>
  <Item DocType=" " PropName="TransactionAmt">[FT1:12.1]</Item>
  <Item DocType=" " PropName="TxType">[FT1:6]</Item>
</Items>
```

### Comparison to FindSegmentValues()

The syntax is similar to but does not equate directly with the default behavior of **FindSegmentValues()**. Instead, it modifies the separator and encloses the result in angle brackets, so the square bracket syntax equates to the following method call:

```
"<_msg.FindSegmentValues("segment:field", , "><")_">"
```

# Parenthesis () Syntax

---

Describes how to use parenthesis () syntax to access virtual properties.

## Where Applicable

You can use this syntax in business rules and in DTL transformations.

## Details

To use parenthesis syntax to access a virtual property, use the following syntax:

```
message.(multi-valued-property-path)
```

Where:

- *message* is a variable that refers to the current message. The name of this variable depends upon the context.
- *multi-valued-property-path* is a virtual property path that uses the [repeating field shortcut \(\)](#) to iterate through every instance of a repeating field, as described earlier in this reference.

The preceding syntax is equivalent to the following method call:

```
message.GetValueAt("multi-valued-property-path")
```

If the syntax returns multiple values *a*, *b*, and *c*, they appear in a single string enclosed in <> angle brackets, like this:

```
<a><b><c>
```

## Angle Bracket <> Syntax

---

Describes how to use angle bracket <> syntax to access virtual properties.

### Where Applicable

You can use this syntax in business rules.

### Details

To use angle bracket syntax to access a virtual property, use the following syntax:

```
message<xpathexpression>
```

Where

- *message* is a variable that refers to the current message. The name of this variable depends upon the context.
- *xpathexpression* is an XPath expression.

The preceding syntax is equivalent to the following:

```
GetXPathValues ( message.stream, "context | expression" )
```

**GetXPathValues()** is a convenience method in the rules engine. It operates on a message that contains a stream property whose contents are an XML document. The method applies an XPath expression to the XML document within the stream property, and returns all matching values. If the *context* | part of the XPath argument is missing, InterSystems IRIS searches the entire XML document.

If the syntax returns multiple values *a*, *b*, and *c* they appear in a single string enclosed in <> angle brackets, like this:

```
<a><b><c>
```



# Common Settings

This section provides the following reference information:

- [Settings for Business Services](#)
- [Settings for Routing Processes](#)
- [Settings for Business Operations](#)

# Settings for Business Services

Provides reference information for settings of business services that handle virtual documents.

## Summary

Many business services that handle virtual documents have the following settings:

Group	Settings
Basic Settings	<a href="#">Target Config Names</a> , <a href="#">Doc Schema Category</a>
Additional Settings	<a href="#">Search Table Class</a> , <a href="#">Validation</a>

## Doc Schema Category

Category to apply to incoming document type names to produce a complete DocType specification. Combines with the document type name to produce a DocType assignment. This setting may also contain multiple comma-separated type names followed by = and a DocTypeCategory or full DocType values to apply to documents declared as that type.

A trailing asterisk (\*) at the end of a given partial type name matches any types beginning with the partial entry.

Note that a DocType assignment may be needed for [Validation](#) or [Search Table Class](#) indexing.

## Search Table Class

Specifies the class to use to index virtual properties in the inbound documents. The default depends on the EDI format, but you can create and use your own search table class. See the chapter “[Defining Search Tables](#).”

In either case, be sure that the category given by [Doc Schema Category](#) includes the DocType values (if any) in the search table class.

## Target Config Names

Configuration items to which to send the received documents.

## Validation

Determines the validation that a business host performs when it receives an incoming virtual document.

If the document fails validation, the business service or business operation does not send it. (The details are different for [business processes](#).)

The following table lists the possible values for **Validation**:

Value	Meaning
d	Validation examines the DocType property of the document to see if it has a value.
m	Validation verifies that the document segment structure is well formed, and that it can be parsed using the schema identified in the DocType property of the document.
dm	Both d and m are active.
(a blank string)	The business host skips validation and routes all documents. This is the default setting.

For a longer discussion, see “[Basic Validation Options and Logic](#).”

# Settings for Routing Processes

Provides reference information for settings of `EnsLib.MsgRouter.RoutingEngine` business process, which you use to route most kinds of virtual documents.

## Summary

`EnsLib.MsgRouter.RoutingEngine` has the following settings:

Group	Settings
Basic Settings	<a href="#">Validation</a> , <a href="#">Business Rule Name</a>
Additional Settings	<a href="#">Act On Transform Error</a> , <a href="#">Act On Validation Error</a> , <a href="#">Alert On Bad Message</a> , <a href="#">Bad Message Handler</a> , <a href="#">Response From</a> , <a href="#">Reply Target Config Names</a> , <a href="#">Response Timeout</a> , <a href="#">Force Sync Send</a>
Development and Debugging	<a href="#">Rule Logging</a>

The remaining settings are common to all business processes. See “[Settings for All Business Processes](#)” in *Configuring Productions*.

## Act On Transform Error

If True, causes errors returned by a transformation to stop rule evaluation and the error to be handled by Reply Code Actions setting.

## Act On Validation Error

If True, causes errors returned by validation to be handled by Reply Code Actions setting.

## Alert On Bad Message

If True, any document that fails validation automatically triggers an alert.

## Bad Message Handler

If the document fails validation, and if the routing process has a configured **Bad Message Handler**, it sends the bad document to this business operation instead of its usual target for documents that pass validation.

See “[Defining Bad Message Handlers](#),” earlier in this book.

## Business Rule Name

The full name of the routing rule set for this routing process.

## Force Sync Send

If True, make synchronous calls for all “send” actions from this routing process. If False, allow these calls to be made asynchronously. This setting is intended to ensure FIFO ordering in the following case: This routing process and its target business operations all have **Pool Size** set to 1, and ancillary business operations might be called asynchronously from within a data transformation or business operation called from this routing process.

If **Force Sync Send** is True, this can cause deadlock if another business process is called by a target that is called synchronously from this routing process.

Note that if there are multiple “send” targets, **Force Sync Send** means these targets will be called one after another in serial fashion, with the next being called after the previous call completes. Also note that synchronous calls are not subject to the [Response Timeout](#) setting.

## Reply Target Config Names

Specifies a comma-separated list of configuration items within the production to which the business service should relay any *reply* documents that it receives. Usually the list contains one item, but it can be longer. The list can include business processes or business operations, or a combination of both.

This setting takes effect only if the [Response From](#) setting has a value.

## Response From

A comma-separated list of configured items within the production. This list identifies the targets from which a response may be forwarded back to the original caller, if the caller requested a response.

If a **Response From** string is specified, the response returned to the caller is the first response that arrives back from any target in the list. If there are no responses, an empty “OK” response header is returned.

The **Response From** string also allows special characters, as follows:

- The \* character by itself matches any target in the production, so the first response from any target is returned. If there are no responses, an empty “OK” response header is returned.
- If the list of targets begins with a + character, the responses from all targets return together, as a list of document header IDs in the response header. If none of the targets responds, an empty OK response header is returned.
- If the list of targets begins with a - character, only error responses will be returned, as a list of document header IDs in the response header. If none of the targets responds with an error, an empty OK response header is returned.

If this setting value is unspecified, nothing is returned.

## Response Timeout

Maximum length of time to wait for asynchronous responses before returning a “timed-out error” response header. A value of -1 means to wait forever. Note that a value of 0 is not useful, because every response would time out. This setting takes effect only if the **Response From** field has a value.

## Rule Logging

If logging is enabled controls the level of logging in rules. You can specify the following flags:

- e—Log errors only. All errors will be logged irrespective of other flags, so setting the value to 'e' or leaving the value empty will only log errors.
- r—Log return values. This is the default value for the setting, and is also automatic whenever the 'd' or 'c' flags are specified.
- d—Log user-defined debug actions in the rule. For details on the debug action, see “[Adding Actions](#)” in *Developing Business Rules*. This will also include 'r'.
- c—Log details of the conditions that are evaluated in the rule. This will also include 'r'.
- a—Log all available information. This is equivalent to 'rcd'.

## Validation

For allowed values and basic information, see the [Validation](#) setting for [business services](#).

If the document fails validation, the routing process forwards the document to its bad message handler, as specified by the [Bad Message Handler](#) setting. If there is no bad message handler, the routing process does not route the document, but logs an error. Also see [Alert On Bad Message](#).

## Settings for Business Operations

---

Provides reference information for settings of business operations that handle virtual documents.

### Summary

Many business operations that handle virtual documents have the following settings:

Group	Settings
Additional Settings	<a href="#">Search Table Class</a> , <a href="#">Validation</a>

### Search Table Class

See the [Search Table Class](#) setting for [business services](#).

### Validation

See the [Validation](#) setting for [business services](#).