



Using Studio

Version 2019.1
2019-05-13

Using Studio

InterSystems IRIS Data Platform Version 2019.1 2019-05-13

Copyright © 2019 InterSystems Corporation

All rights reserved.



InterSystems, InterSystems Caché, InterSystems Ensemble, InterSystems HealthShare, HealthShare, InterSystems TrakCare, TrakCare, InterSystems DeepSee, and DeepSee are registered trademarks of InterSystems Corporation.



InterSystems IRIS Data Platform, InterSystems IRIS, InterSystems iKnow, Zen, and Caché Server Pages are trademarks of InterSystems Corporation.

All other brand or product names used herein are trademarks or registered trademarks of their respective companies or organizations.

This document contains trade secret and confidential information which is the property of InterSystems Corporation, One Memorial Drive, Cambridge, MA 02142, or its affiliates, and is furnished for the sole purpose of the operation and maintenance of the products of InterSystems Corporation. No part of this publication is to be used for any other purpose, and this publication is not to be reproduced, copied, disclosed, transmitted, stored in a retrieval system or translated into any human or computer language, in any form, by any means, in whole or in part, without the express prior written consent of InterSystems Corporation.

The copying, use and disposition of this document and the software programs described herein is prohibited except to the limited extent set forth in the standard software license agreement(s) of InterSystems Corporation covering such programs and related documentation. InterSystems Corporation makes no representations and warranties concerning such software programs other than those set forth in such standard software license agreement(s). In addition, the liability of InterSystems Corporation for any losses or damages relating to or arising out of the use of such software programs is limited in the manner set forth in such standard software license agreement(s).

THE FOREGOING IS A GENERAL SUMMARY OF THE RESTRICTIONS AND LIMITATIONS IMPOSED BY INTERSYSTEMS CORPORATION ON THE USE OF, AND LIABILITY ARISING FROM, ITS COMPUTER SOFTWARE. FOR COMPLETE INFORMATION REFERENCE SHOULD BE MADE TO THE STANDARD SOFTWARE LICENSE AGREEMENT(S) OF INTERSYSTEMS CORPORATION, COPIES OF WHICH WILL BE MADE AVAILABLE UPON REQUEST.

InterSystems Corporation disclaims responsibility for errors which may appear in this document, and it reserves the right, in its sole discretion and without notice, to make substitutions and modifications in the products and practices described in this document.

For Support questions about any InterSystems products, contact:

InterSystems Worldwide Response Center (WRC)

Tel: +1-617-621-0700

Tel: +44 (0) 844 854 2917

Email: support@InterSystems.com

Table of Contents

About This Book	1
1 Introduction to Studio	3
1.1 Overview of the Studio Window	3
1.1.1 Running Studio from the Command Line	5
1.2 Projects	5
1.3 Class Definitions	6
1.4 CSP Files	6
1.5 Routine Editor	6
1.6 Multiple User Support	6
1.7 Importing and Exporting Documents Locally	7
1.8 Debugging	7
1.8.1 Debugging Object-Based Applications	7
1.9 Security	7
1.10 Source Control Hooks	8
2 Creating Class Definitions	9
2.1 Creating New Class Definitions	9
2.1.1 New Class Wizard	9
2.1.2 Results of Running the New Class Wizard	12
2.2 Opening Class Definitions	12
2.3 Editing Class Definitions	12
2.4 Saving and Deleting Class Definitions	13
2.5 Compiling Class Definitions	13
2.5.1 Incremental Compilation	13
2.6 Renaming Class Definitions	14
2.7 Class Inspector	14
2.7.1 Starting the Class Inspector	15
2.7.2 Activating the Class Inspector	15
2.8 Class Browser	16
2.9 Superclass Browser and Derived Class Browser	16
2.9.1 Superclass Browser	16
2.9.2 Derived Class Browser	16
2.10 Package Information	16
3 Adding Properties to a Class	19
3.1 New Property Wizard	19
3.1.1 Name and Description Page	19
3.1.2 Property Type Page	20
3.1.3 Property Characteristics Page	20
3.1.4 Data Type Parameters Page	21
3.1.5 Property Accessors Page	21
3.1.6 Results of Running the New Property Wizard	21
4 Adding Methods to a Class	23
4.1 New Method Wizard	23
4.1.1 Name and Description Page	23
4.1.2 Method Signature Page	24
4.1.3 Method Characteristics Page	24

4.1.4 Implementation Page	25
4.1.5 Results of Running the New Method Wizard	25
4.2 Overriding a Method	25
5 Adding Class Parameters to a Class	27
5.1 New Class Parameter Wizard	27
6 Adding Relationships to a Class	29
6.1 New Property Wizard to Create a Relationship Property	29
6.1.1 Name and Description Page	30
6.1.2 Property Type Page	30
6.1.3 Relationship Characteristics Page	30
6.1.4 Additional Changes	31
6.1.5 Results of Creating a New Relationship with the New Property Wizard	31
7 Adding Queries to a Class	33
7.1 New Query Wizard	33
7.1.1 Name, Implementation, and Description Page	33
7.1.2 Input Parameters Page	34
7.1.3 Columns Page	34
7.1.4 Conditions Page	34
7.1.5 Order By Page	34
7.1.6 Row Specification Page	34
7.1.7 Results of Running the New Query Wizard	35
8 Adding Indices to a Class	37
8.1 New Index Wizard	37
8.1.1 Name and Description Page	37
8.1.2 Index Type Page	38
8.1.3 Index Properties Page	38
8.1.4 Index Data Page	39
8.1.5 Results of Running the New Index Wizard	39
8.2 Populating an Index	39
9 Adding Projections to a Class	41
9.1 New Projection Wizard	42
9.1.1 Name and Description Page	42
9.1.2 Projection Type Page	42
9.1.3 Results of Running the New Projection Wizard	42
10 Adding XData Blocks to a Class	43
10.1 New XData Wizard	43
11 Adding SQL Triggers and Foreign Keys to a Class	45
11.1 SQL Aliases	45
11.2 SQL Stored Procedures	45
11.2.1 Query-Based Stored Procedure	46
11.2.2 Creating Method-Based Stored Procedure	46
11.3 Adding SQL Triggers to a Class	47
11.3.1 New SQL Trigger Wizard	47
11.4 Adding New SQL Foreign Keys to a Class	48
11.4.1 New SQL Foreign Key Wizard	48
12 Adding Storage Definitions to a Class	51
12.1 Adding Storage Definitions to a Class	51

12.1.1 Using the New Storage Wizard	52
12.2 Using the Class Inspector with Storage Definitions	53
12.3 Using the Class Editor with Storage Definitions	53
13 Working with CSP Files	55
13.1 Sample CSP Page	55
13.2 Creating a New CSP File	56
13.2.1 Default.csp Template File	56
13.3 Editing a CSP File	56
13.3.1 Insert Options	56
13.4 Saving a CSP File	57
13.5 Compiling a CSP File	57
13.6 Viewing the Results of a CSP File	57
13.7 Viewing Syntax-Colored Source for Any URL	58
14 Working with Routines and Include Files	59
14.1 Routine Editor	59
14.2 Routine Source Formats	59
14.3 Creating a New Routine or Include File	60
14.4 Opening an Existing Routine or Include File	60
14.5 Routine Template File	60
14.6 Saving, Compiling, and Deleting Routines	60
14.7 Save Automatically Backs Up Routines and Include Files	61
15 Using the Studio Debugger	63
15.1 Sample Debugging Session: Debugging a Routine	63
15.2 Debugger Settings for the Current Project	64
15.2.1 Debug Target	64
15.2.2 Breakpoints	65
15.3 Debug Menu	65
15.4 Watch Window	66
15.4.1 Debugger Watch Window Context Menu	67
16 Using Studio Templates	69
16.1 Accessing Studio Templates	69
16.2 Standard Studio Templates	70
16.2.1 Templates	70
16.2.2 Class Definition Templates	70
16.2.3 Add-In Templates	71
17 Studio Menu Reference	73
17.1 File Menu	73
17.2 Edit Menu	75
17.2.1 Basic Editing	76
17.2.2 Find and Replace	76
17.2.3 Bookmarks	78
17.2.4 Advanced Editing	78
17.3 View Menu	79
17.3.1 Toolbars	81
17.3.2 Customize Toolbars	82
17.4 Project Menu	82
17.4.1 Common Project Tasks	82
17.5 Class Menu	82

17.6 Build Menu	83
17.7 Debug Menu	84
17.8 Tools Menu	84
17.9 Utilities Menu	86
17.10 Window Menu	86
17.11 Help Menu	86
17.12 Context Menus	86
17.12.1 Editor Context Menu	86
17.12.2 Workspace Context Menu	87
17.12.3 Inspector Context Menu	88
17.12.4 Tab Context Menu	88
17.12.5 Window Display Context Menu	88
17.12.6 Debugger Watch Context Menu	88
17.13 Keyboard Accelerators	89
17.14 Adding to a Studio Menu	94
18 Setting Studio Options	97
18.1 Environment Options	97
18.2 Editor Options	99
18.3 Compiler Options	101
18.4 SQL Options	103
18.5 Studio Look Options	103
Appendix A: Frequently Asked Questions About Studio	105

List of Figures

Figure 1–1: Studio Components	4
Figure 2–1: Class Inspector	14
Figure 2–2: Package Settings dialog	17
Figure 16–1: Example of an Interactive Template, the HTML Color Table	70
Figure 17–1: Standard Toolbar	81
Figure 17–2: Debug Toolbar	81
Figure 17–3: Class Members Toolbar	81
Figure 17–4: BPL Toolbar	81
Figure 17–5: Bookmarks Toolbar	81

List of Tables

Table 9–1: Projection Classes	41
Table 16–1: Templates	70
Table 16–2: Class Definition Templates	71
Table 16–3: Add-Ins	71

About This Book

This book provides information on Studio. It contains the following chapters and appendices:

- [Introduction to Studio](#)
- [Creating Class Definitions](#)
- [Adding Properties to a Class](#)
- [Adding Methods to a Class](#)
- [Adding Class Parameters to a Class](#)
- [Adding Relationships to a Class](#)
- [Adding Queries to a Class](#)
- [Adding Indices to a Class](#)
- [Adding Projections to a Class](#)
- [Adding XData Blocks to a Class](#)
- [Adding SQL Triggers and Foreign Keys](#)
- [Adding Storage Definitions to a Class](#)
- [Working with CSP Files](#)
- [Working with Routines](#)
- [Using the Studio Debugger](#)
- [Using Studio Templates](#)
- [Studio Menu Reference](#)
- [Setting Studio Options](#)
- [Frequently Asked Questions About Studio](#)
- [And a more detailed \[Table of Contents\]\(#\).](#)

For information on class definitions, see *Defining and Using Classes*. Also see the *Class Definition Reference*.

1

Introduction to Studio

Studio offers features that help you develop applications rapidly, in a single, integrated environment including:

- An editor in which to create
 - Classes, including persistent, database classes and Web service classes
 - Routines using ObjectScript
- Integrated syntax coloring and syntax checking for ObjectScript, Java, SQL, JavaScript, HTML, and XML.
- Support for teams of developers working with a common repository of application source code.
- A graphical source code debugger.
- The ability to organize application source code into projects.


Studio is a client application that runs on Windows-based operating systems. It can connect to any InterSystems server (compatible with the current version of Studio) regardless of what platform and operating system that server is using.

Note: A Studio client must be running either the same version or a higher version of the InterSystems product that the InterSystems server is running.

1.1 Overview of the Studio Window

The main components of the Studio user interface are shown below:

Figure 1–1: Studio Components



1. *Editor window*: *Class Editor* for editing class definitions, *Routine Editor* for editing routines and include files, and *CSP Editor* for editing CSP definition text. Using CSP files with InterSystems IRIS is not recommended.
2. *Class Browser window*: for viewing existing classes.
3. *Workspace window*: three tabs let you display the contents of the current project, all open windows, or the content of the current namespace.
4. *Class Inspector window*: for viewing and modifying keywords in a class definition.
5. *Watch window*: displays variables.
6. *Title Bar*: displays *ConnectionName/namespace@UserName - ProjectName.prj – Studio – ActiveDocument*. If the active document is maximized, the name shows in square brackets.

In addition to the windows displayed above, Studio contains wizards and templates for assisting with common tasks. These include:

- *Find in Files window*: displays a search window.
- *Output window*: displays output from the InterSystems server (such as messages generated during class compilation).
- *Code Snippets window*: for viewing and dragging user-created code snippets.
- *New Class wizard*: defines a new class.
- *Class member wizards that add members to class definitions for*: properties, indexes, relationships, methods, parameters, SQL triggers, queries, projections, storage, foreign keys, and XData blocks.
- *Wizards that create classes from other technologies; from*: Java classes and jar files, SML schema, SOAP client classes, that provide access to COM objects, and DLL assembly files from .NET.
- *HTML templates that add*: colors, tables, tags, and scripts.

- *CSP Form wizard*: creates an HTML form bound to an object in a CSP page. Using CSP files with InterSystems IRIS is not recommended.

1.1.1 Running Studio from the Command Line

You can run Studio from the system's command line using the command **Cstudio.exe** (in the *install-dir*\bin directory). The command and its parameters are case-sensitive.

Parameter	Description
?	Help info
/Servername=ServerName	Connect to the server named <i>ServerName</i> .
/Server=cn_ip tcp:127.0.0.1[51773]::	Connect to the server at <i>ip address[port]</i> .
/Namespace=User	Connect to the User namespace. You must also define a server.
/Project=MyProject	Open project <i>MyProject</i> . You must also define a server and a namespace.
cn_ip tcp://127.0.0.1:51773/User/test.int	Load routine test.int . <i>cn_ip tcp</i> is a case sensitive protocol identifier.
/files="tag+1^myroutine.int",User.Class1.cls	Open listed documents and set cursor in specified position. You must also define a server and a namespace.
/pid=123	Attach to process. You must also define a server and a namespace.
/fastconnect=127.0.0.1[51773]:USER:_SYSTEM:SYS	Connect without connection definition in registry using <i>ip address[port]:USER:username:password</i>

1.2 Projects

Studio uses *projects* to organize application source code.

A project is a set of class definitions, routines, and include files. For example, you might create a Studio project to group all classes for a single application.

You are *always* in a project, either one that you created or the default project that is created when you first open Studio. The default project is called *Default_yourusername* (a prefix of *Default_* followed by your username).

All files in a single project must be in the same namespace (and on the same InterSystems server). Each class or routine can be associated with any number of projects. Each namespace can contain any number of projects.

The project stores information such as the class hierarchy in a given InterSystems namespace, used when you edit classes. The project also stores debugging information (such as how to start the application you want to debug).

1.3 Class Definitions

A *class definition* defines a class. A class definition consists of class members (such as properties and methods) and other items, called *keywords*, each with associated values, that specify details of the class behavior.

Class definitions reside in a database where they are stored in the class dictionary. A class definition can be compiled, a process which creates executable code that can create object instances based on the class definition. The source code for the executable code created for a class consists of one or more routines. These generated routines can also be viewed in Studio.

A class definition can be projected for use by other technologies. In the case of SQL, this projection is automatic. In the case of Java, there is an additional compilation step in which a Java class is generated that corresponds to the class definition. For details, see the chapter “[Adding Class Projections](#).”

Within Studio, class definitions can be displayed and edited in a Class Editor window. Class definitions can also be viewed in the Class Inspector window as keywords and their corresponding values in tables.

1.4 CSP Files

Using CSP files with InterSystems IRIS is not recommended.

In other InterSystems products, a CSP (Web Server Page) file is an HTML or XML text file containing CSP markup language. The CSP engine processes a CSP file and generates from it an InterSystems class which is then used to respond to HTTP events and provide Web content.

If you prefer a more programmatic approach to Web development, you can also use Studio to create and edit CSP classes in the same way as you would work with any other class definitions.

Studio displays CSP files in a CSP Editor window. This editor provides syntax coloring of HTML and XML as well as many of the scripting languages that may be contained in a CSP file.

The CSP Editor provides commands for performing common CSP and HTML editing tasks such as inserting CSP markup tags. Studio also lets you view the results of a CSP file by selecting **View > Web Page**.

1.5 Routine Editor

Using the Routine Editor, you can directly create and edit the source for specific routines in a syntax-coloring editor. You also use the Routine Editor to edit include files.

1.6 Multiple User Support

Studio is an object-based, client/server application. The source files—class definitions, routines, and include files—that you can create and edit with Studio are stored in an InterSystems server and are represented as objects.

When you save a source file from Studio, it is saved in the InterSystems server you are connected to. If a source file is modified on the server while you are viewing it in Studio, you are notified and asked if you want to load the newer version.

Studio automatically detects when multiple users view the same source components simultaneously and manages access concurrency. If you attempt to open a file that is being edited by another user, you are notified and asked if you want to open the file in read-only mode.

1.7 Importing and Exporting Documents Locally

Normally any documents you work with in Studio (such as class definitions or routines) are stored in an InterSystems database (which may be on a remote machine). You can import from and export to local files using **Tools > Export** and **Tools > Import**.

Class definitions and routines are stored in local files as XML documents.

1.8 Debugging

Studio includes a source-level, GUI debugger. The debugger attaches (or starts up and attaches to) a target process running on the same InterSystems server that Studio is connected to. The debugger controls this target process remotely and allows you to watch variables, step through code, and set breakpoints.

You typically must have a project open in order to use the debugger; the project contains the information needed to start the debug target (name of a routine, method, or client application). In addition, the project stores a list of breakpoints that were set in a prior debugging session.

You can attach and break into a running process without having a project open. In this case Studio does not remember breakpoint settings from previous sessions. See more about debugging in the chapter “[Using the Studio Debugger](#).”

1.8.1 Debugging Object-Based Applications

At this time, Studio only allows source-level debugging of INT (ObjectScript routine). To step through, or set breakpoints within classes, open the corresponding INT and use the debugging commands in it.

To make sure that the generated source code for a class is available:

1. Select **Tools > Options**.
2. Navigate to **Compiler > Flags & Optimization** in the left-hand pane.
3. Select the **Keep generated source code** check box.

1.9 Security

InterSystems security features control both the use of Studio and the ability of Studio to connect to any InterSystems server. When you start Studio, it presents a login screen; to use Studio, you must log in as a user who holds the following privileges:

- **%Development:Use** - Use permission on the **%Development** resource grants access to various development-related resources.
- **%Service_Object:Use** - Use permission on the **%Service_Object** resource grants access to the **%Service_Bindings** service, which controls access to Studio.

Also, you can connect to a namespace only if you have Read or Write permission for its default database.

The way in which a user is granted these various privileges depends on the instance's security level, as described in the following list.

- For an instance with minimal security, all users, including UnknownUser, have all privileges and access to all namespaces. When presented with the Studio login screen, either leave the **Username** and **Password** fields blank or enter “_SYSTEM” and “SYS” as the username-password pair.
- For an instance with normal security, you must be explicitly granted the specified privileges. This is established by being assigned to a role or roles that holds these privileges.
- For an instance with locked-down security, the service that governs access to Studio (**%Service_Bindings**) is disabled by default. By default, no user has access to Studio.

To change Studio authentication settings:

1. Use the InterSystems IRIS launcher to open the Management Portal.
2. Select **System Administration > Security > Services**.
3. Click **Go** in the **View or edit service definitions** section.
4. Click **%Service_Bindings**.
5. Select or clear the check boxes under **Allowed Authentication Methods**.

Note: Studio access may also be affected by any changes to default settings that have occurred since installation.

1.10 Source Control Hooks

Studio includes a mechanism for implementing custom *hooks*—code that is executed on the InterSystems server whenever a document is loaded or saved. Typically these hooks are used to implement a connection to a source or revision control system.

To define source control hooks, create a subclass of the **%Studio.SourceControl.Base** class and implement the callback methods that you want. You can specify which Source Control class Studio should use from the **Source Control Settings** page of the Management Portal. (Navigate to **System Administration > Configuration > Additional Settings > Source Control**.)

Refer to the **%Studio.SourceControl.Base** class and [Integrating InterSystems IRIS with Source Control Systems](#) for more details.

2

Creating Class Definitions

The Studio lets you create and edit class definitions. A class definition specifies the contents of a particular class including its members (such as methods and properties) and characteristics (such as superclasses).

With Studio you can work with class definitions with several tools:

- Wizards to quickly create classes and class members
- Class Inspector to view and edit class characteristics in a table
- Class Editor to directly edit the class definition. The Class Editor is a full-featured text editor that provides syntax coloring, syntax checking, and code completion drop-down menus of available options.

You can use all of these techniques interchangeably; Studio automatically ensures that all of these representations are synchronized.

This chapter discusses general aspects of creating class definitions. Most of the following chapters in this book describe how to create class members, such as [properties](#), [methods](#), [parameters](#), and so forth.

2.1 Creating New Class Definitions

You can create a new class definition in Studio by using the New Class wizard.

Note: You must have an open project before you can work with class definitions in Studio. When working with class definitions, Studio performs numerous interactions with the InterSystems IRIS server (such as for providing lists of classes, class compiling, etc.). Internally, Studio uses projects to manage the details of this server interaction.

2.1.1 New Class Wizard

To open the New Class wizard, select **File > New > General** and select `Class Definition`.

The New Class wizard prompts you for information. Select **Finish** at any time (in this case, default values are provided for any information you have not specified).

2.1.1.1 Name and Description Page

The New Class wizard prompts you for the following information (with the exception of class and package name, you can later modify any of these values):

Package Name

Package to which the new class belongs. You can select an existing package name or enter a new name. If you enter a new name, the new package is automatically created when you save your class definition. The only punctuation marks that property names can contain are a dot (.) and a leading percent sign (%).

For more information on packages, see the chapter “[Package Options](#)” in *Defining and Using Classes*.

Class Name

Name of your new class. This must be a valid class name and must not conflict with the name of a previously defined class. Note that you cannot change this class name later.

See the section “Classes” in the appendix “[Rules and Guidelines for Identifiers](#)” in the *Orientation Guide for Server-Side Programming*.

Description

(optional) Description of the new class. This description is used when the class' documentation is displayed in the online class library documentation.

A description may include HTML formatting tags. See “[Creating Class Documentation](#)” in *Defining and Using Classes*.

2.1.1.2 Class Type Page

The New Class wizard asks you what type of class you would like to create. You can either extend (inherit from) a previously defined class or create a new class by selecting one of the following options:

Persistent

Create a definition for a persistent class. Persistent objects can be stored in the database.

Serial

Create a definition for a serial class. Serial objects can be embedded in persistent objects to create complex data types such as addresses.

Registered

Create a definition for a registered class. Registered objects are not stored in the database.

Abstract

Create a definition for an abstract class with no superclass.

Datatype

Create a definition for a data type class. A data type class is used to create user-defined data types.

CSP (used to process HTTP events)

Create a definition for a %CSP.Page class. A CSP class is used to create a CSP event handling class. This is a programmatic way to create CSP Pages or to respond to HTTP events (for example, to create an XML server). Using CSP files with InterSystems IRIS is not recommended.

Extends

Extend an existing class: check `Extends` and enter (or choose from a list) the name of an existing superclass.

2.1.1.3 Data Type Class Characteristics Page

If you are creating a new data type class, the New Class wizard prompts for certain items particular to data type classes. These include:

Client Data Type

The data type used by clients to represent this data enter a client application.

ODBC Data Type

The data type used by ODBC or JDBC to represent this data type. Choose a type that corresponds to how you want this data type to appear to ODBC/JDBC based applications.

SQL Category

The SQL Category used by the InterSystems SQL Engine when it performs logical operations on this data type.

2.1.1.4 Persistent, Serial, Registered Class Characteristics Page

If you are creating a new persistent, serial, or registered class, the New Class wizard prompts for certain items particular to persistent or serial classes. These include:

Owner

(optional) For a persistent class, enter the SQL username to be the owner of the new class. This username controls privileges when this class is used via SQL. If this field is left blank, then the default owner, `_system`, is used.

SQL Table Name

(optional) For a persistent class, enter a name to be used for the SQL table that corresponds to this class. If this field is left blank, then the SQL table name is identical to the class name. If the class name is not a valid SQL identifier, you must enter an SQL table name here.

XML Enabled

(optional) If selected, the class is XML-enabled; that is, it has the ability to project itself as an XML document. It can also be used in Web Service methods. This is equivalent to adding the `%XML.Adaptor` class to the class' superclass list.

For more information see [Using XML Tools](#) as well as [Creating Web Services and Web Clients](#).

Zen DataModel

This feature is not supported in InterSystems IRIS.

Data Population

(optional) If you select this option, your new class supports automatic data population. This is equivalent to adding the `%Library.Populate` class to the class' superclass list.

Automatic data population allows you to easily create random data with which you can test the operation of your class. To populate a class, compile it and then execute the class' **Populate** method (inherited from the `%Library.Populate` class). For example, using the Terminal:

```
Do ##class(MyApp.Person).Populate(100)
```

For more information see the chapter “[InterSystems IRIS Data Population Utility](#)” in *Defining and Using Classes*.

2.1.1.5 CSP Class Characteristics Page

If you are creating a new CSP class, the New Class wizard prompts for the following value:

Content Type

Specifies what the content type served by this CSP class is. The available options are HTML or XML. This option is used to set the value of the *CONTENTTYPE* parameter of the new class to `text/html` or `text/xml` respectively. You can later change this to whatever value you want.

Using CSP files with InterSystems IRIS is not recommended.

2.1.2 Results of Running the New Class Wizard

After running the New Class wizard, Studio displays a new Class Editor window. The Class Editor window contains your new class definition. For example:

```
/// This is a Person class
class MyApp.Person extends %Persistent
{
}
```

You can save this class definition in the InterSystems IRIS database, add class members such as [properties](#) or [methods](#), or edit the class definition using the Class Inspector.

2.2 Opening Class Definitions

You can open a previously saved class definition and display it in a Class Editor window by selecting the class in the Project tab of the Workspace window and double-clicking it with the mouse.

If the class definition you want to open is not part of the current project, first add it to the current project using **Project > Add Class**.

If the class definition you want to open is currently being edited by someone else, you are asked if you want to open the class definition for read-only access.

2.3 Editing Class Definitions

You may modify any of the characteristics of a newly created or previously existing class definition (with the exception of the class or package name). You can do this in two ways:

- Using the Class Inspector to change the value of a class or class member keyword.
- Changing a value in the class definition using the Class Editor.

For a list of class keywords and their meanings, see [Defining and Using Classes](#). For details on class definitions, see the [Class Definition Language](#) reference.

2.4 Saving and Deleting Class Definitions

If you have modified a class definition, save it to the InterSystems IRIS database in either of the following ways:

- Use **File > Save** to save the contents of the current window.
- Use **Save Project** to save all modified class definitions in the current project.

To delete a class definition, in the Workspace window, select a class and select **Edit > Delete class** *classname*. The class and all of its generated files are deleted.

2.5 Compiling Class Definitions

You can compile class definitions from Studio by:

- Using **Build > Compile** or the **Compile** icon, . This saves all modified class definitions and compiles the current class definition (the one displayed in the active editor window).
- Using **Build > Rebuild All** or the **Rebuild All** icon, . This saves all open, modified class definitions and compiles all classes in the current project.

Note: You can control how classes are compiled using options on **Tools > Options** dialog, **Compiler** tab.

2.5.1 Incremental Compilation

Studio can do incremental compilation of classes. The feature is enabled with the **Skip Related Up-to-date Classes** option. To find this option, open the **Tools > Options** dialog, **Compiler, Flags & Optimization** tab.

When enabled, if changes have been made to source code in one or more methods, only those methods are compiled with **Build > Compile**. (Use **Build > Rebuild All** to override.) Any changes to the class interface (properties, method signatures, etc.) or storage definition cause a full compilation.

Incremental compilation is typically much faster than a full compilation and speeds up the process of making incremental changes to methods (application logic) during development.

Incremental compilation works as follows:

1. The Class Compiler finds all methods whose implementation has changed, places their runtime code into a new routine, such as MyApp.MyClass.5.INT, and compiles this routine.
2. The Class Compiler then modifies the runtime class descriptor for the class to use the new implementations of the compiled methods. When an application invokes one of these methods, the new code is dispatched to and executed.
3. The rest of the class definition (compiled meta-information, storage information for persistent classes, runtime SQL information) is left unchanged. Note that the previous implementation of the modified methods remains in the runtime code, but is not executed.

When a full (non-incremental) compilation is performed, all of the extra routines containing incrementally compiled methods are removed. Perform a full compilation on all classes before deploying an application to avoid having extra routines.

2.6 Renaming Class Definitions


Once you have created a class definition you cannot change its name. You can perform the equivalent of this operation by creating a copy of the class with a new name as follows:

1. Select **Tools > Copy Class**.
2. Select the class you want to rename in the **From** field.
3. Enter the new class name in the **To** field.
4. Select any of the three options: Add new class to project, Replace instances of the class name, or Copy Storage Definition.
5. Select **OK**.
6. You have a new Class Editor window containing a copy of the original class definition. Using the Class Editor, you can make any additional changes you desire. You can save this new class definition when you like.
7. You can, if you want, delete the old class definition.

2.7 Class Inspector

The Class Inspector displays the current class definition in an editable table. The main components of the Class Inspector are described below:


Figure 2–1: Class Inspector



1. **Member Selector:** Controls which set of keywords are displayed. You can choose to view either the Class-wide keywords or the keywords for a specific class member (such as properties or methods).
2. **Item Selector:** Controls which specific class member is displayed (such as a particular property). The contents of the list depend on the value of the Member Selector. Selecting (Summary) displays a list of all the members of the type specified by the Member Selector.
3. **Keywords:** Lists the keywords for the current class or class member selected by the Member and Item Selectors. Highlighting a keyword displays its description and allows editing (select **Edit** at the right of the value or directly edit the value). Keywords whose value was set explicitly (not inherited or set by default) are shown in bold.
4. **Values:** Lists the values of keywords displayed in the keyword list. Values modified since the last time the class definition has been saved are displayed in blue.

2.7.1 Starting the Class Inspector

To start the Class Inspector, select **View > Inspector**. The Class Inspector shares a pane with the Workspace; click on the **Inspector** tab to access the Class Inspector.



2.7.2 Activating the Class Inspector

The Class Inspector displays current information when it is activated (it is gray when inactive). To activate the Class Inspector:

1. Make sure that the current editor window contains a class definition (the Class Inspector does not work with Routines).
2. Select the Class Inspector

When the Class Inspector is activated, its background turns white and its contents are updated to reflect the current class definition. If you modify any keyword values using the inspector, the corresponding Class Editor window becomes inactive (turn gray). When you are finished with the inspector, select the original Class Editor window. It becomes active and displays the result of the modifications you made using the Class Inspector.

If you right-click in the Class Inspector, it displays a popup menu allowing you to perform operations such as adding new class members.

2.8 Class Browser

Studio includes a class browsing utility that lets you view all available classes arranged by class hierarchy. Within each class you can view class members such as properties and methods, including those inherited from superclasses. The Class Browser displays class members in a table. By select a column title, you can sort the class members by that column.

1. Open the Class Browser with **Tools > Class Browser**.
2. Right-click an item in the Class Browser and select whether to add it to the project, open it in the Class Editor, or view documentation.

2.9 Superclass Browser and Derived Class Browser

Studio includes two additional browsers, one for listing all superclasses and one for listing derived classes from the current class definition.

2.9.1 Superclass Browser

Open the Superclass Browser using **Class > Superclasses** to display an alphabetical list of all superclasses of the current class.

Select a class and then select a button to either add it to the current project, open it in the Class Editor, or view documentation.

2.9.2 Derived Class Browser

Open the Derived Class Browser using **Class > Derived Classes** to display a list, in alphabetical order, of all the classes derived from the current class definition.

Select a class and then select a button to either add it to the current project, open it in the Class Editor, or view documentation.

2.10 Package Information

Within Studio, you can view and edit information about a specific class package using the Package Settings dialog.

To open Package Information, in the Workspace window, in the `Project` tab, right-click the package name and select **Package Information**.

Figure 2–2: Package Settings dialog

The Package Information window displays the following information:

Package Name	Name of the package.
Description	Description of the package
Owner	SQL Owner name of this package. This is used to provide Schema-wide privileges to the SQL representation of the package.
SQL Name	Name of the SQL Schema used to represent the package relationally.
Client Name	Package name used for the generated projection of this package's classes. For example, if this package contains a class named <code>bank.account</code> , and you give it a client package name of <code>com.mycompany.bank</code> . when the class is compiled, a Java projection of this class is put into <code>com.mycompany.bank.account</code> .
Routine Prefix	String that is used as a prefix for the routines generated from classes in this package
Global Prefix	String that is used as a prefix for the default global names used by persistent classes in this package

For more information on class packages, see the chapter “[Packages](#)” in *Defining and Using Classes*.

3

Adding Properties to a Class

This chapter describes how to add properties in a class definition.

The data, or state, of an object is stored in its properties. Every class definition may contain zero or more property definitions.

You can add a new property to a class in two ways:

- Adding the property to the class definition in the Class Editor.
- Using the New Property wizard

To add a property using the Class Editor, position the cursor on a blank line in the Class Editor and enter a property declaration:

```
Class MyApp.Person Extends %Persistent
{
Property Name As %String;
Property Title As %String;
}
```

Alternatively, copy an existing property declaration, paste it into a new location, and edit it.

For details on property definitions, see “[Defining and Using Literal Properties](#)” and subsequent chapters in *Defining and Using Classes*. Also see “[Property Definitions](#)” in the *Class Definition Reference*.

3.1 New Property Wizard

To open the New Property wizard, select **Class > Add > Property** . Alternatively, right-click the Class Inspector and select **Add > New Property** or, if only properties are displayed (Property heads the left column), right-click and select **New Property** or select the **New Property** icon,  from the toolbar.

The New Property wizard prompts you for information. Select **Finish** at any time; default values are provided for any information you have not specified.

3.1.1 Name and Description Page

The New Property wizard prompts you for the following information (you can later modify any of these values):

Property Name

(required) Name of the new property. This name must be a valid property name and must not conflict with the name of a previously defined property. The only punctuation marks that property names can contain are a dot (.) and a leading percent sign (%).

See the section “Class Members” in the appendix “[Rules and Guidelines for Identifiers](#)” in the *Orientation Guide for Server-Side Programming*.

Description

(optional) Description of the new property. This description is used when the class' documentation is displayed in the online class library documentation.

A description may include HTML formatting tags. See “[Creating Class Documentation](#)” in *Defining and Using Classes*.

3.1.2 Property Type Page

The New Property wizard asks you to select the property type: single-valued, a collection, a stream, or a relationship. You can further refine each of these choices by specifying additional characteristics, such as data type.

Single Valued

A single-valued property is just that; it contains a single value. A single-valued property has a type associated with it. This type is the name of an InterSystems IRIS class. If the class used as a type is a data type class, then the property is a simple literal property; if it is a persistent class, then the property is a reference to an instance of that class; if it is a serial class, then the property represents an embedded object.

You can enter a class name directly or choose from a list of available classes, including streams, using the **Browse** button.

For a description of the basic data type classes provided with InterSystems IRIS, see the chapter “[Data Types](#)” in *Defining and Using Classes*.

Collection

A collection property contains multiple values. There are two collection types, List (a simple, ordered list) and Array (a simple dictionary with elements associated with key values). As with a single-valued property, a collection property also has a data type. In this case, the data type specifies the type of the elements contained in the collection.

See “[Working with Collections](#)” in *Defining and Using Classes*.

Relationship

A relationship property defines an association between two objects. For more details on relationships, see “[Defining and Using Relationships](#)” in *Defining and Using Classes*.

3.1.3 Property Characteristics Page

If you are adding a new property to a class definition for a persistent or serial object, the New Property wizard asks for additional characteristics. These include:

Required

(optional) This is only relevant for persistent or serial classes. Specifies that this property is required (NOT NULL in SQL terminology). For persistent or serial objects, a required property must be given a value or else any attempt to save the object fails.

Indexed

(optional) This is only relevant for persistent classes. Specifies that an index should be created based on this property. This is equivalent to creating an index based on this field.

Unique

(optional) This is only relevant for persistent classes. Specifies that the value of this property must be unique in the extent (set of all) objects of this class. This is equivalent to creating a unique index based on this field.

Calculated

(optional) A calculated property has no in-memory storage allocated for it when an object instance is created. Instead, you must provide accessor (Get or Set) methods for the property. If you choose this option, the New Property wizard can generate an empty Get accessor method for you.

SQL Field Name

(optional) In the case of a persistent class, this is the name that should be used for the SQL field that corresponds to this property. By default (when this field is blank) the SQL field name is identical to the property name. Provide an SQL field name if you want to use a different field name or if the property name is not a valid SQL identifier.

3.1.4 Data Type Parameters Page

Every property has a list of parameter values which is determined by the type of the property. The values of these parameters control aspects of the property's behavior. Using the table displayed on the Parameters page of the New Property wizard, you can specify the value of particular parameters.

For information on the common parameters, “[Defining and Using Literal Properties](#)” in *Defining and Using Classes*.

3.1.5 Property Accessors Page

You can override the Set method (used to set the value of a property) and Get method (used to retrieve the value of a property) for a property by selecting the corresponding override check box. Choosing one of these options creates an empty Set or Get method which you have to fill in later. See “[Using and Overriding Property Methods](#)” in *Defining and Using Classes*.

3.1.6 Results of Running the New Property Wizard

After running the New Property wizard, the Class Editor is updated to include the new property definition. For example:

```
/// This is a Person class
Class MyApp.Person extends %Persistent
{
Property Name As %String;
}
```

You can use the Class Editor or the Class Inspector to make additional changes to this property.

4

Adding Methods to a Class

This chapter discusses how to add and edit method definitions in a class definition.

You can add a new method to a class definition in two ways:

- Adding a method to the class definition using the Class Editor.
- Using the New Method wizard

To add a method using the Class Editor, position the cursor on a blank line in the Class Editor and enter a method declaration such as:

```
Class MyApp.Person Extends %Persistent
{
Method NewMethod() As %String
{
    Quit ""
}
}
```

Alternatively, you can do this by copying and pasting an existing method declaration and then editing it.

For details on method definitions, see “[Defining and Calling Methods](#)” in *Defining and Using Classes*. Also see “[Method Definitions](#)” in the *Class Definition Reference*.

4.1 New Method Wizard

You can invoke the New Method wizard by selecting **Class > Add > Method**. Alternatively, right-click the Class Inspector and select **Add > New Method**. You can also click the **New Method** button  from the toolbar.

The New Method wizard prompts you for information. Click **Finish** at any time (default values are provided for any information you have not specified).

4.1.1 Name and Description Page

The New Method wizard prompts you for the following information (you can later modify any of these values):

Method Name

(required) Name of the new method. This name must be a valid method name and must not conflict with the name of a previously defined method.

See the section “Class Members” in the appendix “[Rules and Guidelines for Identifiers](#)” in the *Orientation Guide for Server-Side Programming*.

Description

(optional) Description of the new method. This description is used when the class' documentation is displayed in the online class library documentation.

A description may include HTML formatting tags. See “[Creating Class Documentation](#)” in *Defining and Using Classes*.

4.1.2 Method Signature Page

Every method has a signature that indicates its return type (if any) as well as its formal argument list (if any). For a method signature you may specify the following:

Return Type

(optional) Indicates the type of the value returned by this method. This type is the name of an InterSystems IRIS class. You can type this name in directly or choose from a list of available classes using the **Browse** button.

For example, a method that returns a true (1) or false (0) value would have a return type of %Boolean. Leave this field empty if your new method has no return value.

Arguments

(optional) Indicates the names, types and default values of the method's formal arguments along with how data is passed (by reference or by value). The arguments are displayed in order in a table. You can add a new item to the argument list by clicking the **Add** button  located on the side of the table. This displays a popup dialog allowing you to specify the name of the argument, its type, its optional default value, and whether it is passed by value or by reference. Using the other buttons, you can remove and rearrange the order of items in the list.

4.1.3 Method Characteristics Page

You may specify additional characteristics for your method. These include:

Private

(optional) Indicates whether this method is public or private. Private methods can only be invoked from other methods of the same class.

Final

(optional) Indicates whether this method is final. Final methods cannot be overridden by subclasses.

Class Method

(optional) Indicates that the new method is a class method (as opposed to an instance method). Class methods may be invoked without having an object instance.

SQL Stored Procedure

(optional) Indicates that this method is accessible to an ODBC or JDBC client as a stored procedure. Only class methods may be projected as SQL Stored Procedures.

4.1.4 Implementation Page

If you want, you may enter the implementation (code) for the new method by typing lines of source code into the Class Editor. You can also enter this source code after running the wizard.

4.1.5 Results of Running the New Method Wizard

After running the New Method wizard, the Class Editor is updated to include the new method definition. You can edit it using either the Class Editor or the Class Inspector. For example:

```
/// This is a Person class
class MyApp.Person extends %Persistent
{
Method Print() As %Boolean
{
    Write "Hello"
    Quit 1
}
}
```

4.2 Overriding a Method

Note: The **Refactor** submenu is available only when Studio is connected to a Windows server. The **Override** menu item is available in other platforms.

One of the powerful features of object-based development is that classes inherit methods from their superclasses. In some cases, you may want to override, that is, provide a new implementation for, a method inherited from a superclass.

Class > Refactor > Override simplifies the process of overriding a class method by displaying a list of all the methods defined by superclasses that can be overridden by the current class.

For example, in a persistent class, you may want to override the default implementation of the **%OnValidateObject** method provided by the **%RegisteredObject** class in order to specify custom validation that occurs when an instance of your class is saved.

To do this, follow these steps:

1. Open (or create) a persistent class definition in Studio.
2. Select **Class > Refactor > Override** and select the **Methods** tab. This displays a dialog window containing a list of methods which you can override.
3. Select **%OnValidateObject** from the list and select **OK** button.

Your class definition now includes a definition for an **%OnValidateObject** method:

```
class MyApp.Person extends %Persistent
{
// ...
Method %OnValidateObject() As %Status
{
}
```

At this point, you can use the Class Editor to add code to the body of the method.

5

Adding Class Parameters to a Class

A class parameter defines a constant value for all objects of a given class. When you create a class definition (or at any point before compilation), you can set the values for its class parameters. By default, the value of each parameter is the null string; to set a parameter's value, you must explicitly provide a value for it. At compile-time, the value of the parameter is established for all instances of a class. This value cannot be altered at runtime.

You can add a class parameter to a class definition in two ways:

- Adding a class parameter to the class definition using the Class Editor.
- Using the New Class Parameter wizard.

To add a parameter using the Class Editor, position the cursor on a blank line in the Class Editor and enter a class parameter such as:

```
Parameter P1 = "x";
```

For details on parameter definitions, see “[Defining and Referring to Class Parameters](#)” in *Defining and Using Classes*. Also see “[Parameter Definitions](#)” in the *Class Definition Reference*.

5.1 New Class Parameter Wizard

You can use the New Class Parameter Wizard to create a new class parameter. You can open the New Class Parameter wizard by selecting **Class > Add > Class Parameter**. Alternatively, right-click the Class Inspector and select **Add > New Class Parameter**. You can also click the **New Class Parameter** button  on the toolbar.

The New Class Parameter wizard prompts you for information. Select **Finish** at any time (default values are provided for any information you have not specified).

The New Class Parameter wizard prompts you for the following information (you can later modify any of these values):

Name

(required) Name of the class parameter. This name must be a valid parameter name and must not conflict with the name of a previously defined parameter.

See the section “Class Members” in the appendix “[Rules and Guidelines for Identifiers](#)” in the *Orientation Guide for Server-Side Programming*.

Description

(optional) Description of the new class parameter. This description is used when the class' documentation is displayed in the online class library documentation.

A description may include HTML formatting tags. See “[Creating Class Documentation](#)” in *Defining and Using Classes*.

Default

Default value for the class parameter. This will be the default value for this parameter for all instances of this class.

6

Adding Relationships to a Class

A relationship is a special type of property that defines how two or more object instances are associated with each other. For example, a `Company` class that represents a company could have a one-to-many relationship with an `Employee` class that represents an employee (that is, each company may have one or more employees while each employee is associated with a specific company).

A relationship differs from a property in that every relationship is two-sided: for every relationship definition there is a corresponding inverse relationship that defines the other side.

For more information on relationships, see the chapter “[Relationships](#)” in *Defining and Using Classes*.

You can add a new relationship to a class definition in two ways:

- Adding a relationship to the class definition using the Class Editor.
- Using the New Property wizard

To add a relationship using the Class Editor, position the cursor on a blank line in the Class Editor and enter a relationship declaration:

```
Class MyApp.Company Extends %Persistent
{
  Relationship TheEmployees As Employee [cardinality=many, inverse=TheCompany];
}
```

A relationship definition must specify values for both the cardinality and inverse keywords.

As this relationship has two sides, also enter the inverse relationship in the class definition of `Employee`:

```
Class MyApp.Employee Extends %Persistent
{
  Relationship TheCompany As Company [cardinality=one, inverse=TheEmployees];
}
```

If the two sides of the relationship do not correctly correspond to each other, there are errors when you try to compile.

6.1 New Property Wizard to Create a Relationship Property

You can use the New Property Wizard to create a new relationship property. To invoke this wizard, select **Class > Add > Property**. Alternatively, right-click the Class Inspector and select **Add > New Property**. You can also click the **New Property** button on the toolbar.

The New Property wizard prompts you for information. The procedure is identical to creating a new, non-relationship property except that you specify `Relationship` on the property type.

6.1.1 Name and Description Page

The New Property wizard prompts you for the following information (you can later modify any of these values):

Property Name

(required) Name of the relationship. This name must be a valid relationship (property) name and must not conflict with the name of a previously defined relationship or property.

See the section “Class Members” in the appendix “[Rules and Guidelines for Identifiers](#)” in the *Orientation Guide for Server-Side Programming*.

Description

(optional) Description of the new relationship. This description is used when the class' documentation is displayed in the online class library documentation.

A description may include HTML formatting tags. See “[Creating Class Documentation](#)” in *Defining and Using Classes*.

6.1.2 Property Type Page

The New Property wizard asks you to choose from a variety of property types. Choose `Relationship` and enter the name of the class on the inverse side of the relationship.

6.1.3 Relationship Characteristics Page

The New Property wizard asks for additional relationship characteristics. These include:

Cardinality

One: one other object

This relationship property refers to a single instance of the related object. The resulting property acts like a simple reference field.

Many: many other objects

This relationship property refers to a one or more instances of the related object. The resulting property acts like a collection of objects.

Parent: this object's parent

Identical to cardinality of `one` except that it is a dependent relationship and this property refers to the parent of this object. When you create a parent-child relationship, you are not given the option to create an index because children aren't stored independently but within the parent; you can see that by looking at the global structure. The children are indexed automatically by creating an extra subscript.

Children: the object's children

Identical to cardinality of `many` except that this is a dependent relationship and this property refers to a collection of child objects.

Inverse:

This relationship property references objects of the following type

Select a class by clicking the Browse button or enter a new class name for the inverse side of the relationship.

The name of the corresponding property in the referenced class

Select a property from the class or enter a new property name for the inverse side of the relationship.

6.1.4 Additional Changes

Select any of the additional changes that you would like to implement:

Create a new class “<inverse class>”

This field is active only if the class name you specified on the previous page of the wizard does not exist. Select this option to add the new class to the package. You must compile the new class before you can compile the class that contains the relationship.

Create a new property “Parent” in class “<inverse class>”

This field is active only if the property of the referenced class that you specified on the previous page of the wizard does not exist. Select this option to add this new property to the class. You must compile the class with this new property before you can compile the class that contains the relationship.

Modify property “Parent” of class “<inverse class>”

This field is active only if the property of the referenced class already exists. Select this option to modify the referenced property to be a relationship with the property that you are defining.

Define an index for this relationship.

Select to define an index for this property. This is applicable only for One-To-Many relationships; it is disabled for Parent-Child relationships

6.1.5 Results of Creating a New Relationship with the New Property Wizard

After creating a new relationship with the New Property wizard, the Class Editor is updated to include the new relationship definition. For example:

```
/// This is an Employee class
class MyApp.Employee extends %Persistent
{

/// We have a one-to-many relationship with Company
Relationship Company As Company [cardinality=one, inverse=Employees];
}
```

If you want to make further modifications to this relationship, you can do this using either the Class Editor or the Class Inspector.

Additionally, you can use the Modify Relationship wizard, which has the advantage of automatically determining the changes required to the inverse of a relationship.

To open the Modify Relationship wizard:

1. Display the list of properties in the Class Inspector.
2. Right-click the desired relationship in the list of properties and select **Add/Modify Relationship** from the pop-up menu.

7

Adding Queries to a Class

InterSystems IRIS class definitions may contain query definitions.

For an introduction, see “[Defining and Using Class Queries](#)” in *Defining and Using Classes*. For details, see “[Query Definitions](#)” in the *Class Definition Reference*.

You can add a new query to a class definition in two ways:

- Edit the class definition using the Class Editor.
- Use the New Query wizard.

To add a query using the Class Editor, position the cursor on a blank line in the Class Editor and enter a query declaration such as:

```
Class MyApp.Person Extends %Persistent
{
Property Name As %String;

/// This query provides a list of persons ordered by Name.
Query ByName(ByVal name As %String) As %SQLQuery(CONTAINID = 1)
{
    SELECT ID,Name FROM Person
    WHERE (Name %STARTSWITH :name)
    ORDER BY Name
}
}
```

Alternatively, you can copy and paste an existing query declaration and then edit it.

7.1 New Query Wizard

You can use the New Query wizard to add a new query to a class definition. You can open the New Query wizard by selecting **Class > Add > Query**. Alternatively, right-click the Class Inspector and select **Add > New Query**. You can also click the **New Query** button  in the toolbar.

Select **Finish** at any time; default values are provided for any information you have not specified.

7.1.1 Name, Implementation, and Description Page

The New Query wizard prompts you for the following information (you can later modify any of these values):

Query Name

(required) Name of the new query. This name must be a valid query name and must not conflict with the name of a previously defined query.

See the section “Class Members” in the appendix “[Rules and Guidelines for Identifiers](#)” in the *Orientation Guide for Server-Side Programming*.

Implementation

(required) You must specify if this query is based on an SQL statement (which the wizard generates for you) or on user-written code (in which case you have to provide the code for the query implementation).

Description

(optional) Description of the new query. This description is used when the class documentation is displayed in the online class library documentation.

A description may include HTML formatting tags. See “[Creating Class Documentation](#)” in *Defining and Using Classes*.

7.1.2 Input Parameters Page

A query may take zero or more input parameters (arguments).

You can specify the names, types, and default values for these parameters. The arguments are displayed in order in a table.

You can add a new item to the argument list using the **Add** icon  located on the side of the table. This displays a popup dialog allowing you to specify the name of the argument, its type, its optional default value. Using up, , and down arrows, , you can rearrange the order of items in the list.

7.1.3 Columns Page

For an SQL-based query, you must specify the object properties (columns) that you want included in the result set (this is the SELECT clause of the generated SQL query).

To add a column to the query, select an item from the left-hand list of available properties and move it to the right-hand list using the > (Move To) button. You can also move the properties by double-clicking them.

7.1.4 Conditions Page

For an SQL-based query, you can specify conditions to restrict the result set (the SQL WHERE clause of the generated SQL query).

You can build a set of conditions by selecting values from the set of combo boxes. The expression box can contain an expression (such as a literal value) or a query argument (as an SQL host variable with a prepended : colon character).

7.1.5 Order By Page

For an SQL-based query, you can specify any columns you want to use to sort the result set (the SQL ORDER BY clause of the generated SQL query).

7.1.6 Row Specification Page

For a user-written query, you must specify the names and types of the columns that are to be returned by the query.

The wizard does not prompt for this information for SQL-based queries as the class compiler can determine it by examining the SQL query.

7.1.7 Results of Running the New Query Wizard

After you run the New Query wizard, the Class Editor window is updated to include the new query definition. For example:

```
/// This is a Person class
class MyApp.Person extends %Persistent
{
    Query ByName(ByVal name As %String) As %SQLQuery(CONTAINID = 1)
    {
        SELECT ID,Name FROM Person
        WHERE (Name %STARTSWITH :name)
        ORDER BY Name
    }
}
```

If you want to make further modifications to this query you can do this using either the Class Editor or the Class Inspector.

If you specified a user-written query, the Class Editor contains both the new query definition as well as skeletons of the query methods you are expected to implement. For example:

```
Class MyApp.Person Extends %Persistent
{
    // ...

    ClassMethod MyQueryClose(
        ByRef qHandle As %Binary
        ) As %Status [ PlaceAfter = MyQueryExecute ]
    {
        Quit $$$OK
    }

    ClassMethod MyQueryExecute(
        ByRef qHandle As %Binary,
        ByVal aaa As %Library.String
        ) As %Status
    {
        Quit $$$OK
    }

    ClassMethod MyQueryFetch(
        ByRef qHandle As %Binary,
        ByRef Row As %List,
        ByRef AtEnd As %Integer = 0
        ) As %Status [ PlaceAfter = MyQueryExecute ]
    {
        Quit $$$OK
    }

    Query MyQuery(
        ByVal aaa As %Library.String
        ) As %Query(ROWSPEC = "C1,C2")
    {
    }
}
```


8

Adding Indices to a Class

This chapter discusses how to add and edit index definitions to a persistent class definition.

An index definition instructs the InterSystems IRIS class compiler to create an index for one or more properties. Indices are typically used to make SQL queries more efficient. See “[Defining and Building Indices](#)” in the *SQL Optimization Guide*.

You can add an index to a class definition in two ways:

- Editing the class definition using the Class Editor.
- Using the New Index wizard

To add an index using the Class Editor, position the cursor on a blank line in the Class Editor and enter an index declaration:

```
Index NameIndex On Name ;
```

Alternatively, copy and paste an existing index declaration and then edit it.

For details, see “[Index Definitions](#)” in the *Class Definition Reference*.

8.1 New Index Wizard

You can invoke the New Index wizard using the **Class > Add > Index**. Alternatively, right-click the Class Inspector and select **Add > New Index**. You can also click the **New Index** button  from the toolbar.

The New Index wizard prompts you for information. If you click **Finish** before completing all of the wizard screens, default values are set for any information you did not provide.

8.1.1 Name and Description Page

The New Index wizard prompts you for the following information (you can later modify any of these values):

Index Name

(required) Name of the new index. This name must be a valid index name and must not conflict with the name of a previously defined index.

See the section “Class Members” in the appendix “[Rules and Guidelines for Identifiers](#)” in the *Orientation Guide for Server-Side Programming*.

Description

(optional) Description of the new index. This description is used when the class' documentation is displayed in the online class library documentation.

A description may include HTML formatting tags. See “[Creating Class Documentation](#)” in *Defining and Using Classes*.

8.1.2 Index Type Page

InterSystems IRIS supports the following types of indices.

Normal Index

A normal index is used for indexing on property values. You can further qualify a normal index by selecting one of the following:

Unique Index	The set of properties associated with this index must have a combined value that is unique in the extent of objects of this class.
IDKEY	The set of properties associated with this index are used to create the Object ID value used to store instances of this class in the database. You cannot modify the values of properties that are part of an IDKEY definition once an object has been saved. IDKEY implies that the property or properties are unique (as with a Unique Index).
SQL Primary Key	The set of properties associated with this index is reported as the SQL Primary Key for the SQL table projected for this class. This implies that the property or properties are unique (as with a Unique Index).

Extent Index

An extent index is used to keep track of which objects belong to a specific class in a multiclass extent of objects. It differs from a “normal index” in that you cannot specify additional characteristics for it.

You can also select how the index is physically implemented in the database:

Standard Index

This index is a traditional cross-index on the specified property or properties.

Bitmap Index

A bitmap index uses a compressed representation of a set of object ID values that correspond to a given indexed value. See [Bitmap Indices](#) in *InterSystems SQL Optimization Guide* for more information.

Bitslice Index

A bitslice index is a specialized form of index that enables very fast evaluation of certain expressions, such as sums and range conditions. See [Bitslice Indices](#) in *InterSystems SQL Optimization Guide* for more information.

8.1.3 Index Properties Page

On the Index Properties page, you can enter a list of one or more properties on which the index is based. For each property you can override the default collation function used to transform values stored in the index as well as any parameters for the collation function.

Important: There must not be a sequential pair of vertical bars (||) within the values of any property used by an IDKEY index, unless that property is a valid reference to an instance of a persistent class. This restriction is imposed by the way in which the InterSystems IRIS SQL mechanism works. The use of || in IDKey properties can result in unpredictable behavior.

8.1.4 Index Data Page

On the Index Data page, elect to store a copy of the data for any properties in the index.

You cannot store copies of data values with a bitmap index.

8.1.5 Results of Running the New Index Wizard

After running the New Index wizard, the Class Editor is updated to include the new index definition. For example:

```
/// This is a Person class
class MyApp.Person extends %Persistent
{
Property Name As %String;
Index NameIndex On Name;
}
```

You can edit the index definition with either the Class Editor or the Class Inspector.

8.2 Populating an Index

After you add an index definition to a class and compile, you can populate the index (place data into it) by using **Rebuild Indices**, found in the Management Portal. For more information, see “[Building Indices](#)” in the *InterSystems SQL Optimization Guide*.

Studio does not automatically index existing data.

9

Adding Projections to a Class

This chapter discusses how to add projection definitions in a class definition.

A projection definition instructs the InterSystems IRIS class compiler to perform specified operations when a class definition is compiled or removed. A projection defines the name of a projection class (derived from the %Projection.AbstractProjection class) that implements methods that are called when either of the following is true:

- The compilation of a class is complete.
- A class definition is removed either because it is being deleted or because the class is about to be recompiled.

A class can contain any number of projection definitions. The actions for all of them are invoked when the class is compiled (the order in which they are invoked is not defined).

InterSystems IRIS includes predefined projection classes that generate client code that allows access to a class from Java, MV, and so on.

Table 9–1: Projection Classes

Class	Description
%Projection.Java	Generates a Java client class to enable access to the class from Java.
%Projection.Monitor	Registers this class as a routine that works with Log Monitor. Metadata is written to Monitor.Application, Monitor.Alert, Monitor.Item and Monitor.ItemGroup. A new persistent class is created called Monitor.Sample.
%Projection.MV	Generates an MV class that enables access to the class from MV.
%Projection.StudioDocument	Registers this class as a routine that works with Studio.
%Studio.Extension.Projection	Projects the XData 'menu' block to the menu table.

You can also create your own projection classes and use them from Studio as you would any built-in projection class.

You can add a new projection to a class definition in two ways:

- Editing the class definition using the Class Editor.
- Using the New Projection wizard

To add a projection using the Class Editor, position the cursor at a blank line and enter a projection declaration.

Alternatively, you can copy and paste an existing projection declaration and then edit it.

For details, see “[Projection Definitions](#)” in the *Class Definition Reference*.

9.1 New Projection Wizard

You can invoke the New Projection wizard by selecting **Class > Add > Projection**. Alternatively right-click in the Class Inspector and select **Add > New Projection**.

The New Projection wizard displays pages prompting you for information about the new projection. You can click **Finish** before completing all of the wizard pages; in this case, default values are provided for any information you have not specified.

9.1.1 Name and Description Page

The New Projection wizard prompts you for the following information (you can later modify any of these values):

Projection Name

(required) Name of the new projection. This name must be a valid projection name and must not conflict with the name of a previously defined projection.

See the section “Class Members” in the appendix “[Rules and Guidelines for Identifiers](#)” in the *Orientation Guide for Server-Side Programming*.

Description

(optional) Description of the new projection.

9.1.2 Projection Type Page

The projection type determines what actions happen when your class definition is compiled or removed. You can select what kind of projection you would like to define.

Projection Type

Name of a projection class whose methods are executed when a class definition is compiled or removed.

Projection Parameters

A set of name-value pairs that control the behavior of the projection class. The list of available parameter names is determined by the selected projection class.

9.1.3 Results of Running the New Projection Wizard

When you finish running the New Projection wizard, the Class Editor window is updated to include the new projection definition. For example:

```
/// This is a Person class
class MyApp.Person extends %Persistent
{
    Property Name As %String;

    Projection JavaClient As %Projection.Java;
}
```

To edit this projection definition, use either the Class Editor or the Class Inspector.

10

Adding XData Blocks to a Class

An XData block is a block of XML code that you can add to your class definition.

You can add an XData block to a class definition in two ways:

- Editing the class definition using the Class Editor.
- Using the XData wizard

To add an XData block using the Class Editor, position the cursor at a blank line and enter an XData declaration such as:

```
XData ProductionDefinition
{
  <Production>
  <ActorPoolSize2/ActorPoolSize>
  </Production>
}
```

Alternatively, you can copy and paste an existing XData block and then edit it.

10.1 New XData Wizard

You can invoke the New XData wizard using the **Class > Add > XData**.

The New XData wizard displays a single page prompting you for a name for the XData block and a description. To end, select **Finish**. Add XML code into the Class Editor window to complete the XData block.

The New XData wizard prompts you for the following information (you can later modify any of these values):

XData Name

(required) Name of the new XData. This name must be a valid name and must not conflict with the name of a previously defined XData.

See the section “Class Members” in the appendix “[Rules and Guidelines for Identifiers](#)” in the *Orientation Guide for Server-Side Programming*.

Description

(optional) Description of the new XData.

For details, see “[XData Definitions](#)” in the *Class Definition Reference*.

11

Adding SQL Triggers and Foreign Keys to a Class

Every persistent InterSystems IRIS class is automatically projected as an SQL table. This chapter discusses how you can use Studio with those parts of a class definition that control its SQL behavior.

Also see “[Using Triggers](#)” and “[Using Foreign Keys](#)” in *Using InterSystems SQL*. For details, see “[Trigger Definitions](#)” and “[Foreign Key Definitions](#)” in the *Class Definition Reference*.

11.1 SQL Aliases

You can give classes as well as most class members an alternate name for use by SQL. This is useful because:

- There is a long list of SQL reserved words that cannot be used as identifiers.
- InterSystems IRIS does not support the underscore character in class or class member names.

To specify an SQL table name for a class, view the Class information in the Class Inspector and edit the value for the `SqlTableName` keyword.

To specify an SQL name for a class member, select the desired property in the Class Inspector and edit the value for its appropriate SQL name keyword (such as `SqlFieldName` for properties and `SqlName` for indices).

11.2 SQL Stored Procedures

An SQL stored procedure is an InterSystems IRIS method or class query than can be invoked from an ODBC or JDBC client as a stored procedure.

InterSystems IRIS supports two styles of SQL stored procedure:

- Procedures based on class queries.
- Procedure based on class methods and that do not return a result set.

11.2.1 Query-Based Stored Procedure

To create an SQL stored procedure that returns a result set, add a query definition to a class definition and then set the query's `SqlProc` keyword to `true`. Do this as follows:

1. Select **Class > Add > Query** to open the New Query Wizard.
2. Complete the wizard to add a new query to the class definition.
3. Using the Class Inspector, set the value of the query definition keyword `SqlProc` to `True`.

You should end up with something similar to:

```
Class Employee Extends %Persistent
{
    /// A class query listing employees by name.
    Query ListEmployees() As %SQLQuery(CONTAINID = "1") [SqlProc]
    {
        SELECT ID,Name
        FROM Employee
        ORDER BY Name
    }
}
```

You can invoke this stored procedure from an ODBC or JDBC client using a **CALL** statement:

```
CALL Employee_ListEmployees()
```

Following this call, the ODBC or JDBC application can fetch the contents of the result set returned by the class query.

Note that you can use this same technique with query definitions that are based on custom-written code; you are not limited to defining stored procedures solely based on SQL statements.

11.2.2 Creating Method-Based Stored Procedure

To create an SQL stored procedure that does not return a result set, add a class method to a class definition and then set the method's keyword `SqlProc` to `True`. Do this as follows:

1. Create a class method in a class definition using the New Method wizard.
2. Using the Class Inspector, set the value of method's keyword `SqlProc` to `True`.

You should end up with something similar to:

```
Class Employee Extends %Persistent
{
    ClassMethod Authenticate(
        ctx As %SQLProcContext,
        name As %String,
        ByRef approval As %Integer
    ) [SqlProc]
    {
        // ...
        Quit
    }
}
```

Note that the first argument of a method used as an SQL stored procedure is an instance of a `%SQLProcContext` object. For more information, see the chapter “[Defining and Using Stored Procedures](#)” in *Using InterSystems SQL*.

You can invoke this stored procedure from an ODBC client using a **CALL** statement:

```
CALL Employee_Authenticate('Elvis')
```

To invoke this stored procedure from a JDBC client, you can use the following code:

```
prepareCall("{? = call Employee_Authenticate(?)}")
```

11.3 Adding SQL Triggers to a Class

An SQL trigger is code that is fired by the SQL Engine in response to certain events.

Note that SQL triggers are not fired during object persistence (unless you are using %Storage.SQL storage class).

You can add an SQL trigger to a class definition in two ways:

- Editing the class definition using the Class Editor.
- Using the New SQL Trigger wizard

To add an SQL trigger using the Class Editor, position the cursor on a blank line in the Class Editor and enter a trigger declaration such as:

```
Class MyApp.Company Extends %Persistent
{
    /// This trigger updates the Log table for every insert
    Trigger LogEvent [ Event = INSERT ]
    {
        // ...
    }
}
```

11.3.1 New SQL Trigger Wizard

You can use the New Trigger wizard to create a new SQL trigger. You can open the New SQL Trigger wizard using **Class > Add > SQL Trigger**. Alternatively, right-click in the Class Inspector and select **Add > New SQL Trigger**.

The New SQL Trigger wizard prompts you for information. Select **Finish** at any time (default values are provided for any information you have not specified).

11.3.1.1 Name and Description Page

The New SQL Trigger wizard prompts you for the following information (you can later modify any of these values):

Trigger Name

(required) Name of the trigger. This name must be a valid trigger name and must not conflict with the name of a previously defined trigger.

See the section “Class Members” in the appendix “[Rules and Guidelines for Identifiers](#)” in the *Orientation Guide for Server-Side Programming*.

Description

(optional) Description of the new trigger. This description is used when the class' documentation is displayed in the online class library documentation.

11.3.1.2 Trigger Event Page

The New SQL Trigger wizard asks you to indicate when you want the new trigger to be fired by specifying the event and time for the trigger.

Event Type

This specifies which SQL event fires the trigger. The choices are `Insert` (when a new row is inserted), `Update` (when a row is updated), or `Delete` (when a row is deleted).

Event Time

This specifies when the trigger is fired. The choices are `Before` or `After` the event occurs.

11.3.1.3 Trigger Code

The New SQL Trigger wizard lets you enter the source code for the trigger if you want.

11.3.1.4 Results of Running the New SQL Trigger Wizard

After you finish using the New SQL Trigger wizard, the Class Editor is updated to include text for the new trigger definition. You can edit the trigger using either the Class Editor or the Class Inspector.

11.4 Adding New SQL Foreign Keys to a Class

An SQL foreign key defines an integrity constraint between one or more fields in a table and a key (unique index) in another table.

Object applications typically do not use foreign keys; they instead use relationships, which offer better object-based navigation. Relationships automatically impose integrity constraints (for both SQL and object access) that are equivalent to manually defining foreign key definitions.

Typically you use foreign key definitions in applications that are originally purely relational in nature.

You can add an SQL foreign key to a class definition in two ways:

- Editing the class definition using the Class Editor.
- Using the New SQL Foreign Key wizard

To add an SQL foreign key using the Class Editor, position the cursor on a blank line in the Class Editor and enter a foreign key declaration such as:

```
Class MyApp.Company Extends %Persistent
{
Property State As %String;
ForeignKey StateFKKey(State) References StateTable(StateKey);
}
```

11.4.1 New SQL Foreign Key Wizard

Open the New SQL Foreign Key wizard using the **Class > Add > Foreign Key**. Alternatively, you can right-click the Class Inspector and select **Add > New Foreign Key**. You can also click the **New Foreign Key** button  from the toolbar.

The New SQL Foreign Key wizard prompts you for information. When you have filled in the required information, select **Finish** (default values are provided for any information you have not specified).

11.4.1.1 Name and Description Page

The New SQL Foreign Key wizard prompts you for the following information (you can later modify any of these values):

Foreign Key Name

(required) Name of the foreign key. This name must be a valid foreign key name and must not conflict with the name of previously defined foreign key.

See the section “Class Members” in the appendix “[Rules and Guidelines for Identifiers](#)” in the *Orientation Guide for Server-Side Programming*.

Description

(optional) Description of the new foreign key. This description is used when the class' documentation is displayed in the online class library documentation.

A description may include HTML formatting tags. See “[Creating Class Documentation](#)” in *Defining and Using Classes*.

11.4.1.2 Attributes Page

The second page of the wizard asks you to select one or more properties of the class that you want constrained by the foreign key.

11.4.1.3 Key Construction Page

The third page of the wizard asks you to select both the class and a key (unique index) in that class that specify the values used to constrain the foreign key properties.

11.4.1.4 Results of Running the New SQL Foreign Key Wizard

After running the New SQL Foreign Key wizard, the Class Editor is updated to include the new foreign key definition.

You can make changes to this foreign key using either the Class Editor or the Class Inspector.

12

Adding Storage Definitions to a Class

The physical storage used by a persistent or serial class is specified by means of a *storage definition*. You can use Studio to view and edit such storage definitions.

Note: Storage definitions are a fairly advanced feature of InterSystems IRIS objects. In most cases, you do not need to work with storage definitions; the InterSystems IRIS class compiler automatically creates and manages storage definitions for persistent objects.

If you use storage definitions, you typically work with them in the following cases:

- You need detailed control over the storage used by a persistent object, perhaps for performance tuning.
- You are mapping an object definition on top of a preexisting data structure.

A class can have any number of storage definitions, though only one can be used at one time. A new class does not have a storage definition until either you save and compile the class or you explicitly add one to the class. You can add a new storage definition to a class using **Class > Add > Storage**.

Note: Compiling a class automatically generates its storage definition. Only persistent and serial classes have storage definitions.

Within Studio, you can view and edit the storage definitions for a class in two different ways:

- *Visually* using the Storage Inspector in the Class Inspector window: select **Storage** in the Class Inspector and select the desired storage definition.
- *Textually* using the Class Editor; the storage definition is in the body of the class definition.

These techniques are described in the following sections.

12.1 Adding Storage Definitions to a Class

You can add a new storage definition to a class definition in two ways:

- Adding a storage definition to the class definition using the Class Editor and **Class > Add > Storage**.
- Using the New Storage wizard.

12.1.1 Using the New Storage Wizard

You can use the New Storage wizard to add a new storage definition to a class definition. You can start the New Storage wizard using **Class > Add > Storage**. Alternatively, right-click in the Class Inspector and select **Add > New Storage**. You can also click the **New Storage** button  from the toolbar.

The New Storage wizard prompts you for information. Select **Finish** at any time (in this case, default values are provided for any information you have not specified).

12.1.1.1 Name, Type, Description Page

The New Storage wizard prompts you for the following information (you can later modify any of these values):

Storage Name

(required) Name of the new storage definition. This name must be a valid class member name and must not conflict with the name of a previously defined storage definition.

See the section “Class Members” in the appendix “[Rules and Guidelines for Identifiers](#)” in the *Orientation Guide for Server-Side Programming*.

Storage Type

(required) Type of storage used by this storage definition. The type specifies which storage class is responsible for implementing the storage interface for this class. The choices are:

- **Storage**—this storage definition is based on the `%Storage.Persistent` class. This is the default storage type used for new persistent classes.
- **SQL Storage**—this storage definition is based on the `%Storage.SQL` class. This storage type uses SQL statements to perform storage operations. This storage type is used for mapping objects to existing data structures or to communicate with remote RDBMS via the InterSystems SQL Gateway.
- **Custom Storage**—this storage definition is based on a user-defined storage class.

Description

(optional) Description of the new storage definition.

A description may include HTML formatting tags. See “[Creating Class Documentation](#)” in *Defining and Using Classes*.

12.1.1.2 Global Characteristics of a `%Storage.Persistent` Definition Page

For a `%Storage.Persistent` storage definition, the New Storage wizard lets you specify some characteristics of the globals (persistent multidimensional arrays) used to store the data and indices for the persistent class. These characteristics include:

DataLocation

Name of the global as well as any leading subscripts used to store instances of the persistent class. For example, to specify that data should be stored in the global `^data`, enter `^data` in this field. To specify that data should be stored in the global subnode `^data("main")`, enter `^data("main")`.

IndexLocation

Name of the global as well as any leading subscripts used to store index entries for the persistent class. By default, indices are stored in the Index Reference global with an additional subscript based on the Index name. You can override this on an index-by-index basis.

IdLocation

Name of the global as well as any leading subscripts used to contain the default object ID counter. The object ID counter is used to maintain the ID number of the next object instance of this type.

12.2 Using the Class Inspector with Storage Definitions

You can use the Class Inspector to visually view and edit a class' storage definition. The Class Inspector displays a list of storage definitions in the same way that it displays methods or properties.

To view an existing storage definition in the Class Inspector:

1. Select the Class Inspector.
2. Select `Storage` in the Inspector's Member list pull-down.
3. Double-click a storage definition.

At this point, the Class Inspector displays storage keywords along with their values.

Several of the storage keywords warrant special attention:

Data Nodes

Represents the set of data mappings used by the `%Storage.Persistent` storage class. The Data Nodes editor, which you can invoke by double-clicking on the `Data Nodes` keyword, allows you to view and edit the set of data node specifications for the storage definition: that is, you can directly specify how your class' properties are stored in global nodes.

SQL Storage Map

Represents the set of data mappings used by the `%Storage.SQL` storage class. The SQL Storage Map editor, which you can invoke by double-clicking the `SQL Storage Map` keyword, allows you to view and edit the set of mappings used to map object properties to existing data structures.

12.3 Using the Class Editor with Storage Definitions

You can use the Class Editor to view and edit a class' storage definition. You can toggle the display of a class storage definitions using **View > Expand Code**.

A storage definition is displayed as an in-line XML island in the body of the class definition using the same XML elements that are used in the external, XML-representation of a class definition.

For example, suppose you have a simple persistent `MyApp.Person` class:

```

/// A simple persistent class
Class User.Person Extends %Persistent
{
Property Name As %String;
Property City As %String;
}

```

After compiling this class (to ensure that the class compiler has created a storage definition for it), display its storage definition using the **View > Expand Code** (or select plus icon next to the top line of the block). This results in following display in the Class Editor:

```

/// A simple persistent class

Class User.Person Extends %Persistent
{

Property Name As %String;

Property City As %String;

Storage Default
{
<Data name="PersonDefaultData">
  <Value name="1">
    <Value>%CLASSNAME</Value>
  </Value>
  <Value name="2">
    <Value>Name</Value>
  </Value>
  <Value name="3">
    <Value>City</Value>
  </Value>
</Data>
<DataLocation>^User.PersonD</DataLocation>
<DefaultData>PersonDefaultData</DefaultData>
<IdLocation>^User.PersonD</IdLocation>
<IndexLocation>^User.PersonI</IndexLocation>
<StreamLocation>^User.PersonS</StreamLocation>
<Type>%Storage.Persistent</Type>
}
}

```

The XML storage definition includes all the defined storage keywords and their corresponding values represented as XML elements.

You can directly edit this definition in the Class Editor as you would any other part of the class definition. If you enter invalid XML syntax, the editor colors it as an error.

The storage definition can be useful in cases where you need to do simple or repetitive modifications.

For example, suppose you want to change the name of a property City to HomeCity, while preserving the physical storage layout (that is, you want the new property name to access the values stored with the old name). You can do this using the Class Editor as follows:

1. Load the class definition into a Studio Class Editor window and display its storage.
2. Use the Editor's **Replace** command to replace all occurrences of the property City with HomeCity. You must be careful to only change those occurrences of City that represent the property name (such as in the property definition, method code, descriptions, and in the body of the storage definition); do not replace the values of any class definition keywords.
3. Save and recompile the class definition.

13

Working with CSP Files

Using CSP files with InterSystems IRIS is not recommended.

When working with other InterSystems products, a CSP (Web Server Page) file is a text file containing HTML, XML, or CSP markup commands. This file is stored on an InterSystems server machine and is compiled, by the CSP Engine, into an executable class that can process HTTP events sent from a browser.

You can use Studio to create and edit CSP files in the same way you would work with class definitions or routines. CSP files are displayed in the Studio syntax-coloring editor, allowing you to quickly spot errors in HTML as well as in any embedded server-side scripts.

13.1 Sample CSP Page

To create a simple CSP page with Studio, perform the following steps:

1. Start Studio and create a new Project.
2. Select **File > New > CSP File tab > Server Page** to create a new CSP page.
3. Studio creates a new CSP Editor window containing a new CSP file named `Untitled.csp`.

Replace the contents of the editor window with:

```
<HTML>
<HEAD>
<TITLE>Sample Page</TITLE>
</HEAD>
<BODY>
My Sample CSP Page.
</BODY>
</HTML>
```

4. Save the page with **File > Save**. The **Save As** dialog appears. Specify a directory location and project name, and select **Save As**.
5. Compile the page with **Build > Compile**.
6. View the resulting Web page from a browser with **View > Web Page**.

At this point, you should see a very simple Web page containing the words `My Sample CSP Page` in your browser.

To make this example more interesting, we can add an SQL query to the page that executes when the page is requested:

1. Position the cursor in the CSP Editor window at the start of the blank line after `My Sample CSP Page`.
2. Select **Insert > SQL Query**.

3. In the dialog that appears enter the following SQL query:

```
SELECT Name,SSN FROM Sample.Person ORDER BY Name
```

4. Check **Create HTML Table** and select **OK**.
5. Save and recompile the page with **Build > Compile**.
6. View the resulting Web page from a browser with **View > Web Page** .

Now your CSP page displays a list of names and social security numbers in an HTML table.

13.2 Creating a New CSP File

To create a new CSP file, select **File > New > CSP File tab > Server Page**. This creates a new CSP file named Untitled.csp.

When you save this file for the first time, you are asked for a file name. If this file is part of a CSP application, create a folder with an application name, in which to put your new file.

The file name, which must have a .csp extension, is used for both saving a physical source file on the InterSystems server as well as in a URL requesting this page. The application name also determines the URL used to request the CSP page as well as other characteristics.

13.2.1 Default.csp Template File

When you create a new CSP file in Studio, it opens a new CSP Editor window and copies into it the contents of a CSP template file. You can edit or replace this template file in order to customize how Studio creates new CSP files. This file is a text file called Default.csp and is located in the same directory as the Studio executable file.

13.3 Editing a CSP File

You can edit a CSP file in the same way you would edit any other document in Studio.

13.3.1 Insert Options

Studio includes dialogs, a wizard, and templates to assist with editing CSP files. These dialogs are available under the **Insert** menu and are described in the table below.

Insert Menu Option	Action
Class	Inserts a <code><csp:CLASS></code> tag at the current cursor location.
Loop	Inserts a <code><csp:LOOP></code> tag at the current cursor location.
While	Inserts a <code><csp:WHILE></code> tag at the current cursor location.
Method	Inserts an InterSystems objects method (in a <code><SCRIPT></code> tag) at the current cursor location
Object	Inserts a <code><csp:OBJECT></code> tag at the current cursor location.
Query	Inserts a <code><csp:QUERY></code> tag at the current cursor location.
SQL Query	Inserts an SQL query (in a <code><SCRIPT></code> tag) at the current cursor location.

13.4 Saving a CSP File

Save a CSP file using the **File > Save**. This sends the source of the CSP file back to the InterSystems server (which could be on a remote machine) and save it on the server's local file system in the appropriate directory (specified by the InterSystems server's CSP application settings). Studio automatically saves backup files for the five previous saves of a CSP file. For more information, see [Save Automatically Backs Up Routines, Include Files](#).

13.5 Compiling a CSP File

Compile a CSP file using **Build > Compile**. Compiling a CSP File is a multi-step process: first the CSP file is fed through the CSP engine and converted into a class (derived from the `%CSP.Page` class). Then this generated class is compiled into one or more routines that contain executable code.

Sometimes it is easier to debug or understand a CSP file by looking at the code generated for it. You can use Studio to view the class generated for a CSP file, as well as the routines generated from this class, by opening them with **File > Open** or **View > Other**.

13.6 Viewing the Results of a CSP File

You can view the results of a CSP file in a browser by using **View > Web Page**. This launches your default browser with the URL for the current CSP page. You can also use this command when editing a `%CSP.Page` class.

You can modify the server address portion of the URL used to display a CSP page in a specific project. To do this, select **Project > Settings** and edit the value of the `WEB Server` field.

13.7 Viewing Syntax-Colored Source for Any URL

As an aid to debugging Web applications, Studio lets you request a web page from a URL and display its HTML source in a syntax coloring window. This can help you spot errors in web pages more easily than viewing the rendered HTML in a browser.

You can open a URL Viewer window using the **File > Open URL** and entering a URL in the resulting dialog. You can use the URL viewer to view syntax-colored source for any Web page on the Internet

14

Working with Routines and Include Files

A routine is the unit of execution in an InterSystems IRIS server; all application logic running on an InterSystems IRIS server is executed by invoking routines and entry points in routines. Routines are executed in a virtual machine that is built into the InterSystems IRIS server environment. Routines are portable to all platforms supported by InterSystems IRIS and automatically shareable across an InterSystems IRIS environment.

Include files (.inc files) contain macro definitions (or other include files) and can be included in .mac routines or class definitions. For more information on macros, see the section “[Using Macros](#)” in *Using ObjectScript*.

14.1 Routine Editor

Using the Routine Editor, you can directly create and edit the source for routines or include files. The Routine Editor uses syntax coloring and indicates syntax errors with a wavy red line.

When class definitions are compiled, the class compiler generates a set of routines containing the implementation for the class. If you want to view and edit this generated source code, you must specify that the compiler should keep a copy of the generated code. To keep a copy of the generated code:

1. Select **Tools > Options**.
2. Navigate to **Compiler > Flags & Optimization** in the left-hand pane.
3. Select **Keep Generated Source Code**.

14.2 Routine Source Formats

There are several kinds of routine source formats (files) in InterSystems IRIS. The Routine Editor provides syntax coloring and checking for each of these formats. The formats include:

- **MAC** - Macro source files with a .mac extension, processed by the InterSystems IRIS macro preprocessor to resolve macros, embedded SQL statements, and embedded HTML, which results in an .int file.
- **INT** - Intermediate source files, which are compiled directly into executable InterSystems IRIS object (OBJ) code.
- **INC** - Include files. Not routines per se, .inc files contain macro definitions that can be included by .mac routines.

By default, when you create a new ObjectScript routine, it is saved as a .mac routine. Select **File > Save As** to save this as a different type of routine (changing the extension from .mac to .inc for example).

Select **View > View Other** to display .int code corresponding to a given .mac file and vice versa.

14.3 Creating a New Routine or Include File

To create a new routine or include file, select **File > New**. A dialog displays the templates you can choose from. For an include file, select ObjectScript. This opens a new Routine Editor window with a default name, such as Untitled. You can save this with a different name with **File > Save As**.

14.4 Opening an Existing Routine or Include File

Open an existing routine with **File > Open**. In the drop-down list of **Files of Type**, select the file extension of interest (such as .mac, .int, or **All Files**) and select a routine.

When you attempt to open a previously saved routine or include file, the **Open** dialog uses wildcard matching (using the * (asterisk to match any number of any character) and ? (question mark to match a single character) to display a list of available routines or include files. The routine type - BAS, MAC, INT, or INC - is used as a file extension for purposes of wildcard matching.

14.5 Routine Template File

When you create a new routine in Studio, it opens a new Routine Editor window. If a Routine template file exists, it is copied into the new file. To create a Routine template file, create a file with the contents that you want in your template. Save the file as Default.mac in the same directory as the Studio executable file (CStudio.exe).

14.6 Saving, Compiling, and Deleting Routines

You can save routines to the database by selecting **File > Save** or **File > Save As**. By default, saving a routine does not cause it to be compiled. To change this behavior so the routine is compiled every time it is saved:

1. Select **Tools > Options**.
2. Navigate to **Compiler > Behavior** in the left-hand pane.
3. Select **Compile Routine on Save**.

To compile a routine directly, select **Build > Compile** (which also causes it to be saved).

To delete a routine, in a Workspace window, highlight the routine and select **Edit > Delete**. The routine and any generated files are deleted.

14.7 Save Automatically Backs Up Routines and Include Files

When you save an existing routine (or include file), Studio automatically creates a backup file. It automatically saves up to five backup files, naming them with a ;# (semicolon number) suffix. For example, a file named setup.MAC which has been saved six times has five backup files named:

```
setup.MAC;1
setup.MAC;2
setup.MAC;3
setup.MAC;4
setup.MAC;5
```

Specifically, files with the following extensions are automatically backed up: .BAS, .INC, .INT, .MAC, .OBJ, .MVB, .MVI, .CSP

To see what backup files exist, use a semi-colon in the search field of the **File > Open** option. You can use the following syntax examples:

Syntax	Results
.;*	Displays all backup files in this folder.
.mac;	Displays all backup files with a .MAC extension.
setup.*;*	Displays all backup files named setup.

Note: You can use this syntax to find backup files when you are opening routine and include files from the Management Portal. To open backup files from the Management Portal:

1. Select Management Portal from the InterSystems IRIS launcher.
2. Select **System Explorer > Routines**.
3. Click **Go**.
4. Enter the backup file syntax in the **Routines and Include Files** search box in the left-hand pane.

15

Using the Studio Debugger

The Studio debugger lets you step through the execution of programs running on an InterSystems IRIS server. Programs that can be debugged include INT files, BAS files, MAC files, methods within CLS files, server-side methods invoked from Java, or server-hosted applications. To step through, or set breakpoints within classes, open the corresponding INT or BAS file and use the debugging commands in it. Before you can view INT source code files, you must:

1. Select **Tools > Options**.
2. Navigate to **Compiler > Flags & Optimization** in the left-hand pane.
3. Select **Keep Generated Source Code**.

You can connect the debugger to a target process in one of the following ways:

- Select **Debug > Attach** and choose a running process on an InterSystems IRIS server. To attach to a running process, you must have either the %ALL role or the same \$USERNAME as the process you are trying to debug.
- Define a debug target (name of program or routine to debug) for the current project using **Project > Settings > Debugging > Debug Target** (or **Debug > Debug Target**). Then select **Debug > Go** to start the target program and connect to its server process.

Note: Sometimes using command-line debugging with the **zbreak** command can give you better control. For more information on **zbreak**, see the chapter “[Command-Line Routine Debugging](#)” in *Using ObjectScript*.

15.1 Sample Debugging Session: Debugging a Routine

The following example demonstrates how to debug a routine.


1. Start Studio and select **File > New Project** to create a new project called **Project1**.
2. Create a new routine by selecting **File > New > General tab > ObjectScript Routine**.
3. Enter code for this routine:

```
MyTest ; MyTest.MAC

Main() PUBLIC {
    Set a = 10
    For i = 1:1:10 {
        Set b = i
        Write b," "
    }
}
```

4. Save and compile the new routine as MyTest.MAC using **File > Save As**.
5. Define a debug target for the project by selecting the **Debug > Debug Target** tab, selecting **Class Method or Routine**, and entering the name of the entry point in your new routine, `Main^MyTest`.
6. Set a breakpoint in the routine: Position the cursor anywhere on the line `Set a = 10` and press **F9**, the Toggle Breakpoint key. A breakpoint indicator appears in the left margin, .
7. Select **Debug > Go** to begin debugging. When the debugger stops at your breakpoint, the next command to be executed is outlined with a yellow box. The INT file opens in a new window. If the INT file does not open, make sure you have enabled the **Keep Generated Source Code** option. (Select **Tools > Options**, click **Compiler > Flags & Optimization** in the left-hand pane, and select **Keep generated source code**.)
8. Enter `b` and `a` (as *Watchpoints*) in the Watch window (**View > Watch**) so that you can watch the values.
9. Step through execution of the program by repeatedly selecting **Debug > Step Into** (F11) and notice the `b` value change.

You can stop debugging by stepping to the end of the program or by selecting **Debug > Stop**.



15.2 Debugger Settings for the Current Project

Some debug settings are defined and stored in the current project. These include:

- Debug target
- Breakpoints

15.2.1 Debug Target

A debug target tells Studio what process you want to debug.

To specify a debug target for a project, select **Project > Settings > Debugging > Debug Target** or select **Debug > Debug Target**. Choose one of the following, which is started when you select **Debug > Go**. You can also set a debug target by placing the cursor next to an item in a editor window, right-clicking, and selecting **Set xxxx as debug target**.

Class Method or Routine

The routine (and tag), class, or method that you want to debug when **Debug > Go** is executed. For example, enter `Test^MyRoutine()` to begin execution at the tag `Test` in the routine `MyRoutine`. Or enter the name of a class method to execute, such as `##class(MyApp.Person).Test(1)`.

CSP Page (URL, CSP or class)

The CSP page to be accessed when you invoke **Debug > Go**. The debugger connects to the InterSystems server process that is servicing the CSP page's HTTP request. Use this option for debugging CSP applications, for example, to step through the code for the Test.csp page, enter /csp/user/Test.csp as a debug target. Using CSP files with InterSystems IRIS is not recommended.

15.2.2 Breakpoints

When you start debugging a project's debug target (with **Debug > Go**), the breakpoints defined by the project are set in the target process.

The quickest way to set and remove a breakpoint is to place the cursor on the line of code and press **F9** to toggle the breakpoint on and off. You can also place the cursor at the breakpoint location and select **Debug > Breakpoints > Toggle Breakpoint**. To view breakpoints and set breakpoints with conditions, select **Debug > Breakpoints > View Breakpoints**. You can also add or remove breakpoints using **Project > Settings > Debugging > Breakpoints**.

Note: The maximum number of breakpoints that can exist in a routine is 20. If more than 20 breakpoints are set, the Debugger displays <ROUTINELOAD>^%Debugger.System.1 and stops debugging.

15.3 Debug Menu

Debug menu options are described below:

 Attach	<p>Displays a list of processes currently running on the InterSystems server and lets you attach to one to debug.</p> <p>If you select a process and select OK, Studio breaks into the selected target process and allows you to start debugging it.</p> <p>If you generated source for the current routine executing in the target process, the source is displayed in an editor window.</p> <p>If you later terminate debugging with Debug > Stop, the target process resumes executing.</p>
 Go	<p>If you are not currently debugging, Go starts the target specified by the Project's debug target.</p> <p>If you haven't set a target, you are asked for one. A debug target is the name of routine or method to execute; you can set this using the Debug Target dialog.</p> <p>Once the target is started, it runs until the first breakpoint. If you did not set any breakpoints in your application, it runs to completion without stopping.</p>
 Restart	<p>Halts execution of the target process, restarts it, and resumes debugging (as if the Go command was used).</p>

 Stop	Stops debugging and either halts the target process or detaches from it. If the target process was running and attached to with Attach , then the target process continues running. If the target process was started as a result of the Go command, then it is terminated.
 Break	Pauses execution of the target process (that is, if the debugger is attached to a target process that is currently running, not stopped).
 Interrupt	Interrupts execution of the current command.
Step Into	Executes the current command in the target process and stops on the next command, <i>stepping into</i> any function calls or loop bodies.
 Step Over	Executes the current command in the target process and stops on the next command. The debugger <i>steps over</i> any function calls or code blocks (such as loops) it encounters; it stops on the command following the function call or code block.
 Step Out	Advances the execution of the target process by leaving or <i>stepping out</i> of the current code block or function and stops on the next command at this outer level.
 Run To Cursor	Available only for documents containing INT routines. Starts execution of the target process and stops when it reaches the line on which the cursor is currently located. This is equivalent to setting a breakpoint at the current line in the editor window, executing the Go command, and clearing the breakpoint when the program halts.
Breakpoints	Toggle Breakpoints Sets or clears a breakpoint on the current line in the current document. View Breakpoints: Opens the Breakpoints dialog with which you can list, add, and remove breakpoints.
Debug Target	Enter a debug target – a method or routine. See also “ Debug Target ”.

15.4 Watch Window

The Watch Window displays a table in which you can watch the values of variables and simple expressions. All variables and expressions listed in the Watch Window (called *watchpoints*) are evaluated after each debugger operation (such as **Step Over**) and their resulting values are displayed in the second column of the Watch Window. If the value of a variable or expression changes after a debugger operation, it is displayed in red. If a variable in the watch list is undefined when it is evaluated, then the value is displayed as: <UNDEFINED>. Similarly, any expression whose result is an error displays an error message for its value. You can also see the value of a variable by hovering your mouse over the variable in the debugger.

To add a variable or expression to the Watch Window, double-click an empty cell in the first column and enter the variable or expression. Alternatively, you can use your mouse to highlight text in an editor window, drag it over an empty cell in the Watch Window and drop it. You can edit the contents of the Watch Window by double-clicking on a variable or expression and typing.

The following are examples of variables and expressions you could enter into the Watch Window:

- a
- a + 10
- a(10,10)
- \$L(a)
- person.Name

You can also change the value of a variable in the target process by entering a new value in the Value column of the Watch Window.

15.4.1 Debugger Watch Window Context Menu

Right-clicking a debugger watch window displays the following context menu:

Remove	Removes the active variable from the watch list.
View As	Select view type from list.
Dump Object	Displays result of %SYSTEM.OBJ.Dump() on selected variable.
Refresh	Refreshes the watch list.
Remove All	Removes all active variables from the watch list.
Add to Watch	Adds selected element of array or object property to be added to watch menu as an independent entry.

16

Using Studio Templates

This chapter describes how to use Studio Templates.

Templates are a repeatable way to insert functionality into Studio editor windows. There are two types of templates:

- *Text Template*—(what is meant by the word *Template*) A *Simple Text Template* inserts generated text into a document. An *Interactive Text Template* includes user input. To access text templates, select **Tools > Templates > Templates....**
- *Add-in Template*—Creates a new tool in Studio. An Add-in Template differs from a Text Template in that it does not inject text into a document and does not require an open document.

Add-ins are available using **Tools > Add-ins**. For information on using the SOAP Web client wizard, see [Creating Web Services and Web Clients](#). For information on using the XML Schema Wizard, see the appendix “Using the XML Schema Wizard” in *Using XML Tools*.

Note: To ensure that Studio templates open quickly, disable the automatic detection of proxy settings in Internet Explorer.

1. Open Internet Explorer and select **Tools > Internet Options** and the **Connections** tab.
2. Select **LAN Settings** and uncheck any checked boxes. Make sure nothing on this page is checked and then select **OK** twice to close the Internet Options dialog.

16.1 Accessing Studio Templates

You can open a template using **Tools > Templates**, as well as with the right-click menu in the editor window. Each template is associated with one or more document types; only templates associated with the current window's document type are shown in the Template list.

There are two styles of text templates: simple and interactive. A *simple template* inserts text at the cursor point with no further user interaction. An *Interactive Template* displays one or more screens soliciting additional information, like a wizard.

Any text that is highlighted when you open a template is replaced by the template. Many templates use the currently highlighted text as input to the template program.

16.2 Standard Studio Templates

Studio comes with a set of templates. You can see a list of all templates in Studio in the %SYS namespace, **Workspace** window, **Namespace** tab, under **CSP files**. To see templates usable in the current document, use **Tools > Templates > Templates**. These templates are described below.

Note: By default, Studio templates use a session timeout of 90 seconds. If you are entering data into a Studio template, the session ends after 90 seconds of no user input.


16.2.1 Templates

This section contains three tables defining the templates available in Studio:

Table 16–1: Templates

Template	Description
HTML Color	Select to insert an HTML color value string (such as #F0F0F0) at the cursor point.
HTML Input	Select to insert an HTML input control at the cursor point.
HTML Script	Select to insert a <SCRIPT> tag at the cursor point, with the specified language and content.
HTML Table	Select to insert an HTML table at the cursor point with the specified characteristics. Select Preview to display a preview window.
HTML Tag	Select to insert an HTML tag at the cursor point, selected from a list with specified attributes. Or if you highlight an existing HTML tag and then invoke the template, you can edit the displayed attribute values.

Figure 16–1: Example of an Interactive Template, the HTML Color Table



16.2.2 Class Definition Templates

Many of the templates are available for use in class definitions (they can be useful in &html<> blocks). In addition, the following templates are available:

Table 16–2: Class Definition Templates

Template	Description
SQL Statement	Select to insert code for a specified SQL Statement at the cursor point. Select Preview to see test results of the table (using data in the database) in a popup preview window. You can specify whether the template returns only the SQL text or an embedded SQL cursor based on the SQL text. It can also return a %ResultSet object based on the SQL text, but this is not recommended in InterSystems IRIS.
Web Form Wizard	Select to open a Wizard with which you can create a CSP form, specifying class members and a table style for the form to use.

16.2.3 Add-In Templates

The **Tools > Add-Ins** menu contains a list of wizards with which you can add items to your project. The menu contains the following add-ins.

Table 16–3: Add-Ins

Add-In	Function	For More Information
.Net Gateway Wizard	Imports a DLL assembly file from .NET and creates a set of corresponding classes.	<i>Using the Object Gateway for .NET</i>
Activate Wizard	This wizard option is not for use with InterSystems IRIS Data Platform.	For documentation on this wizard, click here .
Java Gateway Wizard	Imports a class file or a jar file from Java and creates a set of corresponding classes.	<i>Using the Java Gateway</i>
SOAP Wizard	Reads a WSDL (Web Services Description Language) document and creates one or more Web client classes or Web service classes.	Creating Web Services and Web Clients
XML Schema wizard	Reads an XML schema and creates a set of corresponding classes.	“ Using the XML Schema Wizard ” in <i>Using XML Tools</i> .
XSL Translate Wizard	Transforms an XML file using a specified XSL stylesheet.	“ Performing XSLT Transformations ” in <i>Using XML Tools</i> .

17

Studio Menu Reference

This chapter describes menu and keyboard options available from the Studio menus. The menus are:

- [File](#)
- [Edit](#)
- [View](#)
- [Project](#)
- [Class](#)
- [Build](#)
- [Debug](#)
- [Tools](#)
- [Utilities](#)
- [Window](#)
- [Help](#)
- [Context Menus](#)
- Studio Editor [Keyboard Accelerators](#)

17.1 File Menu

The **File** menu contains options for opening and saving documents and projects. Options vary depending on whether a file is open. See also the section “[Keyboard Accelerators](#).”

New Studio	Use to connect to a different InterSystems IRIS server.
Change Namespace ...	Use to change to a different namespace.

 New ...	<p>Use to create a new document (such as class definition or routine) in an editor window. You can also drag and drop files into Studio. Document types are grouped under four tabs:</p> <ul style="list-style-type: none"> • General - for creating a new ObjectScript routine, InterSystems IRIS class definition (with the New Class wizard), Web Service/Client Configuration, or Web Service. • CSP File - for creating a new Web Server Page, XML file, JavaScript file, or cascading style sheet (CSS) file. Using CSP files with InterSystems IRIS is not recommended. • Zen— for creating a new Zen application, component, page, report, form, or Web Service. Using Zen applications with InterSystems IRIS is not recommended. • Custom - for a new InterSystems Business Intelligence KPI (formerly known as DeepSee KPI). For information, see the <i>Advanced Modeling for InterSystems Business Intelligence Guide</i>.
 Open	<p>Allows you to open an existing item from the current InterSystems IRIS namespace and server.</p> <p>The Open dialog is displayed for the current namespace. Select a file type as needed. Press Ctrl+A to Select All.</p> <p>If the item is in use by another user, you can open it for Read Only access.</p> <p>To open automatically-saved backup files, see Save Automatically Backs Up Routines, Include Files.</p> <p>Studio allows you to edit class definitions and routines only from the current server and namespace. To open an item from a different server or namespace, use File > Change Namespace to change to a different namespace or switch to a different server. Use File > New Studio to open a second Studio window.</p> <p>If you select an item and right-click Delete, the item and all subitems are deleted. Examples: if you select an .INT file, both .INT and .OBJ files are deleted. If you select a .cls file, all associated .INT and .OBJ files are deleted also.</p>
 Open URL	<p>Displays HTML source in an editor. This is useful when you are developing a Web-based application to view progress.</p>
<p>Close</p>	<p>Closes the current editor.</p>
 Save	<p>Saves the contents of the current editor.</p>
<p>Save As ...</p>	<p>Saves the contents of the current editor with a name that you specify.</p>
 Save All	<p>Saves the contents of all open windows.</p>
<p>New Project</p>	<p>Creates a new project in the current InterSystems IRIS server and namespace.</p>

Open Project ...	<p>Opens an existing project in the current InterSystems IRIS server and namespace. You can also drag and drop a project into Studio.</p> <p>To open a project from a different server or namespace, use File > Change Namespace to change to a different namespace or switch to a different server. Use File > New Studio to open a project in a second Studio window.</p>
Save Project	Saves setting for the current project. It does not save any modified documents belonging to the project.
Save Project As	Saves the current project with a name you specify.
Close Project	Closes the current project.
 Print ...	Prints the current document.
Print Preview	Displays the document as it will look when printed.
Print Setup ...	Opens the Print Setup dialog with which you can set how documents are printed.
Recent Files ...	Lists recently used files. More shows files (if they exist) in categories Today , Yesterday , Last 7 days , Last 30 days and All . All is limited to 100 documents. Select Clear History to clear all. Select Open Document to open a selected document.
Recent Projects ...	Lists recently used projects.
Exit	Ends the current Studio session.

17.2 Edit Menu

The **Edit** menu contains editing and navigation options. Most of the options have [keyboard shortcuts](#); see the section “[Keyboard Accelerators](#)”.

17.2.1 Basic Editing

 Undo	Reverses the last action. Note that changes made to classes with the Class Inspector cannot be reversed using Undo .
 Redo	Reverses the most recent Undo .
 Cut	Deletes the current text selection and copies it to the clipboard.
 Copy	Copies the current text selection to the clipboard.
 Paste	Inserts the contents of the clipboard at the current cursor location.
 Delete	Deletes the current text selection without copying it to the clipboard. If you highlight an item in the Workspace window, the item and any of its generated files are deleted.
Select All	Selects all the contents of the current document.

17.2.2 Find and Replace

 Find	Searches for text in the current document. You can use wildcard matching with the * (asterisk to match any number of any character) and ? (question mark to match a single character). To find the character * or ? or \ (asterisk, question mark, or backslash), escape it with a backslash (\). To find a tab, use \t. See the section More on Find beneath this table to specify an element type to search within and an explanation of the backslash escape.
Find In Files	Searches for text in multiple files on the InterSystems IRIS server. Enter a string to search for, select the type of file to search (such as .cls for class definitions), and click Find . See the section Find in Files beneath this table for specifics.
Search	Searches for a class in the current project. In the Search window, type in a class name. The list shows matching entries. To open a class, double-click a class or select a row and click Go To .
 Cancel	Cancels a Find in Files search or a class compilation that is running.
Replace	Replaces one text string with another in the current document.
 Go To	Moves the cursor to a location in the current document, specified as either a line number or (for routines and class definitions) a tag or class member.
Go Back	After a Go To action, returns the cursor to the previous location — before the Go To action.
Bookmarks	See “ Bookmarks ” below.
Advanced	See “ Advanced ”.

Next Error	Moves the cursor to the next error in a CSP file. Using CSP files with InterSystems IRIS is not recommended.
Previous Error	Moves the cursor to the previous error in a CSP file. Using CSP files with InterSystems IRIS is not recommended.
Next Warning	Moves the cursor to the next warning in a file.
Previous Warning	Moves the cursor to the previous warning in a file.

17.2.2.1 More on Find

Backslash Escape

The search engine normally interprets a backslash (\) as a metacharacter; that is, a character that means something other than itself. In this case — the backslash and the following character form a two-character code. When you want to search for the backslash itself, you need to create a two-character code since the search engine always looks for a second character when it sees a backslash. Create a two-character code with a second backslash (\\). The search engine interprets this as the backslash character itself.

This convention was implemented during the development of the UNIX `grep` command and the convention, if not the underlying C code, has been duplicated many times since.

Match Element Type

To find text that is in a particular element type (such as a command, variable, operator, and so on), enter the desired text in the **Find what** field and select the **Match Element Type** check box.

Note: **Find** displays the searched-for text in all elements of that type in the open file, *regardless of language selected*. In the **Language** field, select the language that you are interested in *to limit the number of element types shown* in the **Element** list. In the **Element** field, select the element type that contains the text you are looking for and select **Find Next**.

For example, searching for the word `Set` in a **Comment** with the **Class Definition Language** selected matches all instances of the word `Set` in comments that exist in any language in the file.

17.2.2.2 Find in Files

When you select **Find** in the Find in Files dialog, Studio searches the selected files in the current InterSystems IRIS namespace and returns a list of all (up to the first 5,000) files that contain the search string. Double-click an item in the search results to open the file and display the item, highlighted. Line & column numbers for the selected item are displayed in the right corner of the status bar.

Find in Files searches stored data; it does not search modified open documents. If you search only in the current project and the current project is either a new project or a modified project, you are prompted to save the project. If you refuse, Find in Files is canceled.

To find a backslash (\) in Find in Files, you need to escape the backslash with another backslash (\\).

The **Filter** field can contain the elements in the list below. You can use SQL AND and OR logical operators to enter more than one filter. For example, `Type=5 AND Modified>01/01/08`. The contents of the **Filter** field forms part of an SQL WHERE clause. The fields come from the `%Studio.OpenDialogItems` class.

You can enter your own custom mask in the **In files/file types** field, such as `al*.mac`. Use a comma delimited list to enter multiple filters in any field.

You can use the following items in the **Filter** field.

Filter Element	Usage
IsTrue=1 or 0	Specify 1 to find a document. Specify 0 to find a directory.
Name= <i>file name</i>	Enter a file name to search within selected files.
Characters= <i>number of characters</i>	Filters for documents of a certain size. Can include SQL relational operators .
Type=#	Type is followed by an integer which filters according to file type list, shown in %Studio.OpenDialogItems.Type. This can filter to a finer degree than the file type field. To search for only .mac files, for example, enter Type=5.
Modified= <i>last modified timestamp</i>	Can include SQL relational operators .
Generated=1 or 0	Specify 1 to find a generated file. Specify 0 to find a user-created file.
Description= <i>description</i>	Enter a description to search for within files.

17.2.3 Bookmarks

You can use bookmarks to keep track of locations in your application source. Bookmarks are stored on the local machine in which Studio is running; they are not shared among multiple users. The bookmark options are:

 Toggle Bookmark	Adds or removes a bookmark at the current line in the current document.
 Clear Bookmarks	Removes all bookmarks defined for the current document.
 Next Bookmark	Moves the cursor to the next bookmark in the current document.
 Previous Bookmark	Moves the cursor to the previous bookmark in the current document.

17.2.4 Advanced Editing

The Advanced Editing menu contains some commands that are displayed in certain circumstances only.

Expand Commands	<p>Displays when you have an ObjectScript routine open and text is highlighted. Replaces all abbreviated ObjectScript commands contained in the currently selected text with their full names. For example, the following code:</p> <pre>S x = 10</pre> <p>Is replaced with:</p> <pre>Set x = 10</pre>
-----------------	--

Compress Commands	<p>Displays when you have an ObjectScript routine open and text is highlighted. Replaces all ObjectScript commands contained in the currently selected text with their abbreviated versions. For example:</p> <pre>Set x = 10</pre> <p>Would be replaced with:</p> <pre>S x = 10</pre>
Increase Line Indent	Increases indent for selected lines.
Decrease Line Indent	Decreases indent for selected lines.
Make Uppercase	Uppercases selected text.
Make Lowercase	Lowercases selected text.
Comment Line	Turns a selected line into a comment by adding a # (pound sign) to the beginning of the line.
Uncomment Line	Turns a selected comment into a regular line by removing a # (pound sign) from the beginning of the line.
Comment Block	Turns a selected block of text into a commented block by adding a /* (slash asterisk) to the beginning of the block and a */ (asterisk slash) to the end of the block.
Uncomment Block	Turns a commented block of text into a regular block by removing the /* (slash asterisk) from the beginning of the block and the */ (asterisk slash) from the end of the block..
Tabify Selected Lines	Adds a tab to the beginning of each of a set of selected lines.
Untabify Selected Lined	Removes a tab from the beginning of each of a set of selected lines.

17.3 View Menu

The **View** menu contains options that control what is displayed. Which options are shown on this menu depends on where your cursor is. See also the section “[Keyboard Accelerators](#).”

 Workspace	<p>Shows or hides the Workspace window. The Workspace window has three tabs:</p> <ul style="list-style-type: none"> • Project - Displays the contents of the current project. • Windows - Displays a list of all current windows. • Namespace - Displays the contents of the current namespace.
 Inspector	<p>Shows or hides the Inspector. The Inspector displays class definitions in an editable table. Some aspects of class definitions can be changed in a file only; some can be changed in a file or in the Inspector; and some can be edited only in the Inspector.</p>

 Output	Shows or hides the Output window. The Output window displays output from the server (such as error messages resulting from compilation). You can enter ObjectScript commands into this window; they are executed on the server. Line & column numbers for the selected information are displayed in the right corner of the status bar.
 Watch	Shows or hides the Watch window. The Watch window displays watchpoints when debugging.
Toolbars	Lets you select Studio toolbars to show or hide.
 Full Screen	Expands Studio to occupy the full screen.
Text Size	Lets you Increase, return to Normal, or Decrease size of text in Studio.
Show Special Characters	Displays spaces, tabs, and end-of-line characters in the Editor windows.
Show Line Numbers	Displays line numbers.
 Reload	If a document is active, reloads the saved version of current document. If the Workspace window is active, reloads the window or project. If the Namespace tab of the Workspace window is active, reloads the subtree parent of the selected item; highlight the topmost level to reload the entire tree.
 View Other Code	Displays any source code generated by the compiler, such as .INT and .MAC files, related to the position of the cursor. This option works only if the current window has one or more source files currently generated for it.
View Other Documents	Displays other documents related to the current document. In some situations, View Other Code results in the same behavior as View Other Documents .
 Web Page	Available only when in a CSP file. Opens your default Web browser and displays the current CSP file, so that you can see how your CSP pages will look as you develop Web applications. You can change the network address portion of the URL used with Project > Settings . The default value is <code>http://localhost:8972</code> . Using CSP files with InterSystems IRIS is not recommended.
Expand Code	Available only in some files. Displays complete code in text editor window.
Contract Code	Available only in some files. Contracts some code sections in text editor window. Select the plus icon to expand a section.
Show Class Documentation	Available only in class definition files or when a class is selected. Displays online documentation for the current class derived from the (saved) descriptions of class members.
Language Mode	Available only when you are in a source code file, such as .INT or .MAC. Select from a list of InterSystems IRIS language versions as appropriate for your site.

17.3.1 Toolbars

The Toolbars menu lets you toggle the display of toolbars and lets you customize toolbars.

Standard	Toggles display of the Standard toolbar.
Debug	Toggles display of the Debug toolbar.
Members	Toggles display of the class Members toolbar.
Status Bar	Toggles display of the status bar at the bottom of the Studio window. From left to right, this bar shows a status message and the location of the cursor by line and column. The four buttons on the right, if highlighted, show that the Caps Lock key is on, that the Num Lock key is on, that the Insert key is on (Overwrite), and that the current file is a read-only file. The status bar also displays line and column numbers for Find in Files and Output windows, where appropriate.
Bookmark	Toggles display of the Bookmark toolbar.
Customize	Opens the Customize dialog.

Toolbars, displaying text labels, are shown below. To display text labels in Studio, choose **View > Toolbars > Customize**, the Toolbars tab. Select a toolbar and select **Show text labels**. (If a toolbar is already selected, uncheck the toolbar, recheck the toolbar, and check **Show text labels**.)

Figure 17–1: Standard Toolbar



Figure 17–2: Debug Toolbar



Figure 17–3: Class Members Toolbar




The BPL toolbar is only applicable in InterSystems IRIS.

Figure 17–4: BPL Toolbar



Figure 17–5: Bookmarks Toolbar



17.3.2 Customize Toolbars

The **Customize** menu consists of four tabs for customizing parts of the Studio interface: **Commands**, **Toolbars**, **Tools**, and **Options**.

Commands	Lists menus and all commands on Studio menus. Drag a command and drop it into an open toolbar. To remove a command from a toolbar, drag it off the toolbar.
Toolbars	Select check boxes to display toolbars. Toolbars can include text labels if you select Show text labels . The Menu Bar cannot be cleared. Select New to create a new toolbar.
Tools	Adds menu items to the Studio Tools menu. Specify an item name, its command, any arguments, and its initial directory.
Options	Select check boxes to turn on the display of screen tips, screen tips including shortcut keys, and large icons.

17.4 Project Menu

The **Project** menu contains options for working with projects.

Add Item	Adds the item in the current editor window to the current project.
Remove Item	Removes the item in the current editor window from the current project.
Settings	Select to edit settings for the current project: <ul style="list-style-type: none"> General: <i>HTTP Address used by Studio to set Web pages for this project.</i> Set URL location for Web pages for this project. Defines: Define a macro that is applied when you compile the project. You can define a debug macro which can be tested by other macros and turns on additional checking in the code. For example, <code>debug=1</code> defines the macro <code>\$\$\$debug</code> to be 1. Debugging: Set Debug target and Breakpoints. See the chapter “Using the Studio Debugger” for details.

17.4.1 Common Project Tasks

To delete a project, select **File > Open Project** and right-click the project that you want to delete.

To import a project, select **Tools > Import Local** and select the .xml file that contains the project.

To export a project, open the project, select **Tools > Export**, select **Export Current Project**, browse to the output directory, and enter a file name.

Project names cannot include the characters `.,;\` (that is, period, comma, semi-colon, slash, or backslash).

17.5 Class Menu

The **Class** menu contains options for editing class definitions and is available only when you are in a class definition file.

The class options are arranged in an **Add** submenu and an **Override** dialog. The options include:

Add	<p>Select one of: Property, Method, Class Parameter, Query, Index, SQL Trigger, Foreign Key, Storage, Projection, or XData. Opens a wizard for the item and inserts an item definition into the current class definition. See separate chapters in this book for details on options for each of these class members.</p>
Refactor or Override	<p>(Refactoring is available only when Studio is connected to a Windows server (it may be Override on other platforms). Some features may partially work on non-Windows platforms, but you should not use these features, because you may get unexpected results.)</p> <p>Override: Opens a window that lists items that the current class inherits that you can select. It inserts an override definition into the selected class definition. Items listed include Properties, Methods, Parameters, Queries, SQL Triggers, and XData routines.</p> <p>Rename: Enter a new name. The new name replaces the old name in all locations in the document. (Studio does not refactor code inside literal strings, such as in an embedded SQL statement or in a method that takes a string with a column name.) . If you check Reset Storage (for a class) or New Storage Slot (for a property), the renamed item is created without storage and default storage is generated. You see a confirmation box which if you choose to delete an old class, its storage extent definition is also deleted.</p> <p>Refactoring delays applying changes to the database until you are finished reviewing changes across all documents. When you select Accept Changes, changes are saved in a temporary location. When you select Finish all changes are applied. If you select Finish but haven't accepted changes to all documents, you are prompted <i>Not all documents modified. Proceed anyway?</i> and you can accept changes for more documents or finish.</p> <p>Note: Do not use refactoring in a production environment. Use only during development. Studio does not allow any data manipulation.</p>
Superclasses	<p>Lists superclasses of the current class alphabetically. You can pick from these to Add to Project, Show Documentation, or Open.</p>
Derived Classes	<p>Lists classes derived from the current class (subclasses). You can pick from these to Add to Project, Show Documentation, or Open.</p>
Create Subclass	<p>Displays the New Class Wizard. A class created using this option becomes a derived class of the class in the current window and inherits its members, including properties, methods, class parameters, applicable class keywords, and the parameters and keywords of the inherited properties and inherited methods.</p>

A projection automatically creates related files for other languages when you compile a class. For example, adding a Projection of type %Projection.Java generates a new Java class when it compiles so that you can use your class from a Java application.

17.6 Build Menu

The **Build** menu contains options for compiling and building applications. The behavior of the **Build** options is controlled by the [Compile](#) settings in the Studio Options dialog (**Tools > Options**).

The build options include:

 Compile	<p>Compiles the contents of the current window. Uses settings of the Compiler tab from Tools > Options. Any messages from the compiler are displayed in the Output Window.</p> <p>If Skip Related Up-to-date Classes is enabled then:</p> <ul style="list-style-type: none"> • The current class definition is only compiled if it has been modified. • If possible, Studio performs an incremental compile; if the only change to a class definition is in the <i>implementation</i> of one or more methods, then only these methods are compiled.
Compile with Options	Use to select options for this session only or to change the default compile options. Default options can also be set with the Tools > Options, Compiler tab.
 Rebuild All	Compiles all the components in the current project whether or not they have been modified from the last compile.

17.7 Debug Menu

The **Debug** menu contains debugging options. To see the Debug Menu options, see the section “[Debug Menu](#)” in the chapter “[Using the Studio Debugging](#).” See also the section “[Keyboard Accelerators](#).”

17.8 Tools Menu

The **Tools** menu contains miscellaneous options.

The tools options include:

Class Browser	Opens the Studio Class Browser. The Class Browser displays a list of all classes in the current namespace as well as their members (defined and inherited).
Show Plan for SQL Statement	Opens dialog for an SQL statement. An SQL statement selected in the active document is displayed and editable in the dialog. Selecting Show Plan displays the query execution plan in a web page.
Templates	Displays a list of Studio Templates. A template injects a stream of text at the current cursor location. Studio provides templates. In addition, you can create your own. For more information see the chapter on “ Studio Templates ”.
Add-Ins	Contains a list of wizards that help you add items to an open Studio file or connect to existing files using standard formats. See the section “ Add-In Templates .”
Task List	Displays a list of tasks. You can add, edit, or delete a task in the New Task window. Each task includes a server, namespace, document name, line #, and optional description. The current line code or selected text is used by default for the task description. GoTo takes you to selected document and line #. If needed, Studio connects to specified by task server/namespace using current security credentials.

Export	Exports one or more items (class definitions, projects, routines, include files) to either a local file or a file on the server system.
Export Special	Export RO, the format created with the %RO utility.
Import Remote	<p>Lets you import an item from a remote file (a file that is on the same machine as the server that Studio is connected to). All imported items are placed into new document windows.</p> <p>You can use this option to import a project, class definition, routines, or include files from either XML, or .RTN (%RO Routine format files).</p> <p>The Import Remote option displays a dialog that lists all the items contained in the file from which you can select. You can also specify whether the imported items should be added to the current project and if they should be compiled.</p> <p>The hand icon  indicates that the file you are importing is older than the file on the system.</p>
Import Local	<p>Lets you import an item from a local file (that is a file on the same machine as Studio). All imported items are placed into new document windows.</p> <p>You can use this option to import a project, class definition, routines, or include files from either XML, or .RTN (%RO Routine format files).</p> <p>The Import Local option displays a dialog that lists all the items contained in the file. You can select which items you want to import. You can also specify whether the imported items should be added to the current project and if they should be compiled. The list of items to import must be less than 32K.</p> <p>The hand icon  indicates that the file you are importing is older than the file on the system.</p>
Compare	Compares an open file to one that you select with Browse . You must have specified an external compare tool with the Compare setting in Tools > Options > Environment > General . To work correctly, the compare tool must be able to accept command line parameters as tool.exe file1 file2 . Tested compare tools are Microsoft Windiff and Perforce p4Diff.exe.
Copy Class	Creates a copy of an existing class with a new name.
Generate C++ Projection	This option applies only to Cache & Ensemble.
Import and Export Settings	Opens Import and Export Studio settings wizard. In this wizard you can set file and directory for import and export and save these settings to a text file in format compatible with regedit.exe. This file can be imported by wizard or executed directly from command prompt or explorer on any windows computer. Import and reset settings cause a Studio restart. Import on Windows Vista requires administrator privileges to run.
Options	Lets you set Studio options. For details on options, see the chapter " Studio Options. "
Customize	Opens Customize window, in which you can customize aspects of the Studio UI, such as menus and toolbars.

17.9 Utilities Menu

The Utilities menu contains links to resources outside of Studio, such as:

- Management Portal
- Telnet

17.10 Window Menu

The **Window** menu contains standard window options for manipulating the windows in Studio.

17.11 Help Menu

The **Help** menu contains options for accessing online Help.

The help options include:

Studio Documentation	Displays the table of contents for Studio documentation.
Studio Commands	Displays the list of Studio options and short descriptions.
Online Documentation	Displays the home page of the InterSystems IRIS Online Documentation.
ObjectScript Reference	Displays the ObjectScript online reference.
SQL Reference	Displays the InterSystems IRIS SQL online reference.
Class Definition Syntax	Displays the online reference for class definition syntax.
InterSystems on the Web	Provides links to useful pages on the InterSystems Web Site.
About Studio	Displays version information about Studio.

17.12 Context Menus

Right-clicking areas in Studio displays different context menu. These include those described in the following sections.

17.12.1 Editor Context Menu

Right-clicking in the Studio Editor window displays a context menu. Within this context menu are many items available from the main menus, such as on the Editor menu are Cut, Copy, Paste, Find, Toggle Breakpoint, and Go Back, and so on. There are also additional options that are not available from the main menu. These include:

Help	<p>The Help option displays context-sensitive help for selected syntactical elements. To use, right-click text and select Help.</p> <p>For example, if you right-click the word Do in ObjectScript code and select Help , the reference page for the Do command is displayed in your browser.</p>
Add Task	<p>Opens the Add Task window, in which you can add a task to the task list. See also Tools Menu.</p>
Set Syntax Color	<p>Displays a dialog in which you can choose the color used to display a specific syntactical element.</p> <p>To use, right-click text and select Set Syntax Color.</p>
Goto <TAG>	<p>Available when editing an ObjectScript routine. Lets you jump to the code that defines the ObjectScript tag.</p> <p>To use, in an ObjectScript routine, right-click a tag and select Goto <TAG> . If the right-clicked tag is defined in another routine, Studio automatically opens this routine.</p>
Set <i>current item</i> as debug target	<p>Sets the current item as the debug target.</p>
Toggle Word Highlight	<p>Highlights all instances of the word the cursor is pointing to in the document .</p>

17.12.2 Workspace Context Menu

Right-clicking the Workspace window displays a context menu. Which menu is displayed depends on the cursor location. Different context menus are displayed if the cursor is on a package, a class, and so on. This table below shows items on the Workspace Package context menu not available on the menu bar.

Add	Adds a class selected from the displayed list to the current package.
Remove Package “name”	Removes the current package from this project.
Compile Package “name”	Compiles the current package.
Delete Package “name”	Deletes the current package.
Export	Exports the current package to an xml file. (To import a package, select Tools > Import and select an xml file.)
Add to Project	Adds the highlighted item to the current project.

Source Control	<p>Select from Source Control options Check Out, Undo Checkout, Check In, Get Latest</p> <p>For more information see the section on “Source Control Hooks” .</p>
Close	Closes the current document.
Close All But This	Closes all documents except the highlighted document.
Close All	Closes all documents.

17.12.3 Inspector Context Menu

Right-clicking the Inspector window displays a context menu with the following items (if they are applicable to the current document in the editor window):

Add	Adds a member selected from the displayed list to the current class definition.
Override	Opens a window that lists items inherited by the current class, from which you select. An override definition is inserted into the current class definition window.
Reset to Default	Resets selected item to default.
Delete	Deletes the displayed item.
Locate	Available when a class member is displayed. Displays the member in the editor window.
Show Inherited Members	Toggles the inclusion of inherited members in the window display.
Show Headers	Toggles the display of the column headers, Name and Value, in the Inspector window.

17.12.4 Tab Context Menu

Right-clicking the tabs header displays a context menu with these items:

Close	Closes the current tab.
Close All But This	Closes all tabs except the current tab.
Close All	Closes all tabs.

17.12.5 Window Display Context Menu

Right-clicking a window where no other context menus apply shows the generic window context menu:

Floating	Disconnects the selected window from a fixed location; that is, it can be dragged freely to a desired location.
Docking	Glues the selected window to a default location.
Hide	Conceals the selected window.

17.12.6 Debugger Watch Context Menu

To see the Debugger Watch Window Context Menu, see the section [Debugger Watch Context Menu](#) in the chapter “Using the Studio Debugger” in this book.

17.13 Keyboard Accelerators

This section lists Studio's keyboard accelerators (keyboard shortcuts)—combinations of keys that, when pressed, perform a Studio function.

block of text

In the following table, a *block of text* means a number of whole lines. To select a block of text, put the caret at the start of the first line, press **Shift**, and select the **down arrow** till all of the relevant lines are highlighted. The caret is then displayed at the start of the line beneath the last whole line.

Accelerator	Action
<i>General</i>	
F1	Context Help
F4	Change Namespace or Connection
F8	Toggles Full Screen Display of Studio menus and editor window.
Ctrl+N	New Document
Ctrl+O	Open Document
Ctrl+Shift+O	Open Project
Ctrl+P	Print Opens the Print dialog. If text is selected, <code>Selection</code> is checked.
Ctrl+S	Save
Ctrl+Shift+I	Export
Ctrl+I	Import Local
<i>Display</i>	
Ctrl++	Expand All Expands all sections in the document that can be expanded. Select minus icon to collapse a section or Ctrl+- to collapse all sections.
Ctrl+Left Select plus icon	Expand All Block Sections Expands all sections in this code block that can be expanded. Select minus icon to collapse a block or Ctrl+- to collapse all blocks.
Ctrl+-	Collapse All Collapses all sections that can be collapsed.
Ctrl+W	Show Class Browser
Ctrl+Shift+V	View Other Opens documents related to the current document, such as MAC or INT routines.

Accelerator	Action
Alt+1	Toggles Inspector window display
Alt+2	Toggles Output window display The Output window has tabs for Result and Find in Files.
Alt+3	Toggles Workspace window display
Alt+4	Toggles Watch window display
Alt+5	Toggles Code Snippets window display
Alt+6	Toggles Find in Files window display
Alt+7	Toggles Class View window display
Ctrl+Alt++	Increase Font (Press Ctrl and Alt and the equal sign key — here called the plus sign.)
Ctrl+Alt+-	Decrease Font (Press Ctrl and Alt and the minus key.)
Ctrl+Alt+Space	Toggles display of Whitespace Symbols, spaces, newlines, and tabs
Ctrl+B	Toggle Bracket Matching Turns bracket matching on and off for the current window.
Ctrl+Shift+N	Toggles Line Numbers Display.
Ctrl+Tab	Next Window
Ctrl+Shift+Tab	Previous Window
<i>Navigation</i>	
Home	Go To Beginning of Line Subsequent presses hops the caret between the beginning of the line and the beginning of text on the line.
Ctrl+Home	Go To Beginning of Document
End	Go To End of Line
Ctrl+End	Go To End of Document
Ctrl+-	Back
Ctrl+Shift+-	Forward
Page Up	Page Up
Page Down	Page Down
Ctrl+Page Up	Go To Top of Visible Page
Ctrl+Page Down	Go To Bottom of Visible Page
Ctrl+	Scroll Down
Ctrl+	Scroll Up

Accelerator	Action
Ctrl+G	Goto
Ctrl+Shift+G or F12	Goto Documentation for Tag
Ctrl+F3	Go To Next Error
Ctrl+Shift+F3	Go To Previous Error
Alt+F3	Go to Next Warning
Alt+Shift+F3	Go to Previous Warning
Ctrl+]	Go To Bracket Moves the cursor between the innermost pair of brackets (or parentheses or braces). Pairs of all three kinds (one of each) can be highlighted if they are nested. This accelerator works only if bracket matching is turned on (see Ctrl+B).
<i>Editing</i>	
Insert	Toggle Insert/Overwrite Mode Toggles between <i>Insert</i> mode (new characters are inserted when typing) and <i>Overwrite</i> mode (new characters replace existing characters when typing).
Ctrl+Delete	Delete Next Word or to End of Word If caret is at the start of a word, deletes the word. If caret is in the middle of a word, deletes from the caret to the end of word.
Ctrl+Backspace or Ctrl+Shift+Delete	Delete Previous Word or to Start of Word If the caret is at the end of a word, deletes the word. If caret is in the middle of a word, deletes from caret to start of word.
Ctrl+Shift+L	Delete Line
Ctrl+C or Ctrl+Insert	Copy
Shift+Delete or Ctrl+X	Cut
Ctrl+L	Cut Line
Ctrl+V or Shift+Insert	Paste
Ctrl+A	Select All
Ctrl+Y or Ctrl+Shift+Z	Redo
Ctrl+Z	Undo
Ctrl+Space	Show Popup If the cursor is in an appropriate location, this displays the Studio Assist popup, which shows options available for this location (such as classes, methods, properties, and so on, as appropriate).
Ctrl+~	Toggle Tab Expansion Toggles whether tabs or spaces are entered when you press Tab.

Accelerator	Action
Ctrl+U	Uppercase Selection
Ctrl+Shift+U	Lowercase Selection
Ctrl+Alt+O	Toggles the Delay Parsing option.
Ctrl+Alt+U	Titlecase (Initial Caps) Selection
Ctrl+(Insert Open and Close Parentheses. (Does not work on German and Swiss keyboards.*)
Ctrl+{	Insert Open and Close Braces.
Ctrl+[Insert Open and Close Square Brackets.
Ctrl+<	Inserts Open and Close Angle Brackets.
Ctrl+=	Indentation Cleanup. Cleans up indentation on a selected block of whole lines of text.
Ctrl+/ Ctrl+Shift+/ Ctrl+/ Ctrl+Shift+/ Ctrl+Alt+/ Ctrl+Shift+Alt+/ Ctrl+E	<p>Comment Line</p> <p>Turns a selected line into a comment by adding a # (pound sign) to the beginning of the line.</p> <p>Uncomment Line</p> <p>Turns a selected comment into a regular line by removing a # (pound sign) from the beginning of the line.</p> <p>Comment Block of Text</p> <p>Pressing Ctrl+/ Ctrl+Shift+/ Ctrl+/ Ctrl+Shift+/ Ctrl+Alt+/ Ctrl+Shift+Alt+/ Ctrl+E while a block of text is selected comments the block of text; that is, adds #; (pound semi-colon) to the start of each line (for ObjectScript routine) or appropriate marker based on the document's language. (Does not work on German and Swiss keyboards.*)</p> <p>Uncomment Block of Text</p> <p>Pressing Ctrl+Shift+/ Ctrl+Shift+/ Ctrl+Shift+/ Ctrl+Shift+/ Ctrl+Shift+/ Ctrl+Shift+Alt+/ Ctrl+E while a block of text is selected uncomments the block of text (that is, removes the #; from the start of each line for Objectscript routine — or other marker based on the document's language). (Does not work on German and Swiss keyboards.*)</p> <p>Comment Markers Added to Block of Text</p> <p>Inserts block type comments (such as /*...*/) for specific language if block comments are supported. If block type comments do not exist, then single line comment marker is inserted. (Does not work on German and Swiss keyboards.*)</p> <p>Comment Markers Removed from Block of Text</p> <p>Removes block type comments (such as /*...*/) for specific language if block comments are supported. If block type comments do not exist, then single line comment marker is inserted. (Does not work on German and Swiss keyboards.*)</p> <p>In an ObjectScript document, commands in a selection are replaced with their full names.</p>

Accelerator	Action
Ctrl+Shift+E	Compress Commands In an ObjectScript document, commands in a selection are replaced with their abbreviated names.
Ctrl+.	Insert Dots With a block of text selected, Insert dots at the start of each line (after leading white space). Lines must start with leading whitespace. This is for use in block structuring with leading periods with argumentless DO commands.
Ctrl+Shift+.	Remove Dots Remove leading dots from the start of the selected block of text (for use in block structuring with leading periods with argumentless DO commands).
Ctrl+Shift+T	Add Task
<i>Find and Replace</i>	
Ctrl+F	Find
F3	Find Next
Shift+F3	Find Previous
Ctrl+Shift+F	Find in Files
Ctrl+, (comma)	Search
Ctrl+H	Replace
Ctrl+Shift+G	Go To
Ctrl+Alt+G	Go Back
<i>Bookmarks</i>	
Ctrl+F2	Toggle Bookmark on Current Line
F2	Go to Next Bookmark
Shift+F2	Go to Previous Bookmark
Ctrl+Shift+F2	Clear All Bookmarks
<i>Build and Compile</i>	
F7	Rebuilds All Documents in Project
Ctrl+F7	Compile Active Document
Ctrl+Shift+F7	Compile with Options
F5	View as Web Page
<i>Debugging</i>	
Ctrl+Alt+L	Toggle Studio Debug Logging Turns logging on or off. If on, information is sent to the file <code>/irisinstall/bin/CD###.log</code> for Studio debugging purposes. This file can become very large. Use carefully.

Accelerator	Action
Ctrl+Shift+A	Debug Attach Attach the debugger to a process.
F9	Debug Toggle Breakpoint on Current Line
Ctrl+F5	Debug Start
Ctrl+Shift+F5	Debug Restart
Ctrl+F10	Debug Run to Cursor Resumes program execution and pauses at the cursor line or a breakpoint.
F11	Debug Step Into From a break or an interrupt, step into the next loop.
Shift+F11	Debug Step Out Step out of the current process.
F10	Debug Step Over Skip over the next process.
Shift+F5	Debug Stop
<i>Templates</i>	
Ctrl+Shift+1 - Ctrl+Shift+9	Open Template Can be used as accelerators for Studio Templates. To set an accelerator, add an attribute in the form <code>accelerator="#"</code> to the template (in either the <code>csp:StudioInteractiveTemplate</code> tag or the <code>csp:StudioSimpleTemplate</code> tag). This sets an accelerator of Ctrl+Shift+# for the template. The number (#) can be 0-9.
Ctrl+T	Open Templates
<i>Wizards: Arguments for New Method wizard and Parameters for New Query wizard</i>	
Alt+A	Add
Alt+R	Remove
Alt+U	Up
Alt+D	Down

17.14 Adding to a Studio Menu

To add a menu item to a Studio menu,

1. In the Studio toolbar, right-click the menu name and select **Customize**.
2. Select the **Tools** tab, add the .exe file.

18

Setting Studio Options

You can modify the behavior of aspects of Studio by selecting **Tools > Options**.

The **Options** dialog contains tabs described in the following sections.

18.1 Environment Options

These options control the Studio environment:

General

Preferred Language: Sets the default language version used to create new classes.

Items shown in recently used lists: Specifies the number of items displayed in the most recently used file list (under the **File** menu).

Open File Added to Project: If enabled, adding a file to the current project automatically opens the file in Studio.

Tabbed Document Selector: If enabled, displays a tab for each open document. You can choose whether the row displays on the top or bottom of the Studio window.

When open project show documents from last time: If selected, when you start Studio all documents that were open the last time you were in the current namespace are reopened. To bypass this option, hold down **Shift** when Studio opens.

Hide Find and Replace window after operation complete: If selected, the **Find and Replace** dialog exits when it completes its task.

Compare: Select a document to compare this document to using **Tools > Compare**.

Font

Specifies the typeface and size of the fonts used in the following windows and print: **Editor Window**, **Output Window**, **Print**, **Workspace**, **Inspector**. Each window can use any Windows font but it is limited to a single typeface and size.

Keyboard

Show commands containing: Specify a command to search for.

Shortcut for selected command: Shows whether the selected command has a shortcut key assigned to it.

Press new shortcut key: Enter a shortcut key to assign to the selected command.

Shortcut currently used by: Shows whether the shortcut key you entered is currently assigned to another command.

Reset All Resets all keyboard shortcuts to original settings.

Remove Removes an existing shortcut key for the selected command.

Open Dialog

Automatically apply last mask. If checked, the last search mask is used automatically in the **File > Open** dialog.

Use additional dedicated server process. Recommended only on very large systems if user want option to abort data collection. In rare situations on very large systems, searching for a file in the **File > Open** dialog can take a significant amount of time. To solve this, check this option to run the search in a separate process. If the search take more than .2 seconds, Studio displays a progress bar with a **Cancel** button. If you check this box and an additional process is started, it affects the license count.

Server defined colors

You can select a color for the status panel background or the document background for a software instance. Display a color palette by selecting the square to the far right of the instance. Select a color from the palette, which is shown by a color swatch and its hexadecimal color code.

Documentation and Proxy

HTTP Address used to serve on-line documentation: Specifies the location Studio uses to fetch on-line documentation. Select **Automatic** to use the default location associated with the instance, or **HTTP Address** to supply a different location.

Templates and add-ins will use Proxy server for 'IRIS_instance': Specify the server address and port number of a Proxy server to load templates and add-ins for the current instance. The **Address** field supports the address formats `http://` and `https://`, as well as address such as `localhost`. If no `://` detected in the address, Studio adds `http://`.

Class

Multiline Method Arguments: If selected, method arguments are displayed in the class editor one per line. If Multiline Method Argument is enabled and you use Find in Files, and then select a line in the Find in Files output of a file that has multiline method arguments, the cursor may go to the wrong line number. Disable Multiline Method Arguments if this is a problem.

Option explicit: If selected, you see a syntax error if you refer to a variable that hasn't been declared. (Select this and [Studio Assist](#) to display undeclared local variables when entering a `#DIM` statement in a method or a `DO` statement in a routine.)

Show internal class members in Studio Assist: If selected, Studio Assist lists class members marked as internal.

Track variables: If selected, a green wavy underline indicates any questionable use of a variable. For example, this option highlights a variable is used that has no value, was never created, or has already been killed. It also highlights a variable that is given a value, but never used or that is killed before being used.

Open class in contracted view: If selected, by default a class opens with all collapsible sections contracted (as though `Ctrl+-` had been pressed). If not selected, a class opens with collapsible sections open (as though `Ctrl++` had been pressed).

Code Snippets

Display Snippets Check the types of code snippets you want Studio to display. You can define your own sets of code snippets by specifying a name and a text file. Use **Create Code Snippet** from the document's context (right-click) menu. The snippet is created in your currently-active user-defined set or if no set is currently-active, then in the first set.

Advanced

Auto Save prevents you from losing changes to Studio documents in the case of a software or system failure. By default, Auto Save is enabled and saves every 5 minutes. It saves any document that is open and has been modified since the last save into a file that is a text representation of the document, C:\Documents and Settings\\Local Settings\Temp\CST*.tmp. If you subsequently save (or close) the document, this .tmp file is deleted. If Studio crashes, the next time that Studio is opened, you get a message telling you that the temporary file exists. If you open this temporary document, you can paste the relevant portions into a Studio document.

Enable service status check (Recommended) determines how often Studio checks to see if open documents and/or the open project changed on the Server outside of this Studio process. If Studio is the active application, it uses the first setting, **Studio is active application (2–60 sec)**. If Studio is running in the background, it uses the second setting: **Studio is background application (30–600 sec)**. If you are on a slow system, you can uncheck this option. As a result Studio will not check server status and will not be able to timely detect if documents or project on server were modified or studio lost connection. Use with caution.

Automatically reload document when it is modified on the server and it has not been edited in Studio: If selected and you have a document open in an editor, but have not yet edited it, and someone else saves a new version to the server, the file in your window is automatically updated. This setting can be enabled on a namespace basis using a global: `Set ^%SYS("Studio", "Reload")=1` (or 0 to turn off).

Show generated documents in Namespace tree: If selected, the namespace window in workspace shows generated files. If not selected, generated files are not displayed.

Use INT as default for ObjectScript: If selected, when you select **File > New > Objectscript Routine**, an INT file is opened. If not selected, a MAC file is opened.

Pass credentials to View Web Page: If selected, Studio checks your permissions when you select **View Web Page**.

Use default language (will cause reset toolbars and restart). If checked, Studio loads language specific resources. To override your system's default language (that is, to see all menus in English), uncheck this box. When you accept the changes, toolbars are reset and Studio is restarted.

Export flags: Enter flags that you want to use when exporting files. See the [Flags and Qualifiers](#) section of the \$SYSTEM entry in the *ObjectScript Reference* for more information.

18.2 Editor Options

The editor options allow you to control the behavior of the Studio text editor. These options include:

Syntax Check and Assist

Enable Syntax Checking: If enabled, syntax errors are highlighted. You can specify when syntax checking should be performed - either on each change (each character that you type or erase) (**Syntax Check on Change**) or when the cursor leaves the current line (**Syntax Check on Leave Line**). You can specify whether you also want the errors to be underlined with a wavy red line (**Underline Errors**).

Enable Bracket Matching: If enabled, pairs of matching brackets enclosing the current cursor point are bolded. Depending on the language you are in, *brackets* include [] square brackets, () parentheses, and < > angle brackets. Note that for **Enable Bracket Matching** to work, **Enable Syntax Checking** must be checked. **Bracket Matching Line Limit** Limits the number of lines to search above and below the caret position to locate a matching bracket (as an unlimited search in a long file would slow the editor down significantly).

Studio Assist: Enables *code completion*. As you are entering ObjectScript code, a drop-down menu is displayed showing available options for what you can enter next. If you type a package name, available classes are listed. If you type a class, available methods are listed. If you type a method, available arguments are listed. Available options may be listed in other locations as well, such as with **#dim** declarations and trigger code.

To display undeclared local variables when entering a **#DIM** statement, you must be in a method, and you must have selected Studio Assist and **Option Explicit**. To be listed, a variable must not begin with %, must not be a parameter or in the public list, and must not have been declared already.

If you type \$\$\$, available macros are listed as follows: User-defined macros are listed if they are defined in the current file and if they are defined in an include file and, within the include file, they are preceded by a line beginning with three slashes, *///*. System-defined macros are listed if the current file is a class file.

Following a partial member name, Studio displays a list of matching members as follows: If the partial entry begins with double-quotes (or a single quote), the popup contains only members whose names must be quoted in the program; that is, they contain spaces or other non-alphanumeric characters. If the partial entry does NOT begin with double-quotes, the popup contains only members whose names do not need to be quoted. If Studio Assist is triggered directly after a period, the popup contains all member names.

Parsing delay. Check if parsing slow. Uncheck if line flashing. If **Syntax Check on Change** and **Parsing delay** are both enabled and you are entering text faster than the parser can reparse, the text flashes between black and the parsed color. If the text is flashing, disable **Parsing Delay** by clearing this option or pressing **Ctrl+Alt+O**. Response may slow slightly since every keystroke causes a reparse, but the flashing stops. This switch needs to be set at the start of each Studio session.

Studio Assist provides code completion and assistive popups for RESTSpec XData blocks.

Colors

The Studio syntax checker uses a different coloring scheme for each language it supports. This option lets you specify the colors used to highlight syntactic elements when Studio syntax coloring is enabled.

To change the color used by the Studio Editor for a specific syntax element, do the following in the **Options** dialog, **Appearance** tab:

1. Select a language (such as ObjectScript) from the available options.
2. Select a syntax element (such as comments).
3. Select the desired foreground (and background color) color.
4. Select **Apply** to use the new color scheme.

Reset reverts the selected syntax element to its default color.

Reset All reverts all syntax colors to their default values.

Note: You can also change the color for a particular syntax element by right-clicking it in the editor window and selecting **Set Syntax Color**.

Keyword Expansion Case

This feature only applies to ObjectScript routines.

Specifies the case (**Use Current Case**, **Uppercase**, **Lowercase**, or **Mixed Case**) used to expand ObjectScript commands when you select **Edit > Advanced > Expand Commands**. Set this option, highlight the code you want to expand, then select **Edit > Advanced > Expand Commands**. This also applies if you are compressing commands.

Indentation

Defines characteristics of automatic indentation.

- **Basic:** If enabled, if a line begins with a tab, a space, or any combination of spaces and tabs, when you press Enter, the next line is started automatically with the same combination of spaces and tabs.
- **User-defined ('/' for tab)**
If enabled, you can specify any characters that you would like to be automatically entered at the start of each subsequent line. For example, if you enter the set of characters `\t . # / ;` (tab, dot, pound, slash, semi-colon) and if a line begins with any of these characters or any combination of these characters, when you press Enter, the next line is started automatically with the same combination of characters.
- **None:** No automatic indentation is provided.

Comment

Displays a table of comment delimiters for Studio document types. Select in a cell to enter a delimiter. Highlight a block of text in a Studio document and press **Ctrl + Alt + /** to delimit the block with Multi-Start and Multi-End characters.

View

Controls the display of some items.

- **Show Special Characters:** If enabled, the editor displays newline and tab characters using special symbols.
- **Show Line Numbers:** If enabled, the editor displays line numbers.
- **Convert tabs to spaces:** If enabled, the editor converts tabs to spaces.
- **Cloudy background color for generated files:** If enabled, the editor displays generated files with a greyed background color to differentiate them from user-created files.
- **Tab Size:** Specifies the size of a tab by number of spaces.

18.3 Compiler Options

These options affect how Studio compiles your code. There are two pages, **Flags and Optimization** and **Behavior**.

Flags and Optimization

This page includes 3 sections: **Compile Flags**, **Optimization Level**, and **Flags**.

The **Compile Flags** section includes

Keep Generated Source Code: If enabled, specifies that the compiler should not delete any intermediate source code (routines) that it creates as a consequence of compiling.

Compile Dependent Classes: If enabled, the compiler compiles all of a class' dependent subclasses.

Skip Related Up-to-date Documents: If enabled, this sets the “Do not compile up-to-date documents” flag and the compiler does not compile related documents that have not been modified since their last compilation. The document that is current in the editor is always, however, recompiled.

Compile In-use Classes: If enabled, the compiler compiles a class even if there currently are instances of the class in active use.

In the **Optimization Level** section, you can set the level of optimization to improve execution speed. If optimization is enabled, the compiler reorganizes the code for maximum benefit, including the copying of expressions between classes to eliminate method calls. Levels are:

- **No optimization:** Recommended during development. It does not recompile dependent classes and it keeps a strong correspondence between source and object code so it is easier to read and debug.
- **Optimize properties:** Optimizes any reference to `..property` to the instance variable reference (for simple properties described by datatypes where the `get/set` method is not overridden).
- **Optimize within class and calls to library classes:** Optimizes classes, as well as calls to system (%) classes (as code may be extracted and moved during the process). Incremental compile no longer works for optimized classes.

In the **Flags** field, enter compiler flags you want used.

To see this list of flags in the terminal, enter: `d ##class(%SYSTEM.OBJ).ShowFlags()`

To see a list of qualifiers, enter: `d ##class(%SYSTEM.OBJ).ShowQualifiers()`

Flag	Effect
a	Include application classes. This flag is set by default.
b	Include sub classes.
c	Compile. Compile the class definition(s) after loading.
d	Display. This flag is set by default.
e	Delete extent.
h	Generate help.
l	Validate XML export format against schema on Load.
k	Keep source. When this flag is set, source code of generated routines is kept.
l	Lock classes while compiling. This flag is set by default.
p	Percent. Include classes with names of the form %*.
r	Recursive. Compile all the classes that are dependency predecessors.
s	Process system messages or application messages.
u	Update only. Skip compilation of classes that are already up-to-date.
v	Include classes that are related to the current class in the way that they either reference to or are referenced by the current class in SQL usage.

Behavior

- **Before Compile:** You can choose a default behavior for Studio to take when you select **Compile**. You can select that, before compiling, Studio will **automatically save all modified documents**, **prompt to save modified documents**, or **do not save modified documents**.
- **Compile Routine on Save** Select this option to have the system compile any modified documents when you select **Save**. By default, this option is turned off.

18.4 SQL Options

Use these options if you primarily use Studio to create classes that map onto existing legacy data.

Legacy Mode: Enable Legacy SQL Mode For Classes

If enabled, the other default settings on this tab are enabled. This option effects only how Studio wizards operate; it does not affect the runtime behavior of applications.

Default Storage Type: Specifies the storage class used when the New Class wizard creates a new class.

Default \$Piece Separator: Specifies the default data delimiter used when defining a mapping to legacy data structures.

Default Collation: Specifies the default index collation used when defining a mapping to legacy data structures.

Private Row ID: Specifies whether new classes should have their [SqlRowIdPrivate](#) flag set by default.

Automatically Generate Row ID: Automatically creates a row id field when mapping data to existing storage structures.

18.5 Studio Look Options

Select a theme from the list to change the color scheme of Studio using this option.

A

Frequently Asked Questions About Studio

A Question and Answer Set about Studio.

Projects

What is a project?

A project is a collection of class definitions and routines that you can group together for the sake of convenience.

Using projects gives you an easy way to return to your work when you start a Studio session. For example, you can place all the classes related to an application, or part of an application, in a project. When you start Studio, open this project and the Project tab of the Workspace window displays all the classes in a convenient list.

You can also export and import entire projects to and from a single external file, making it easy to save or pass around application code.

How do I add an item to a project?

Here are some of the ways to add items to the current project:

- Before opening one or more items (with **File > Open**), select the **Add to Project** check box in the **Open** dialog.
- To add the item in the current editor window to the current project, select **Project > Add Item**.
- In the workspace window, highlight an item, right-click, and select **Add to Project**.

Can I add something from another namespace to my project?

No. A project can only contain items that are visible to the current InterSystems IRIS namespace.

Can an item belong to multiple projects?

Yes. A project is a specified set of items (class definitions and routines) that you choose to group together. The items themselves have no link back to the projects they may belong to. There is no limit to how many projects an item can belong to.

What if I don't want to use projects?

You are not required to use projects with Studio; you can completely ignore them if you like. To ignore projects, do not add any items to the default project and ignore the prompt asking you if you want to save your project when you exit Studio.

Can I export a project?

Yes. Select **Tools > Export > Export Project**. Enter a file name and press **OK**. This exports the entire contents of the current project (including the project definition) to a single XML file.

How do I delete a project?

Select **File > Open** to list all your projects. Right-click a project and select **Delete**.

Note that you can use **File > Open** to delete any type of item on the server in this way.

Opening Files

How do I open a class definition?

To open an existing class definition (that is, one saved on the InterSystems IRIS server), do the following:

1. Make sure you are connected to the InterSystems IRIS namespace and server containing the class definition.
2. Select **File > Open**.
3. In the **Open** dialog, make sure that class definitions are listed by selecting `Class Definitions (.CLS)` or `All` in the **File Types** combo box.
4. Package names are listed in the file list as folders. Select a package name to list all the classes (or subpackages) within the package.
5. Double-click a class name to open it.

Alternatively, you can enter the name of the class you want directly into the filename edit box with a `.cls` extension (such as `Sample.Person.cls`) and select **Open**.

How do I open a routine?

To open an existing routine (that is, one saved in the InterSystems IRIS server), do the following:

1. Make sure you are connected to the InterSystems IRIS namespace and server containing the routine.
2. Select **File > Open**.
3. In the **Open** dialog, make sure that routines are listed by selecting either `MAC routines (.MAC)`, `INT routines (.INT)`, or `All` in the **File Types** combo box.
4. Double-click a routine name.

Alternatively, you can enter a routine name with extension directly into the filename edit box (such as `MyRoutine.MAC`) and select **Open**.

How do I open a CSP file?

You can open a CSP file in the same way that you open a class definition or a routine. The main difference is that the **Open** dialog lists CSP Applications (for example, /csp/samples) as folders; select the name of an application to see the CSP pages within it. Using CSP files with InterSystems IRIS is not recommended.

What does the Show System check box in the Open dialog do?

If the **Show System** check box is selected, then the **File > Open** dialog lists system items (items whose names start with the % character and are stored in the IRISLIB database) along with items in the current namespace.

Can I use pattern matching in the File > Open dialog?

Yes. You can use the “*” character as a wildcard to match any number of any character as you can in a standard **File > Open** dialog. You can use file extensions to filter certain items; for example, “*.cls” lists all Class Definitions in the selected package. You can use the “?” character to match any character. These are Windows pattern matching conventions, not InterSystems IRIS pattern matching.

How do I open a routine from a different namespace?

The **File > Open** dialog lists items from the current namespace and server only. To open a routine from a different namespace or server:

1. Select **File > Change Namespace**.
2. Open the desired routine.

Can I open a % class?

Yes. You can list % classes (classes whose package name starts with a % character and are stored within the IRISLIB database) from the **File > Open** dialog by selecting the **Show System** check box at the bottom.

Studio opens % classes as read-only if you open them while connected to a namespace other than %SYS.

What does File > Connect do?

Studio maintains a connection to a specific InterSystems IRIS namespace and server. It uses this connection to provide a list of classes (such as for specifying property types, super classes, etc.). It also uses this connection for debugging. **File > Connect** lets you connect to a different server.

Debugging

How do I start the debugger?

You can connect the debugger to a target process in of the following ways:

- Define a “debugging target” (name of program or routine to debug) for the current project with **Project > Settings**. Then select **Debug > Go** to start the target program and connect to its server process.
- Select **Debug > Attach** to select from a list of running processes on an InterSystems IRIS server.

For more details, refer to the chapter “[Using the Studio Debugger](#)” in this book.

How can I debug a class?

The Studio debugger lets you step through the execution of programs running on an InterSystems IRIS server. These programs can include INT files, MAC files, methods within CLS files, server-side methods invoked from Java, or server-hosted applications.

1. To view the INT file during debugging and to save the INT for further review later, set the **Keep Generated Source Code** option before you compile your class. This option is located on the **Tools > Options > Compiler > Flags & Optimization** page.
2. Set a breakpoint at the desired location in a class method (or any of the other files mentioned above) by pressing **F9** (toggles breakpoint) on the desired source line.
3. Set a debug target to specify where you want the debugger to begin code execution using **Debug > Debug Target**. Enter the name of the class and the method that you want to step through.
4. Start the debugger with **Ctrl+F5** or **Debug > Go**.

Can I watch variables?

Yes. While debugging, enter a variable name (or an expression) in the left-hand column of the Studio Watch Window. Each time the debugger pauses, the variable or expression is reevaluated.

Editing

What do the different colors in the editor mean? Can I change the colors in the editor?

Studio uses colors to differentiate the syntax elements of a given language.

You can change the colors used for the various syntax elements as follows:

1. Select **Tools > Options > Editor > Colors**.
2. Select a language.
3. Select an element (comment, variable, etc.)—the list of available elements depends on the selected language.
4. Select Foreground and Background colors and select **OK**.

Why is there a wavy, red line underneath my code?

The wavy, red line indicates that the underlined code (or possibly code before it) contains syntax errors.

Does Studio support Kanji and Chinese characters?

Yes. Studio has complete support for Unicode and Kanji characters.

Does Studio support Hebrew and Arabic characters?

Yes. The Studio Editor supports Hebrew and Arabic characters, as well as bidirectional editing.

Importing Files

Can I import class definitions or routines from external files?

Yes. Select **Tools > Import**.

What is the difference between Local and Remote files?

Studio is a client/server application; Studio itself runs on a client system and talks to a server. The server can either be on the same machine or on a remote machine. Studio uses the terms “Local” and “Remote” to refer to operating system files (such as when you are importing or exporting) that are stored on the client and server systems, respectively.

If both the client and server are on the same system, there is no difference between Local and Remote.

Printing

Can I print from Studio?

Yes. Select **File > Print** or **File > Print Preview**.

Templates

What is a Template?

Templates are a mechanism for creating user-defined Studio add-ins. A template is a program that enters a code fragment into the current document at the current cursor point. You can customize the code fragment to your needs. See the chapter “[Using Studio Templates](#)” in this book for more information.

Is there a list of available Templates?

Yes. Select **Tools > Templates > Templates**.

Can I create a new Template?

Yes. See the chapter “[Using Studio Templates](#)” in this book.

Multiuser Support

Does Studio support development by multiple users?

Yes. You can do this in several ways:

- Set up a common InterSystems IRIS server system and have all developers store their code on it.
- Use local InterSystems IRIS servers (on the developer's system) and store source code in a source control system as exported XML files.

What happens if I try to open a class (or routine) that someone else is editing?

Studio displays a dialog stating that the class (or routine) is in use by someone else and asks you if you want to open it in read-only mode.

What if someone wants to edit a super class of a class that I am working on?

Studio does not prevent another developer from modifying the super class of a class you are working on.

While Studio could take out locks on all subclasses whenever a class is opened for editing, in practice this would be annoying and unwieldy. Instead, a development team needs to work out rules and procedures for defining and modifying super classes. This is similar to how development teams in other languages (for example, Java) usually work with class definitions in source control systems.

Classes

How do I create a new class?

Use the **File > New** and select Class Definition. This invokes the New Class Wizard.

For more details, see the chapter [Class Definitions](#) in this book.

Can I see the source code generated for my class?

Yes. You can see all the source code generated by the Class Compiler with **View > View Other Code** (available when the current window contains a class definition).

Make sure that the **Keep Generated Source Code** option is set before you compile your class. This option is located on the **Tools > Options > Compiler > Flags & Optimization** page.

When I try to compile my class, Studio says it is up-to-date and does not need to be compiled. Can I force a compile to happen?

Yes. Turn off the **Skip related up-to-date documents** option. This option is located on the **Tools > Options > Compiler > Flags & Optimization** page.

Routines

How do I create an INT routine?

Create a new ObjectScript routine by selecting **File > New** and then save the new routine using a name with a .INT extension. You can create an include (.INC) file in the same fashion.

SQL

How do I define an SQL View?

Studio does not include a mechanism for defining SQL views. To do this, as well as other SQL tasks, use the Management Portal.

Source Control

Does Studio integrate with external Source Control systems?

Yes. The procedure is:

1. Create a subclass of the system-supplied class `%Studio.SourceControl.Base` where you implement the methods to interact with your source control system. The class that you create is called from Studio in response to particular events and then performs the actions that you have specified.
2. In the Management Portal, go to the **Studio Source Control Settings** page (**System > Configuration > Additional Settings > Source Control**), select the site-specific source control class from the list, and select **OK**.

At this point, Studio has been configured to interact with the source control system. When Studio attempts to open a document, prior to opening it, the **OnBeforeLoad** method of your source control class is invoked; typically, this method checks the timestamp on a file representation of the document and, if it is newer in the file, the method calls an InterSystems IRIS function to import this into the current namespace. This makes sure that the user is seeing the most up-to-date version of the file.

If you modify the file and save it, then Studio calls the **OnAfterSave** method of the source control class, which typically exports this document to the filesystem. (This keeps these files in sync with the routines, classes, etc. that are in InterSystems IRIS.)

When you attempt to modify a document, Studio attempts to get a lock on it, which also triggers a call to a source control method **GetStatus**. If the file is locked in source control, Studio can then ask if you want to check it out. This triggers a call to the **CheckOut** method which performs the actions required to check the item out.

`%Studio.SourceControl.Base` and `%Studio.Extension.Base` provide a set of methods that allow you to create interactions between Studio and your source control system that are as simple or complex as you choose.

Can I create my own hooks?

Yes. You can define hooks—code that is executed whenever items are saved to or loaded from the server. For details, see [Integrating InterSystems IRIS with Source Control Systems](#).

Compatibility

Can I connect a Studio client to any InterSystems IRIS server?

A Studio client must be running either the same version of InterSystems IRIS or a higher version than the InterSystems IRIS server that it is connecting to.

Can I run Studio on Linux?

The Studio client only runs on Windows platforms. You can use a Windows-client to talk to any server. You can also use a partition manager, such as VMWARE, to run both Windows and Linux partitions on your development system and run Studio in the Windows partition with InterSystems IRIS running in the Linux partition. The only trick is to configure your networking so that the Windows partition can talk to the Linux partition via TCP/IP. Studio can also run under Windows on an Intel-based Macintosh.

Studio Implementation

Why doesn't Studio use the licensed components of Microsoft Visual Studio?

There are several reasons why Studio was built from the “ground up” instead of licensing or extending Visual Studio:

- The Studio editor uses advanced parsing technology not available within the Microsoft Studio framework.
- Microsoft cannot guarantee the compatibility of future versions of Visual Studio.

Why wasn't the Studio interface developed using Java?

At this time, the only way to get acceptable performance for the Studio editor is to use direct calls to the Windows API. While there are syntax-coloring editors developed using Java, they do not offer the sophisticated multi-language parsing used by Studio and they typically require very high performance computers for decent performance.